

Table 3-1. Dangerous Goods List

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
A												
Accumulators, electric, see Batteries , etc. (UN Nos. 2794, 2795, 2800, 3028, 3292)												
Acetal	1088	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Acetaldehyde	1089	3		Liquid flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1	I	E0	FORBIDDEN		361	30 L
Acetaldehyde ammonia	1841	9		Miscellaneous			III	E1	956	200 kg	956	200 kg
Acetaldehyde oxime	2332	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Acetic acid, glacial	2789	8	3	Corrosive & Liquid flammable			II	E2	851 Y840	1 L 0.5 L	855	30 L
Acetic acid solution , more than 80% acid, by mass	2789	8	3	Corrosive & Liquid flammable			II	E2	851 Y840	1 L 0.5 L	855	30 L
Acetic acid solution , more than 10% but less than 50% acid, by mass	2790	8		Corrosive			III	E1	852 Y841	5 L 1 L	856	60 L
Acetic acid solution , not less than 50% but not more than 80% acid, by mass	2790	8		Corrosive			II	E2	851 Y840	1 L 0.5 L	855	30 L
Acetic anhydride	1715	8	3	Corrosive & Liquid flammable			II	E2	851 Y840	1 L 0.5 L	855	30 L
Acetoin, see Acetyl methyl carbinol												
Acetone	1090	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Acetone cyanohydrin, stabilized	1541	6.1			AU 1 CA 7 IR 3 NL 1 US 3 US 4	A2	I		FORBIDDEN		FORBIDDEN	
Acetone oils	1091	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Acetonitrile	1648	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Acetyl bromide	1716	8		Corrosive			II	E2	851 Y840	1 L 0.5 L	855	30 L
Acetyl chloride	1717	3	8	Liquid flammable & Corrosive			II	E2	352 Y340	1 L 0.5 L	363	5 L

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Acetyl cyclohexanesulphonyl peroxide, more than 82%, wetted with less than 12% water	FORBIDDEN											
Acetylene, dissolved	1001	2.1		Gas flammable	AU 1 CA 7 NL 1 US 3	A1		E0	FORBIDDEN		200	15 kg
Acetylene (liquefied)	FORBIDDEN											
Acetylene silver nitrate	FORBIDDEN											
Acetylene, solvent free	3374	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	15 kg
Acetylene tetrabromide, see Tetrabromoethane												
Acetylene tetrachloride, see 1,1,2,2-Tetrachloroethane												
Acetyl iodide	1898	8		Corrosive			II	E2	851 Y840	1 L 0.5 L	855	30 L
Acetyl methyl carbinol	2621	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Acid butyl phosphate, see Butyl acid phosphate												
Acid mixture, hydrofluoric and sulphuric, see Hydrofluoric acid and sulphuric acid mixture												
Acid mixture, nitrating acid, see Nitrating acid mixture												
Acid mixture, spent, nitrating acid, see Nitrating acid mixture, spent												
Acraldehyde, inhibited, see Acrolein, stabilized												
Acridine	2713	6.1		Toxic			III	E1	670 Y645	100 kg 10 kg	677	200 kg
Acrolein dimer, stabilized	2607	3		Liquid flammable		A209	III	E1	355 Y344	60 L 10 L	366	220 L
Acrolein, stabilized	1092	6.1	3			A209	I		FORBIDDEN		FORBIDDEN	
Acrylamide, solid	2074	6.1		Toxic			III	E1	670 Y645	100 kg 10 kg	677	200 kg
Acrylamide solution	3426	6.1		Toxic		A3	III	E1	655 Y642	60 L 2 L	663	220 L
Acrylic acid, stabilized	2218	8	3	Corrosive & Liquid flammable		A209	II	E2	851 Y840	1 L 0.5 L	855	30 L

별표 1. 위험물 목록

3-2-5

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Acrylonitrile, stabilized	1093	3	6.1	Liquid flammable & Toxic		A209	I	E0	FORBIDDEN		361	30 L
Actinolite, see Asbestos, amphibole (UN No. 2212)												
Activated carbon, see Carbon, activated												
Activated charcoal, see Carbon, activated												
Actuating cartridge, explosive, see Cartridges, power device (UN Nos. 0275, 0276, 0323, 0381)												
Adhesives containing flammable liquid	1133	3		Liquid flammable		A3	I II III	E3 E2 E1	351 353 Y341 355 Y344	1 L 5 L 1 L 60 L 10 L	361 364 366	30 L 60 L 220 L
Adiponitrile	2205	6.1		Toxic			III	E1	655 Y642	60 L 2 L	663	220 L
Adsorbed gas, n.o.s.*	3511	2.2		Gas non-flammable				E0	219	75 kg	219	150 kg
Adsorbed gas, flammable, n.o.s.*	3510	2.1		Gas flammable				E0	FORBIDDEN		219	150 kg
Adsorbed gas, oxidizing, n.o.s.*	3513	2.2	5.1	Gas non-flammable & Oxidizer				E0	219	75 kg	219	150 kg
Adsorbed gas, toxic, n.o.s.*	3512	2.3			AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Adsorbed gas, toxic, corrosive, n.o.s.*	3516	2.3	8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Adsorbed gas, toxic, flammable, n.o.s.*	3514	2.3	2.1		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Adsorbed gas, toxic, flammable, corrosive, n.o.s.*	3517	2.3	2.1 8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Adsorbed gas, toxic, oxidizing, n.o.s.*	3515	2.3	5.1		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Adsorbed gas, toxic, oxidizing, corrosive, n.o.s.*	3518	2.3	5.1 8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Aeroplane flares, see Flares, aerial												
Aerosols , flammable	1950	2.1		Gas flammable		A145 A167		E0	203 Y203	75 kg 30 kg G	203	150 kg
Aerosols , flammable, containing substances in Division 6.1, Packing Group II	1950	2.1	6.1						FORBIDDEN		FORBIDDEN	
Aerosols , flammable, containing substances in Division 6.1, Packing Group III and substances in Class 8, Packing Group III	1950	2.1	6.1 8	Gas flammable & Toxic & Corrosive		A145 A167		E0	203 Y203	75 kg 30 kg G	203	150 kg
Aerosols , flammable, containing toxic gas	1950	2.3	2.1						FORBIDDEN		FORBIDDEN	
Aerosols , flammable, corrosive, containing substances in Class 8, Packing Group II	1950	2.1	8						FORBIDDEN		FORBIDDEN	
Aerosols , flammable, corrosive, containing substances in Class 8, Packing Group III	1950	2.1	8	Gas flammable & Corrosive		A145 A167		E0	203 Y203	75 kg 30 kg G	203	150 kg
Aerosols , flammable (engine starting fluid)	1950	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1 A145 A167		E0	FORBIDDEN		203	150 kg
Aerosols , flammable, toxic, containing substances in Division 6.1, Packing Group III	1950	2.1	6.1	Gas flammable & Toxic		A145 A167		E0	203 Y203	75 kg 30 kg G	203	150 kg
Aerosols , non-flammable	1950	2.2		Gas non-flammable		A98 A145 A167		E0	203 Y203	75 kg 30 kg G	203	150 kg
Aerosols , non-flammable, containing substances in Class 8, Packing Group II	1950	2.2	8						FORBIDDEN		FORBIDDEN	
Aerosols , non-flammable, containing substances in Division 6.1, Packing Group III and substances in Class 8, Packing Group III	1950	2.2	6.1 8	Gas non-flammable & Toxic & Corrosive		A145 A167		E0	203 Y203	75 kg 30 kg G	203	150 kg
Aerosols , non-flammable, containing substances in Division 6.1, Packing Group II (other than tear gas devices)	1950	2.2	6.1						FORBIDDEN		FORBIDDEN	
Aerosols , non-flammable, containing toxic gas	1950	2.3							FORBIDDEN		FORBIDDEN	

별표 1. 위험물 목록

3-2-7

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Aerosols , non-flammable, corrosive, containing substances in Class 8, Packing Group III	1950	2.2	8	Gas non-flammable & Corrosive		A145 A167		E0	203 Y203	75 kg 30 kg G	203	150 kg
Aerosols , non-flammable (tear gas devices)	1950	2.2	6.1	Gas non-flammable & Toxic	AU 1 CA 7 IR 3 NL 1 US 3	A1 A145 A167		E0	FORBIDDEN		203	50 kg
Aerosols , non-flammable, toxic, containing substances in Division 6.1, Packing Group III	1950	2.2	6.1	Gas non-flammable & Toxic		A145 A167		E0	203 Y203	75 kg 30 kg G	203	150 kg
Aerosols , oxidizing	1950	2.2	5.1	Gas non-flammable & Oxidizer		A145 A167		E0	203	75 kg	203	150 kg
Agent, blasting, type B †	0331	1.5D							FORBIDDEN		FORBIDDEN	
Agent, blasting, type E †	0332	1.5D							FORBIDDEN		FORBIDDEN	
Air bag inflators, see Safety devices (UN No. 3268) or Safety devices, pyrotechnic (UN No. 0503)												
Air bag modules, see Safety devices (UN No. 3268) or Safety devices, pyrotechnic (UN No. 0503)												
Air, compressed	1002	2.2		Gas non-flammable		A221		E1	200	75 kg	200	150 kg
Aircraft, see Vehicle (flammable gas powered) or Vehicle (flammable liquid powered)												
Aircraft engines (including turbines)†, see Engine, internal combustion, flammable liquid powered (UN No. 3528)												
Aircraft evacuation slides, see Life-saving appliances, self-inflating (UN No. 2990)												
≠ Aircraft hydraulic power unit fuel tank (containing a mixture of anhydrous hydrazine and methyl hydrazine) (M86 fuel)	3165	3	6.1 8	Liquid flammable & Toxic & Corrosive	AU 1 CA 7 IR 3 NL 1 US 3	A1 A48		E0	FORBIDDEN		372	42 L
Aircraft survival kits, see Life-saving appliances, self-inflating (UN No. 2990)												
Air, refrigerated liquid	1003	2.2	5.1	Gas non-flammable & Oxidizer	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		202	150 kg
Alcoholates solution, n.o.s.*, in alcohol	3274	3	8	Liquid flammable & Corrosive			II	E2	352 Y340	1 L 0.5 L	363	5 L

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Alcohol, denatured, see Alcohols, n.o.s. or Alcohols, flammable, toxic, n.o.s.												
Alcoholic beverages containing more than 70% alcohol by volume	3065	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Alcoholic beverages containing more than 24% but not more than 70% alcohol by volume	3065	3		Liquid flammable		A9 A58	III	E1	355 Y344	60 L 10 L	366	220 L
Alcohol, industrial, see Alcohols, n.o.s. or Alcohols, toxic, flammable, n.o.s.												
Alcohols, n.o.s.*	1987	3		Liquid flammable		A3 A180	II	E2	353 Y341	5 L 1 L	364	60 L
							III	E1	355 Y344	60 L 10 L	366	220 L
Alcohols, flammable, toxic, n.o.s.*	1986	3	6.1	Liquid flammable & Toxic		A3	I	E0	FORBIDDEN		361	30 L
							II	E2	352 Y341	1 L 1 L	364	60 L
							III	E1	355 Y343	60 L 2 L	366	220 L
Aldehyde, see Aldehydes, n.o.s. (UN No. 1989)												
Aldehydes, n.o.s.*	1989	3		Liquid flammable		A3	I	E3	351	1 L	361	30 L
							II	E2	353 Y341	5 L 1 L	364	60 L
							III	E1	355 Y344	60 L 10 L	366	220 L
Aldehydes, flammable, toxic, n.o.s.*	1988	3	6.1	Liquid flammable & Toxic		A3	I	E0	FORBIDDEN		361	30 L
							II	E2	352 Y341	1 L 1 L	364	60 L
							III	E1	355 Y343	60 L 2 L	366	220 L
Aldol	2839	6.1		Toxic			II	E4	654 Y641	5 L 1 L	662	60 L
Alkali metal alcoholates, self-heating, corrosive, n.o.s.*	3206	4.2	8	Spontaneous combustion & Corrosive		A3 A84	II	E2	466	15 kg	470	50 kg
							III	E1	468	25 kg	471	100 kg
Alkali metal alloy, liquid, n.o.s.	1421	4.3		Danger if wet		A84	I	E0	FORBIDDEN		480	1 L
Alkali metal amalgam, liquid	1389	4.3		Danger if wet		A84	I	E0	FORBIDDEN		480	1 L
Alkali metal amalgam, solid	3401	4.3		Danger if wet		A84	I	E0	FORBIDDEN		487	15 kg
Alkali metal amides	1390	4.3		Danger if wet		A84	II	E2	483 Y475	15 kg 5 kg	489	50 kg
Alkali metal dispersion	1391	4.3		Danger if wet		A84	I	E0	FORBIDDEN		480	1 L
Alkali metal dispersion, flammable	3482	4.3	3	Danger if wet & Liquid flammable		A84	I	E0	FORBIDDEN		480	1 L
Alkaline corrosive battery fluid, see Battery fluid, alkali												

별표 1. 위험물 목록

3-2-9

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only		
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package	
1	2	3	4	5	6	7	8	9	10	11	12	13	
Alkaline earth metal alcoholates, n.o.s.*	3205	4.2		Spontaneous combustion		A3	II	E2	467	15 kg	470	50 kg	
						A85	III	E1	469	25 kg	471	100 kg	
Alkaline earth metal alloy, n.o.s.	1393	4.3		Danger if wet		A85	II	E2	484 Y475	15 kg 5 kg	490	50 kg	
Alkaline earth metal amalgam, liquid	1392	4.3		Danger if wet		A85	I	E0	FORBIDDEN		480	1 L	
Alkaline earth metal amalgam, solid	3402	4.3		Danger if wet		A85	I	E0	FORBIDDEN		487	15 kg	
Alkaline earth metal dispersion	1391	4.3		Danger if wet		A85	I	E0	FORBIDDEN		480	1 L	
Alkaline earth metal dispersion, flammable	3482	4.3	3	Danger if wet & Liquid flammable		A85	I	E0	FORBIDDEN		480	1 L	
Alkaloid salts, liquid, n.o.s.*	3140	6.1		Toxic		A3	I	E5	652	1 L	658	30 L	
						A4	II	E4	654	5 L	662	60 L	
						A6	III	E1	Y641	1 L			
									655	60 L	663	220 L	
								Y642	2 L				
Alkaloid salts, solid, n.o.s.*	1544	6.1		Toxic		A3	I	E5	666	5 kg	673	50 kg	
						A5	II	E4	669	25 kg	676	100 kg	
						A6	III	E1	Y644	1 kg			
									670	100 kg	677	200 kg	
								Y645	10 kg				
Alkaloids, liquid, n.o.s.*	3140	6.1		Toxic		A3	I	E5	652	1 L	658	30 L	
						A4	II	E4	654	5 L	662	60 L	
						A6	III	E1	Y641	1 L			
									655	60 L	663	220 L	
								Y642	2 L				
Alkaloids, solid, n.o.s.*	1544	6.1		Toxic		A3	I	E5	666	5 kg	673	50 kg	
						A5	II	E4	669	25 kg	676	100 kg	
						A6	III	E1	Y644	1 kg			
									670	100 kg	677	200 kg	
								Y645	10 kg				
Alkyl aluminium halides, see Organometallic substance, solid, pyrophoric, water-reactive (UN No. 3393) or Organometallic substance, liquid, pyrophoric, water-reactive (UN No. 3394)													
Alkylphenols, liquid, n.o.s. (including C ₂ -C ₁₂ homologues)	3145	8		Corrosive		A3	I	E0	850	0.5 L	854	2.5 L	
								E2	851	1 L	855	30 L	
								III	E1	Y840	0.5 L		
										852	5 L	856	60 L
								Y841	1 L				
Alkylphenols, solid, n.o.s. (including C ₂ -C ₁₂ homologues)	2430	8		Corrosive		A3	I	E0	858	1 kg	862	25 kg	
								E2	859	15 kg	863	50 kg	
								III	E1	Y843	1 kg		
										860	25 kg	864	100 kg
								Y845	5 kg				
Alkylsulphonic acids, liquid with more than 5% free sulphuric acid	2584	8		Corrosive			II	E2	851 Y840	1 L 0.5 L	855	30 L	

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Alkylsulphonic acids, liquid with not more than 5% free sulphuric acid	2586	8		Corrosive			III	E1	852 Y841	5 L 1 L	856	60 L
Alkylsulphonic acids, solid with more than 5% free sulphuric acid	2583	8		Corrosive			II	E2	859 Y844	15 kg 5 kg	863	50 kg
Alkylsulphonic acids, solid with not more than 5% free sulphuric acid	2585	8		Corrosive			III	E1	860 Y845	25 kg 5 kg	864	100 kg
Alkylsulphuric acids	2571	8		Corrosive			II	E2	851 Y840	1 L 0.5 L	855	30 L
Allene, see Propadiene, stabilized												
Allyl acetate	2333	3	6.1	Liquid flammable & Toxic			II	E2	352 Y341	1 L 1 L	364	60 L
Allyl alcohol	1098	6.1	3				I		FORBIDDEN		FORBIDDEN	
Allylamine	2334	6.1	3				I		FORBIDDEN		FORBIDDEN	
Allyl bromide	1099	3	6.1	Liquid flammable & Toxic			I	E0	FORBIDDEN		361	30 L
Allyl chloride	1100	3	6.1	Liquid flammable & Toxic			I	E0	FORBIDDEN		361	30 L
Allyl chlorocarbonate, see Allyl chloroformate												
Allyl chloroformate	1722	6.1	3 8				I		FORBIDDEN		FORBIDDEN	
Allyl ethyl ether	2335	3	6.1	Liquid flammable & Toxic			II	E2	352 Y341	1 L 1 L	364	60 L
Allyl formate	2336	3	6.1	Liquid flammable & Toxic			I	E0	FORBIDDEN		361	30 L
Allyl glycidyl ether	2219	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Allyl iodide	1723	3	8	Liquid flammable & Corrosive			II	E2	352 Y340	1 L 0.5 L	362	5 L
Allyl isothiocyanate, stabilized	1545	6.1	3	Toxic & Liquid flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1 A209	II	E0	FORBIDDEN		661	60 L
Allyltrichlorosilane, stabilized	1724	8	3	Corrosive & Liquid flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1 A209	II	E0	FORBIDDEN		876	30 L
Aluminium alkyl halides, liquid, see Organometallic substance, liquid, pyrophoric, water reactive (UN No. 3394)												

별표 1. 위험물 목록

3-2-11

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Aluminium alkyl halides, solid, see Organometallic substance, solid, pyrophoric, water reactive (UN No. 3393)												
Aluminium alkyl hydrides, see Organometallic substance, liquid, pyrophoric, water-reactive (UN No. 3394)												
Aluminium alkyls, see Organometallic substance, liquid, pyrophoric, water-reactive (UN No. 3394)												
Aluminium borohydride	2870	4.2	4.3				I		FORBIDDEN		FORBIDDEN	
≠ Aluminium borohydride in devices	2870	4.2	4.3						FORBIDDEN		FORBIDDEN	
Aluminium bromide, anhydrous	1725	8		Corrosive			II	E2	859 Y844	15 kg 5 kg	863	50 kg
Aluminium bromide solution	2580	8		Corrosive		A3	III	E1	852 Y841	5 L 1 L	856	60 L
Aluminium carbide	1394	4.3		Danger if wet			II	E2	484 Y475	15 kg 5 kg	489	50 kg
Aluminium chloride, anhydrous	1726	8		Corrosive			II	E2	859 Y844	15 kg 5 kg	863	50 kg
Aluminium chloride solution	2581	8		Corrosive		A3	III	E1	852 Y841	5 L 1 L	856	60 L
Aluminium dross, see Aluminium remelting by-products or Aluminium smelting by-products												
Aluminium dross, wet or hot	FORBIDDEN											
Aluminium ferrosilicon powder	1395	4.3	6.1	Danger if wet & Toxic			II	E2	483 Y474	15 kg 1 kg	490	50 kg
Aluminium hydride	2463	4.3		Danger if wet			I	E0	FORBIDDEN		487	15 kg
Aluminium nitrate	1438	5.1		Oxidizer			III	E1	559 Y546	25 kg 10 kg	563	100 kg
Aluminium phosphide	1397	4.3	6.1	Danger if wet & Toxic			I	E0	FORBIDDEN		487	15 kg
Aluminium phosphide pesticide	3048	6.1				A128	I		FORBIDDEN		FORBIDDEN	
Aluminium powder, coated †	1309	4.1		Solid flammable		A3	II	E2	445 Y441	15 kg 5 kg	448	50 kg
							III	E1	446 Y443	25 kg 10 kg	449	100 kg
Aluminium powder, uncoated †	1396	4.3		Danger if wet		A3	II	E2	484 Y475	15 kg 5 kg	490	50 kg
							III	E1	486 Y477	25 kg 10 kg	491	100 kg

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Aluminium remelting by-products	3170	4.3		Danger if wet		A3 A102	II	E2	484 Y475	15 kg 5 kg	490	50 kg
							III	E1	486 Y477	25 kg 10 kg	491	100 kg
Aluminium resinate	2715	4.1		Solid flammable			III	E1	446 Y443	25 kg 10 kg	449	100 kg
Aluminium silicon powder, uncoated	1398	4.3		Danger if wet		A3 A53	III	E1	486 Y477	25 kg 10 kg	491	100 kg
Aluminium smelting by-products	3170	4.3		Danger if wet		A3 A102	II	E2	484 Y475	15 kg 5 kg	490	50 kg
							III	E1	486 Y477	25 kg 10 kg	491	100 kg
Amatols, see Explosive, blasting, type B												
Amines, flammable, corrosive, n.o.s.*	2733	3	8	Liquid flammable & Corrosive		A3	I	E0	350	0.5 L	360	2.5 L
							II	E2	352	1 L	363	5 L
							III	E1	Y340 354 Y342	0.5 L 5 L 1 L	365	60 L
Amines, liquid, corrosive, n.o.s.*	2735	8		Corrosive		A3	I	E0	850	0.5 L	854	2.5 L
							II	E2	851	1 L	855	30 L
							III	E1	Y840 852 Y841	0.5 L 5 L 1 L	856	60 L
Amines, liquid, corrosive, flammable, n.o.s.*	2734	8	3	Corrosive & Liquid flammable			I	E0	850	0.5 L	854	2.5 L
							II	E2	851	1 L	855	30 L
									Y840	0.5 L		
Amines, solid, corrosive, n.o.s.*	3259	8		Corrosive		A3	I	E0	858	1 kg	862	25 kg
							II	E2	859	15 kg	863	50 kg
							III	E1	Y844 860 Y845	5 kg 25 kg 5 kg	864	100 kg
Aminobenzene, see Aniline												
2-Aminobenzotrifluoride, see 2-Trifluoromethylaniline												
3-Aminobenzotrifluoride, see 3-Trifluoromethylaniline												
Aminobutane, see n-Butylamine												
2-Amino-4-chlorophenol	2673	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
2-Amino-5-diethylaminopentane	2946	6.1		Toxic			III	E1	655 Y642	60 L 2 L	663	220 L
2-Amino-4,6-dinitrophenol, wetted with not less than 20% water by mass	3317	4.1		Solid flammable	BE 3	A40	I	E0	451	1 kg	451	15 kg
2-(2-Aminoethoxy)ethanol	3055	8		Corrosive			III	E1	852 Y841	5 L 1 L	856	60 L

별표 1. 위험물 목록

3-2-13

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
N-Aminoethylpiperazine	2815	8	6.1	Corrosive & Toxic			III	E1	852 Y841	5 L 1 L	856	60 L
1-Amino-2-nitrobenzene, see Nitroanilines												
1-Amino-3-nitrobenzene, see Nitroanilines												
1-Amino-4-nitrobenzene, see Nitroanilines												
Aminophenols (o-,m-,p-)	2512	6.1		Toxic		A113	III	E1	670 Y645	100 kg 10 kg	677	200 kg
Aminopyridines (o-,m-,p-)	2671	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Ammonia, anhydrous	1005	2.3	8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Ammonia solution , relative density between 0.880 and 0.957 at 15°C in water, with more than 10% but not more than 35% ammonia	2672	8		Corrosive		A64	III	E1	852 Y841	5 L 1 L	856	60 L
Ammonia solution , relative density less than 0.880 at 15°C in water, with more than 50% ammonia	3318	2.3	8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Ammonia solution , relative density less than 0.880 at 15°C in water, with more than 35% but not more than 50% ammonia	2073	2.2		Gas non-flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Ammonium arsenate	1546	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Ammonium azide	FORBIDDEN											
Ammonium bichromate, see Ammonium dichromate												
Ammonium bifluoride, solid, see Ammonium hydrogendifluoride, solid												
Ammonium bifluoride solution, see Ammonium hydrogendifluoride, solution												
Ammonium bisulphate, see Ammonium hydrogen sulphate												
Ammonium bisulphite solution, see Bisulphites, aqueous solution, n.o.s.												

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Ammonium bromate	FORBIDDEN											
Ammonium chlorate	FORBIDDEN											
Ammonium dichromate	1439	5.1		Oxidizer	US 4		II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
Ammonium dinitro-o-cresolate, solid	1843	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Ammonium dinitro-o-cresolate solution	3424	6.1		Toxic		A3	II	E4	654 Y641	5 L 1 L	662	60 L
							III	E1	655 Y642	60 L 2 L	663	220 L
Ammonium fluoride	2505	6.1		Toxic	US 4		III	E1	670 Y645	100 kg 10 kg	677	200 kg
Ammonium fluorosilicate	2854	6.1		Toxic			III	E1	670 Y645	100 kg 10 kg	677	200 kg
Ammonium fulminate	FORBIDDEN											
Ammonium hexafluorosilicate, see Ammonium fluorosilicate												
Ammonium hydrogendifluoride, solid	1727	8		Corrosive	US 4		II	E2	859 Y844	15 kg 5 kg	863	50 kg
Ammonium hydrogendifluoride solution	2817	8	6.1	Corrosive & Toxic		A3	II	E2	851 Y840	1 L 0.5 L	855	30 L
							III	E1	852 Y841	5 L 1 L	856	60 L
Ammonium hydrogen sulphate	2506	8		Corrosive			II	E2	859 Y844	15 kg 5 kg	863	50 kg
Ammonium hydrosulphide solution, see Ammonium sulphide solution												
Ammonium metavanadate	2859	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Ammonium nitrate	0222	1.1D							FORBIDDEN		FORBIDDEN	
Ammonium nitrate with not more than 0.2% combustible substances, including any organic substance calculated as carbon, to the exclusion of any other added substance	1942	5.1		Oxidizer		A64	III	E1	559 Y546	25 kg 10 kg	563	100 kg
Ammonium nitrate based fertilizer	2067	5.1		Oxidizer		A64 A79	III	E1	559 Y546	25 kg 10 kg	563	100 kg
Ammonium nitrate based fertilizer	2071	9		Miscellaneous		A90	III		958 Y958	200 kg 30 kg G	958	200 kg
Ammonium nitrate emulsion intermediate for blasting explosives	3375	5.1					II		FORBIDDEN		FORBIDDEN	
Ammonium nitrate explosives, see Explosive, blasting, type B												
Ammonium nitrate gel intermediate for blasting explosives	3375	5.1					II		FORBIDDEN		FORBIDDEN	

별표 1. 위험물 목록

3-2-15

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Ammonium nitrate, liquid (hot concentrated solution)	2426	5.1				A129			FORBIDDEN		FORBIDDEN	
Ammonium nitrate suspension intermediate for blasting explosives	3375	5.1					II		FORBIDDEN		FORBIDDEN	
Ammonium nitrite	FORBIDDEN											
Ammonium perchlorate	0402	1.1D				A22			FORBIDDEN		FORBIDDEN	
Ammonium perchlorate	1442	5.1		Oxidizer		A22	II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
Ammonium permanganate	FORBIDDEN											
Ammonium persulphate	1444	5.1		Oxidizer			III	E1	559 Y546	25 kg 10 kg	563	100 kg
Ammonium picrate dry or wetted with less than 10% water, by mass	0004	1.1D							FORBIDDEN		FORBIDDEN	
Ammonium picrate, wetted with not less than 10% water, by mass	1310	4.1		Solid flammable	BE 3	A40	I	E0	451	0.5 kg	451	0.5 kg
Ammonium polysulphide solution	2818	8	6.1	Corrosive & Toxic		A3	II	E2	851 Y840	1 L 0.5 L	855	30 L
							III	E1	852 Y841	5 L 1 L	856	60 L
Ammonium polyvanadate	2861	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Ammonium silicofluoride, see Ammonium fluorosilicate												
Ammonium sulphide solution	2683	8	3 6.1	Corrosive & Liquid flammable & Toxic			II	E2	851 Y840	1 L 0.5 L	855	30 L
Ammunition, blank, see Cartridges for weapons, blank												
Ammunition, fixed, semi-fixed or separate loading, see Cartridges for weapons, etc.												
Ammunition, illuminating with or without burster, expelling charge or propelling charge†	0171	1.2G							FORBIDDEN		FORBIDDEN	
Ammunition, illuminating with or without burster, expelling charge or propelling charge†	0254	1.3G							FORBIDDEN		FORBIDDEN	
Ammunition, illuminating with or without burster, expelling charge or propelling charge†	0297	1.4G		Explosive 1.4				E0	FORBIDDEN		130	75 kg
Ammunition, incendiary , liquid or gel, with burster, expelling charge or propelling charge†	0247	1.3J							FORBIDDEN		FORBIDDEN	

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Ammunition, incendiary with or without burster, expelling charge or propelling charge†	0009	1.2G							FORBIDDEN		FORBIDDEN	
Ammunition, incendiary with or without burster, expelling charge or propelling charge†	0010	1.3G							FORBIDDEN		FORBIDDEN	
Ammunition, incendiary with or without burster, expelling charge or propelling charge† Ammunition, incendiary (water-activated contrivances), see Contrivances, water-activated , etc. (UN Nos. 0248, 0249)	0300	1.4G		Explosive 1.4				E0	FORBIDDEN		130	75 kg
Ammunition, incendiary, white phosphorus with burster, expelling charge or propelling charge†	0243	1.2H							FORBIDDEN		FORBIDDEN	
Ammunition, incendiary, white phosphorus with burster, expelling charge or propelling charge† Ammunition, industrial, see Cartridges, oil well or Cartridges, power device Ammunition, lachrymatory, see Ammunition, tear-producing , etc.	0244	1.3H							FORBIDDEN		FORBIDDEN	
Ammunition, practice †	0362	1.4G		Explosive 1.4				E0	FORBIDDEN		130	75 kg
Ammunition, practice †	0488	1.3G							FORBIDDEN		FORBIDDEN	
Ammunition, proof †	0363	1.4G		Explosive 1.4				E0	FORBIDDEN		130	75 kg
Ammunition, smoke with or without burster, expelling charge or propelling charge†	0015	1.2G				A132			FORBIDDEN		FORBIDDEN	
Ammunition, smoke with or without burster, expelling charge or propelling charge†	0016	1.3G				A132			FORBIDDEN		FORBIDDEN	
Ammunition, smoke with or without burster, expelling charge or propelling charge† Ammunition, smoke (water-activated contrivances), white phosphorus, with burster, expelling charge or propelling charge, see Contrivances, water-activated , etc. (UN No. 0248) Ammunition, smoke (water-activated contrivances), without white phosphorus or phosphides, with burster, expelling charge or propelling charge, see Contrivances, water-activated , etc. (UN No. 0249)	0303	1.4G		Explosive 1.4		A132		E0	FORBIDDEN		130	75 kg

별표 1. 위험물 목록

3-2-17

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Ammunition, smoke, white phosphorus with burster, expelling charge or propelling charge†	0245	1.2H							FORBIDDEN		FORBIDDEN	
Ammunition, smoke, white phosphorus with burster, expelling charge or propelling charge†	0246	1.3H							FORBIDDEN		FORBIDDEN	
Ammunition, sporting, see Cartridges for weapons, inert projectile or cartridges, small arms (UN Nos. 0012, 0328, 0339, 0417)												
Ammunition, tear-producing with burster, expelling charge or propelling charge†	0018	1.2G	6.1 8						FORBIDDEN		FORBIDDEN	
Ammunition, tear-producing with burster, expelling charge or propelling charge†	0019	1.3G	6.1 8						FORBIDDEN		FORBIDDEN	
Ammunition, tear-producing with burster, expelling charge or propelling charge†	0301	1.4G	6.1 8	Explosive 1.4 & Toxic & Corrosive				E0	FORBIDDEN		130	75 kg
Ammunition, tear-producing, non-explosive without burster or expelling charge, non-fuzed	2017	6.1	8	Toxic & Corrosive	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		679	50 kg
Ammunition, toxic* with burster, expelling charge or propelling charge †	0020	1.2K	6.1						FORBIDDEN		FORBIDDEN	
Ammunition, toxic* with burster, expelling charge or propelling charge †	0021	1.3K	6.1						FORBIDDEN		FORBIDDEN	
Ammunition, toxic, non-explosive without burster or expelling charge, non-fuzed	2016	6.1		Toxic	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		679	75 kg
Ammunition, toxic (water-activated contrivances), see Contrivances, water-activated , etc. (UN Nos. 0248, 0249)												
Amorces, (caps, toy), see Fireworks (UN Nos. 0333, 0336, 0337)												
Amosite, see Asbestos, amphibole (UN No. 2212)												
Amphibole asbestos, see Asbestos, amphibole (UN No. 2212)												
Amyl acetates	1104	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Amyl acid phosphate	2819	8		Corrosive			III	E1	852 Y841	5 L 1 L	856	60 L
Amyl aldehyde, see Valeraldehyde												
Amylamine	1106	3	8	Liquid flammable & Corrosive		A3	II III	E2 E1	352 Y340 354 Y342	1 L 0.5 L 5 L 1 L	363 365	5 L 60 L
Amyl butyrates	2620	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Amyl chloride	1107	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
n-Amylene	1108	3		Liquid flammable			I	E3	351	1 L	361	30 L
Amyl formates	1109	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Amyl mercaptan	1111	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
n-Amyl methyl ketone	1110	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Amyl nitrate	1112	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Amyl nitrite	1113	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
tert-Amylperoxy-3,5,5-trimethylhexanoate	FORBIDDEN											
Amyltrimethylchlorosilane	1728	8		Corrosive	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		876	30 L
Anaesthetic ether, see Diethyl ether												
Aniline	1547	6.1		Toxic		A113	II	E4	654 Y641	5 L 1 L	662	60 L
Aniline chloride, see Aniline hydrochloride												
Aniline hydrochloride	1548	6.1		Toxic			III	E1	670 Y645	100 kg 10 kg	677	200 kg
Aniline oil, see Aniline												
Aniline salt, see Aniline hydrochloride												
Anisidines	2431	6.1		Toxic			III	E1	655 Y642	60 L 2 L	663	220 L
Anisole	2222	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L

별표 1. 위험물 목록

3-2-19

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Anisoyl chloride	1729	8		Corrosive			II	E2	851 Y840	1 L 0.5 L	855	30 L
Anthophyllite, see Asbestos, amphibole (UN No. 2212)												
Antimonious chloride, see Antimony trichloride												
Antimony compound, inorganic, liquid, n.o.s.*	3141	6.1		Toxic		A12	III	E1	655 Y642	60 L 2 L	663	220 L
Antimony compound, inorganic, solid, n.o.s.*	1549	6.1		Toxic		A12	III	E1	670 Y645	100 kg 10 kg	677	200 kg
Antimony hydride, see Stibine												
Antimony lactate	1550	6.1		Toxic			III	E1	670 Y645	100 kg 10 kg	677	200 kg
Antimony (III) lactate, see Antimony lactate												
Antimony pentachloride, liquid	1730	8		Corrosive			II	E2	851 Y840	1 L 0.5 L	855	30 L
Antimony pentachloride solution	1731	8		Corrosive		A3	II III	E2 E1	851 Y840 852 Y841	1 L 0.5 L 5 L 1 L	855 856	30 L 60 L
Antimony pentafluoride	1732	8	6.1	Corrosive & Toxic	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		855	30 L
Antimony perchloride, liquid, see Antimony pentachloride, liquid												
Antimony potassium tartrate	1551	6.1		Toxic	US 4		III	E1	670 Y645	100 kg 10 kg	677	200 kg
Antimony powder	2871	6.1		Toxic			III	E1	670 Y645	100 kg 10 kg	677	200 kg
Antimony sulphide and a chlorate, mixture of	FORBIDDEN											
Antimony trichloride	1733	8		Corrosive			II	E2	859 Y844	15 kg 5 kg	863	50 kg
Antu, see Naphthylthiourea												
Argon, compressed	1006	2.2		Gas non-flammable		A69 A202		E1	200	75 kg	200	150 kg
Argon, refrigerated liquid	1951	2.2		Gas non-flammable				E1	202	50 kg	202	500 kg
Arsenates, n.o.s., see Arsenic compound, liquid, n.o.s. or Arsenic compound, solid, n.o.s.												
Arsenic	1558	6.1		Toxic	US 4		II	E4	669 Y644	25 kg 1 kg	676	100 kg

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Arsenic acid, liquid	1553	6.1		Toxic	US 4		I	E5	652	1 L	658	30 L
Arsenic acid, solid	1554	6.1		Toxic	US 4		II	E4	669 Y644	25 kg 1 kg	676	100 kg
Arsenical dust †	1562	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Arsenical flue dust, see Arsenical dust												
Arsenical pesticide, liquid, flammable, toxic* , flash point less than 23°C	2760	3	6.1	Liquid flammable & Toxic		A4	I II	E0 E2	FORBIDDEN 352 Y341	1 L 1 L	361 364	30 L 60 L
Arsenical pesticide, liquid, toxic*	2994	6.1		Toxic		A3 A4	I II	E5 E4	652 654 Y641	1 L 5 L 1 L	658 662	30 L 60 L
							III	E1	655 Y642	60 L 2 L	663	220 L
Arsenical pesticide, liquid, toxic, flammable* , flash point not less than 23°C	2993	6.1	3	Toxic & Liquid flammable		A3 A4	I II	E5 E4	652 654 Y641	1 L 5 L 1 L	658 662	30 L 60 L
							III	E1	655 Y642	60 L 2 L	663	220 L
Arsenical pesticide, solid, toxic*	2759	6.1		Toxic		A3 A5	I II	E5 E4	666 669 Y644	5 kg 25 kg 1 kg	673 676	50 kg 100 kg
							III	E1	670 Y645	100 kg 10 kg	677	200 kg
Arsenic bromide	1555	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Arsenic (III) bromide, see Arsenic bromide												
Arsenic chloride, see Arsenic trichloride												
Arsenic compound, liquid, n.o.s.* , inorganic, including: Arsenates, n.o.s.; Arsenites, n.o.s.; and Arsenic sulphides	1556	6.1		Toxic		A3 A4 A6	I II	E5 E4	652 654 Y641	1 L 5 L 1 L	658 662	30 L 60 L
							III	E1	655 Y642	60 L 2 L	663	220 L
Arsenic compound, solid, n.o.s.* , inorganic, including: Arsenates, n.o.s.; Arsenites, n.o.s.; and Arsenic sulphides	1557	6.1		Toxic	US 4	A3 A5 A6	I II	E5 E4	666 669 Y644	5 kg 25 kg 1 kg	673 676	50 kg 100 kg
							III	E1	670 Y645	100 kg 10 kg	677	200 kg
Arsenic (III) oxide, see Arsenic trioxide												
Arsenic (V) oxide, see Arsenic pentoxide												
Arsenic pentoxide	1559	6.1		Toxic	US 4		II	E4	669 Y644	25 kg 1 kg	676	100 kg

별표 1. 위험물 목록

3-2-21

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Arsenic sulphide and a chlorate, mixture of	FORBIDDEN											
Arsenic sulphides, see Arsenic compound, liquid, n.o.s. or Arsenic compound, solid, n.o.s.												
Arsenic trichloride	1560	6.1			US 4		I		FORBIDDEN		FORBIDDEN	
Arsenic trioxide	1561	6.1		Toxic	US 4		II	E4	669 Y644	25 kg 1 kg	676	100 kg
Arsenious chloride, see Arsenic trichloride												
Arsenites, n.o.s., see Arsenic compound, liquid, n.o.s. or Arsenic compound, solid, n.o.s.												
Arsenous chloride, see Arsenic trichloride												
Arsine	2188	2.3	2.1		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Arsine, adsorbed	3522	2.3	2.1		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Articles containing a substance liable to spontaneous combustion, n.o.s.*	3542	4.2	See 2;0.6						FORBIDDEN		FORBIDDEN	
Articles containing a substance which emits flammable gas in contact with water, n.o.s.*	3543	4.3	See 2;0.6						FORBIDDEN		FORBIDDEN	
≠ Articles containing corrosive substance, n.o.s.*	3547	8	See 2;0.6			A2 A88			FORBIDDEN		FORBIDDEN	
≠ Articles containing flammable gas, n.o.s.*	3537	2.1	See 2;0.6			A2 A88			FORBIDDEN		FORBIDDEN	
≠ Articles containing flammable liquid, n.o.s.*	3540	3	See 2;0.6			A2 A88			FORBIDDEN		FORBIDDEN	
≠ Articles containing flammable solid, n.o.s.*	3541	4.1	See 2;0.6			A2 A88			FORBIDDEN		FORBIDDEN	
≠ Articles containing miscellaneous dangerous goods, n.o.s.*	3548	9	See 2;0.6			A2 A88 A224			FORBIDDEN		FORBIDDEN	
≠ Articles containing non-flammable, non toxic gas, n.o.s.*	3538	2.2	See 2;0.6			A2 A88 A225			FORBIDDEN		FORBIDDEN	

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Articles containing organic peroxide, n.o.s.*	3545	5.2	See 2;0.6						FORBIDDEN		FORBIDDEN	
Articles containing oxidizing substance, n.o.s.*	3544	5.1	See 2;0.6						FORBIDDEN		FORBIDDEN	
Articles containing toxic gas, n.o.s.*	3539	2.3	See 2;0.6						FORBIDDEN		FORBIDDEN	
≠ Articles containing toxic substance, n.o.s.*	3546	6.1	See 2;0.6			A2 A88			FORBIDDEN		FORBIDDEN	
Articles, EEI †	0486	1.6N				A62			FORBIDDEN		FORBIDDEN	
Articles, explosive, n.o.s.*	0349	1.4S		Explosive 1.4		A62 A165		E0	101	25 kg	101	100 kg
Articles, explosive, n.o.s.*	0350	1.4B				A62			FORBIDDEN		FORBIDDEN	
Articles, explosive, n.o.s.*	0351	1.4C		Explosive 1.4		A62		E0	FORBIDDEN		101	75 kg
Articles, explosive, n.o.s.*	0352	1.4D		Explosive 1.4		A62		E0	FORBIDDEN		101	75 kg
Articles, explosive, n.o.s.*	0353	1.4G		Explosive 1.4		A62		E0	FORBIDDEN		101	75 kg
Articles, explosive, n.o.s.*	0354	1.1L				A62			FORBIDDEN		FORBIDDEN	
Articles, explosive, n.o.s.*	0355	1.2L				A62			FORBIDDEN		FORBIDDEN	
Articles, explosive, n.o.s.*	0356	1.3L				A62			FORBIDDEN		FORBIDDEN	
Articles, explosive, n.o.s.*	0462	1.1C				A62			FORBIDDEN		FORBIDDEN	
Articles, explosive, n.o.s.*	0463	1.1D				A62			FORBIDDEN		FORBIDDEN	
Articles, explosive, n.o.s.*	0464	1.1E				A62			FORBIDDEN		FORBIDDEN	
Articles, explosive, n.o.s.*	0465	1.1F				A62			FORBIDDEN		FORBIDDEN	
Articles, explosive, n.o.s.*	0466	1.2C				A62			FORBIDDEN		FORBIDDEN	
Articles, explosive, n.o.s.*	0467	1.2D				A62			FORBIDDEN		FORBIDDEN	
Articles, explosive, n.o.s.*	0468	1.2E				A62			FORBIDDEN		FORBIDDEN	
Articles, explosive, n.o.s.*	0469	1.2F				A62			FORBIDDEN		FORBIDDEN	
Articles, explosive, n.o.s.*	0470	1.3C				A62			FORBIDDEN		FORBIDDEN	
Articles, explosive, n.o.s.*	0471	1.4E		Explosive 1.4		A62		E0	FORBIDDEN		101	75 kg
Articles, explosive, n.o.s.*	0472	1.4F				A62			FORBIDDEN		FORBIDDEN	
Articles, explosive, extremely insensitive †	0486	1.6N				A62			FORBIDDEN		FORBIDDEN	
Articles, pressurized, hydraulic containing non-flammable gas	3164	2.2		Gas non-flammable		A48 A114 A195		E0	208	No limit	208	No limit
Articles, pressurized, pneumatic containing non-flammable gas	3164	2.2		Gas non-flammable		A48 A114 A195		E0	208	No limit	208	No limit
Articles, pyrophoric †	0380	1.2L							FORBIDDEN		FORBIDDEN	
Articles, pyrotechnic for technical purposes†	0428	1.1G							FORBIDDEN		FORBIDDEN	

별표 1. 위험물 목록

3-2-23

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Articles, pyrotechnic for technical purposes†	0429	1.2G							FORBIDDEN		FORBIDDEN	
Articles, pyrotechnic for technical purposes†	0430	1.3G							FORBIDDEN		FORBIDDEN	
Articles, pyrotechnic for technical purposes†	0431	1.4G		Explosive 1.4				E0	FORBIDDEN		135	75 kg
Articles, pyrotechnic for technical purposes†	0432	1.4S		Explosive 1.4				E0	135	25 kg	135	100 kg
Arylsulphonic acids, liquid with more than 5% free sulphuric acid	2584	8		Corrosive			II	E2	851 Y840	1 L 0.5 L	855	30 L
Arylsulphonic acids, liquid with not more than 5% free sulphuric acid	2586	8		Corrosive			III	E1	852 Y841	5 L 1 L	856	60 L
Arylsulphonic acids, solid with more than 5% free sulphuric acid	2583	8		Corrosive			II	E2	859 Y844	15 kg 5 kg	863	50 kg
Arylsulphonic acids, solid with not more than 5% free sulphuric acid	2585	8		Corrosive			III	E1	860 Y845	25 kg 5 kg	864	100 kg
Asbestos†, see Asbestos, amphibole (UN No. 2212) or Asbestos, chrysotile (UN No. 2590)												
Asbestos, amphibole* (amosite, tremolite, actinolite, anthophyllite, crocidolite)†	2212	9				A2 A61	II		FORBIDDEN		FORBIDDEN	
Asbestos, chrysotile	2590	9		Miscellaneous	US 4	A61	III	E1	958	200 kg	958	200 kg
Ascaridole	FORBIDDEN											
Aviation regulated liquid, n.o.s.*	3334	9		Miscellaneous		A27	III	E1	964 Y964	450 L 30 kg G	964	450 L
Aviation regulated solid, n.o.s.*	3335	9		Miscellaneous		A27	III	E1	956 Y956	400 kg 30 kg G	956	400 kg
Azaurolic acid (salt of) (dry)	FORBIDDEN											
Azodithiocarbonic acid	FORBIDDEN											
Azidoethyl nitrate	FORBIDDEN											
Azido guanidine picrate (dry)	FORBIDDEN											
5-Azido-1-hydroxy tetrazole	FORBIDDEN											
Azido hydroxy tetrazole (mercury and silver salts)	FORBIDDEN											
3-Azido-1,2-propylene glycol dinitrate	FORBIDDEN											
Azodicarbonamide	3242	4.1				A60	II		FORBIDDEN		FORBIDDEN	
Azodicarbonamide formulation type B, temperature controlled	FORBIDDEN											
Azotetrazole (dry)	FORBIDDEN											

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
B												
Bag charges, see Charges, propelling, for cannon												
Ballistite, see Powder, smokeless												
Bangalore torpedoes, see Mines with bursting charge (UN Nos. 0136, 0137, 0138, 0294)												
Barium	1400	4.3		Danger if wet			II	E2	484 Y475	15 kg 5 kg	490	50 kg
Barium alloys, pyrophoric	1854	4.2					I		FORBIDDEN		FORBIDDEN	
Barium azide , dry or wetted with less than 50% water, by mass	0224	1.1A	6.1						FORBIDDEN		FORBIDDEN	
Barium azide , wetted with not less than 50% water, by mass	1571	4.1	6.1	Solid flammable & Toxic	BE 3	A40	I	E0	FORBIDDEN		451	0.5 kg
Barium binoxide, see Barium peroxide												
Barium bromate	2719	5.1	6.1	Oxidizer & Toxic			II	E2	558 Y543	5 kg 1 kg	562	25 kg
Barium chlorate, solid	1445	5.1	6.1	Oxidizer & Toxic			II	E2	558 Y543	5 kg 1 kg	562	25 kg
Barium chlorate solution	3405	5.1	6.1	Oxidizer & Toxic		A3	II	E2	550 Y540	1 L 0.5 L	554	5 L
							III	E1	551 Y541	2.5 L 1 L	555	30 L
Barium compound, n.o.s.*	1564	6.1		Toxic		A3 A82	II	E4	669 Y644	25 kg 1 kg	676	100 kg
							III	E1	670 Y645	100 kg 10 kg	677	200 kg
Barium cyanide	1565	6.1		Toxic	US 4		I	E5	666	5 kg	673	50 kg
Barium dioxide, see Barium peroxide												
Barium hypochlorite with more than 22% available chlorine	2741	5.1	6.1	Oxidizer & Toxic			II	E2	558 Y543	5 kg 1 kg	562	25 kg
Barium nitrate	1446	5.1	6.1	Oxidizer & Toxic			II	E2	558 Y543	5 kg 1 kg	562	25 kg
Barium oxide	1884	6.1		Toxic			III	E1	670 Y645	100 kg 10 kg	677	200 kg
Barium perchlorate, solid	1447	5.1	6.1	Oxidizer & Toxic			II	E2	558 Y543	5 kg 1 kg	562	25 kg
Barium perchlorate solution	3406	5.1	6.1	Oxidizer & Toxic		A3	II	E2	550 Y540	1 L 0.5 L	554	5 L
							III	E1	551 Y541	2.5 L 1 L	555	30 L

별표 1. 위험물 목록

3-2-25

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Barium permanganate	1448	5.1	6.1	Oxidizer & Toxic			II	E2	558 Y543	5 kg 1 kg	562	25 kg
Barium peroxide	1449	5.1	6.1	Oxidizer & Toxic			II	E2	558 Y543	5 kg 1 kg	562	25 kg
Barium selenate, see Selenates												
Barium selenite, see Selenites												
Barium superoxide, see Barium peroxide												
≠ Batteries, containing metallic sodium or sodium alloy †	3292	4.3		Danger if wet		A94 A183 A228		E0	FORBIDDEN		492	No limit
Batteries, dry, containing potassium hydroxide solid , electric storage†	3028	8		Corrosive		A183 A184		E0	871	25 kg	871	230 kg
Batteries, electric storage Special Provision A123	—											
Batteries, nickel-metal hydride	3496	9		Miscellaneous		A199			See Part 3,3, A199		See Part 3,3, A199	
≠ Batteries, wet, filled with acid , electric storage†	2794	8		Corrosive		A51 A183		E0	870	30 kg	870	400 kg
≠ Batteries, wet, filled with alkali , electric storage†	2795	8		Corrosive		A51 A183 A228		E0	870	30 kg	870	400 kg
≠ Batteries, wet, non-spillable , electric storage	2800	8		Corrosive		A48 A67 A183		E0	872	No limit	872	No limit
Battery fluid, acid	2796	8		Corrosive			II	E2	851 Y840	1 L 0.5 L	855	30 L
Battery fluid, alkali	2797	8		Corrosive			II	E2	851 Y840	1 L 0.5 L	855	30 L
Battery, lithium ion, see Lithium ion batteries, etc. (UN Nos. 3480, 3481)												
Battery, lithium metal, see Lithium metal batteries, etc. (UN Nos. 3090, 3091)												
≠ Battery-powered equipment	3171	9		Miscellaneous		A67 A87 A94 A154 A182 A214		E0	952	No limit	952	No limit
≠ Battery-powered vehicle	3171	9		Miscellaneous		A67 A87 A94 A154 A214		E0	952	No limit	952	No limit

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Benzaldehyde	1990	9		Miscellaneous			III	E1	964 Y964	100 L 30 kg G	964	220 L
Benzene	1114	3		Liquid flammable	US 4		II	E2	353 Y341	5 L 1 L	364	60 L
Benzene diazonium chloride (dry)	FORBIDDEN											
Benzene diazonium nitrate (dry)	FORBIDDEN											
Benzenesulphonyl chloride	2225	8		Corrosive	US 4		III	E1	852 Y841	5 L 1 L	856	60 L
Benzenethiol, see Phenyl mercaptan												
Benzene triozone	FORBIDDEN											
Benzidine	1885	6.1		Toxic	US 4		II	E4	669 Y644	25 kg 1 kg	676	100 kg
1,3,2-Benzodioxaborole	—					A210						
Benzol, see Benzene												
Benzolene, see Petroleum distillates, n.o.s.												
Benzonitrile	2224	6.1		Toxic			II	E4	654 Y641	5 L 1 L	662	60 L
Benzoquinone	2587	6.1		Toxic	US 4		II	E4	669 Y644	25 kg 1 kg	676	100 kg
Benzosulphochloride, see Benzenesulphonyl chloride												
Benzotrichloride	2226	8		Corrosive	US 4		II	E2	851 Y840	1 L 0.5 L	855	30 L
Benzotrifluoride	2338	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Benzoxidiazoles (dry)	FORBIDDEN											
Benzoyl azide	FORBIDDEN											
Benzoyl chloride	1736	8		Corrosive			II	E2	851 Y840	1 L 0.5 L	855	30 L
Benzyl bromide	1737	6.1	8	Toxic & Corrosive			II	E4	653	1 L	660	30 L
Benzyl chloride	1738	6.1	8	Toxic & Corrosive			II	E4	653	1 L	660	30 L
Benzyl chlorocarbonate, see Benzyl chloroformate												
Benzyl chloroformate	1739	8		Corrosive	AU 1 CA 7 IR 3 NL 1 US 3	A1	I	E0	FORBIDDEN		854	2.5 L
Benzyl cyanide, see Phenylacetonitrile, liquid												

별표 1. 위험물 목록

3-2-27

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Benzyl dimethylamine	2619	8	3	Corrosive & Liquid flammable			II	E2	851 Y840	1 L 0.5 L	855	30 L
Benzylidene chloride	1886	6.1		Toxic			II	E4	654 Y641	5 L 1 L	662	60 L
Benzyl iodide	2653	6.1		Toxic			II	E4	654 Y641	5 L 1 L	662	60 L
Beryllium compound, n.o.s.*	1566	6.1		Toxic	US 4	A3	II	E4	669 Y644	25 kg 1 kg	676	100 kg
							III	E1	670 Y645	100 kg 10 kg	677	200 kg
Beryllium nitrate	2464	5.1	6.1	Oxidizer & Toxic	US 4		II	E2	558 Y543	5 kg 1 kg	562	25 kg
Beryllium powder	1567	6.1	4.1	Toxic & Solid flammable	US 4		II	E4	668 Y644	15 kg 1 kg	675	50 kg
Beverage extract (concentrate), see Corrosive liquid, acidic, inorganic, n.o.s.												
Bhusa	1327	4.1			AU 1 CA 7 IR 3 NL 1 US 3	A2 A198			FORBIDDEN		FORBIDDEN	
Bicyclo [2.2.1]-hepta-2,5-diene, stabilized	2251	3		Liquid flammable		A209	II	E2	353 Y341	5 L 1 L	364	60 L
Bifluorides, n.o.s., see Hydrogendifluorides, solid, n.o.s. (UN No. 1740)												
Biological substance, Category B	3373	6.2		None	GB 5			E0	See 650		See 650	
Biomedical waste, n.o.s.	3291	6.2		Infectious		A117		E0	621	No limit	621	No limit
Biphenyl triozone	FORBIDDEN											
Bipyridilium pesticide, liquid, flammable, toxic* , flash point less than 23°C	2782	3	6.1	Liquid flammable & Toxic		A4	I II	E0 E2	FORBIDDEN 352 Y341	1 L 1 L	361 364	30 L 60 L
Bipyridilium pesticide, liquid, toxic*	3016	6.1		Toxic		A3 A4	I II	E5 E4	652 654 Y641	1 L 5 L 1 L	658 662	30 L 60 L
							III	E1	655 Y642	60 L 2 L	663	220 L
Bipyridilium pesticide, liquid, toxic, flammable* , flash point not less than 23°C	3015	6.1	3	Toxic & Liquid flammable		A3 A4	I II	E5 E4	652 654 Y641	1 L 5 L 1 L	658 662	30 L 60 L
							III	E1	655 Y642	60 L 2 L	663	220 L

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Bipyridilium pesticide, solid, toxic*	2781	6.1		Toxic		A3	I	E5	666	5 kg	673	50 kg
									669	25 kg	676	100 kg
									Y644	1 kg		
									670	100 kg	677	200 kg
Bisulphates, aqueous solution	2837	8		Corrosive		A3	II	E2	Y645	10 kg		
									851	1 L	855	30 L
									Y840	0.5 L		
									852	5 L	856	60 L
Bisulphites, aqueous solution, n.o.s.*	2693	8		Corrosive			III	E1	Y841	1 L		
									852	5 L	856	60 L
									Y841	1 L		
Black powder , granular or as a meal†	0027	1.1D							FORBIDDEN		FORBIDDEN	
Black powder, compressed †	0028	1.1D							FORBIDDEN		FORBIDDEN	
Black powder in pellets †	0028	1.1D							FORBIDDEN		FORBIDDEN	
Blasting cap assemblies, see Detonator assemblies, non-electric , for blasting												
Blasting caps, electric, see Detonators, electric , for blasting												
Blasting caps, non-electric, see Detonators, non-electric , for blasting												
Bleaching powder, see Calcium hypochlorite mixture, dry , etc.												
Bombs with bursting charge†	0033	1.1F							FORBIDDEN		FORBIDDEN	
Bombs with bursting charge†	0034	1.1D							FORBIDDEN		FORBIDDEN	
Bombs with bursting charge†	0035	1.2D							FORBIDDEN		FORBIDDEN	
Bombs with bursting charge†	0291	1.2F							FORBIDDEN		FORBIDDEN	
Bombs, illuminating, see Ammunition, illuminating , etc. (UN No. 0254)												
Bombs, photo-flash †	0037	1.1F							FORBIDDEN		FORBIDDEN	
Bombs, photo-flash †	0038	1.1D							FORBIDDEN		FORBIDDEN	
Bombs, photo-flash †	0039	1.2G							FORBIDDEN		FORBIDDEN	
Bombs, photo-flash †	0299	1.3G							FORBIDDEN		FORBIDDEN	
≠ Bombs, smoke, non-explosive with corrosive liquid, without initiating device	2028	8		Corrosive				E0	FORBIDDEN		866	50 kg
Bombs, target identification, see Ammunition, illuminating , etc.												
Bombs with flammable liquid with bursting charge†	0399	1.1J							FORBIDDEN		FORBIDDEN	
Bombs with flammable liquid with bursting charge†	0400	1.2J							FORBIDDEN		FORBIDDEN	

별표 1. 위험물 목록

3-2-29

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Boosters without detonator†	0042	1.1D							FORBIDDEN		FORBIDDEN	
Boosters without detonator†	0283	1.2D							FORBIDDEN		FORBIDDEN	
Boosters with detonator †	0225	1.1B							FORBIDDEN		FORBIDDEN	
Boosters with detonator †	0268	1.2B							FORBIDDEN		FORBIDDEN	
Borate and chlorate mixture, see Chlorate and borate mixture												
Borneol	1312	4.1		Solid flammable			III	E1	446 Y443	25 kg 10 kg	449	100 kg
Boron tribromide	2692	8			AU 1 CA 7 IR 3 NL 1 US 3	A2	I		FORBIDDEN		FORBIDDEN	
Boron trichloride	1741	2.3	8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Boron trifluoride	1008	2.3	8		AU 1 CA 7 IR 3 NL 1 US 3	A2 A190			FORBIDDEN		FORBIDDEN	
Boron trifluoride acetic acid complex, liquid	1742	8		Corrosive			II	E2	851 Y840	1 L 0.5 L	855	30 L
Boron trifluoride acetic acid complex, solid	3419	8		Corrosive			II	E2	859 Y844	15 kg 5 kg	863	50 kg
Boron trifluoride, adsorbed	3519	2.3	8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Boron trifluoride diethyl etherate	2604	8	3	Corrosive & Liquid flammable			I	E0	850	0.5 L	854	2.5 L
Boron trifluoride dihydrate	2851	8		Corrosive			II	E2	851 Y840	1 L 0.5 L	855	30 L
Boron trifluoride dimethyl etherate	2965	4.3	3 8	Danger if wet & Liquid flammable & Corrosive			I	E0	FORBIDDEN		480	1 L
Boron trifluoride propionic acid complex, liquid	1743	8		Corrosive			II	E2	851 Y840	1 L 0.5 L	855	30 L
Boron trifluoride propionic acid complex, solid	3420	8		Corrosive			II	E2	859 Y844	15 kg 5 kg	863	50 kg
Bromates, inorganic, n.o.s.*	1450	5.1		Oxidizer		A170	II	E2	558 Y544	5 kg 2.5 kg	562	25 kg

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Bromates, inorganic, aqueous solution, n.o.s.*	3213	5.1		Oxidizer		A3 A170	II III	E2 E1	550 Y540 551 Y541	1 L 0.5 L 2.5 L 1 L	554 555	5 L 30 L
Bromine	1744	8	6.1		AU 1 CA 7 IR 3 NL 1 US 3	A2	I		FORBIDDEN		FORBIDDEN	
Bromine azide	FORBIDDEN											
Bromine chloride	2901	2.3	5.1 8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Bromine pentafluoride	1745	5.1	6.1 8		AU 1 CA 7 IR 3 NL 1 US 3	A2	I		FORBIDDEN		FORBIDDEN	
Bromine solution	1744	8	6.1		AU 1 CA 7 IR 3 NL 1 US 3	A2	I		FORBIDDEN		FORBIDDEN	
Bromine trifluoride	1746	5.1	6.1 8		AU 1 CA 7 IR 3 NL 1 US 3	A2	I		FORBIDDEN		FORBIDDEN	
Bromoacetic acid, solid	3425	8		Corrosive			II	E2	859 Y844	15 kg 5 kg	863	50 kg
Bromoacetic acid solution	1938	8		Corrosive		A3	II III	E2 E1	851 Y840 852 Y841	1 L 0.5 L 5 L 1 L	855 856	30 L 60 L
omega-Bromoacetone, see Phenacyl bromide												
Bromoacetone	1569	6.1	3		AU 1 CA 7 IR 3 NL 1 US 3	A2	II		FORBIDDEN		FORBIDDEN	
Bromoacetyl bromide	2513	8		Corrosive			II	E2	851 Y840	1 L 0.5 L	855	30 L
Bromobenzene	2514	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L

별표 1. 위험물 목록

3-2-31

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Bromobenzyl cyanides, liquid	1694	6.1		Toxic	AU 1 CA 7 IR 3 NL 1 US 3	A1 A29	I	E0	FORBIDDEN		658	30 L
Bromobenzyl cyanides, solid	3449	6.1		Toxic		A29	I	E5	666	5 kg	673	50 kg
1-Bromobutane	1126	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
2-Bromobutane	2339	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Bromochloromethane	1887	6.1		Toxic			III	E1	655 Y642	60 L 2 L	663	220 L
1-Bromo-3-chloropropane	2688	6.1		Toxic			III	E1	655 Y642	60 L 2 L	663	220 L
4-Bromo-1,2-dinitrobenzene	FORBIDDEN											
1-Bromo-2,3-epoxypropane, see Epibromohydrin												
Bromoethane, see Ethyl bromide												
2-Bromoethyl ethyl ether	2340	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Bromoform	2515	6.1		Toxic	US 4		III	E1	655 Y642	60 L 2 L	663	220 L
Bromomethane, see Methyl bromide												
1-Bromo-3-methylbutane	2341	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Bromomethylpropanes	2342	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
2-Bromo-2-nitropropane-1,3-diol	3241	4.1		Solid flammable		A20	III	E1	457 Y457	25 kg 10 kg	457	50 kg
2-Bromopentane	2343	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Bromopropanes	2344	3		Liquid flammable		A3	II	E2	353 Y341	5 L 1 L	364	60 L
							III	E1	355 Y344	60 L 10 L	366	220 L
3-Bromopropyne	2345	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Bromosilane	FORBIDDEN											
Bromotrifluoroethylene	2419	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Bromotrifluoromethane	1009	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Brucine	1570	6.1		Toxic	US 4	A6	I	E5	666	5 kg	673	50 kg
Bursters , explosive†	0043	1.1D							FORBIDDEN		FORBIDDEN	
≠ Butadienes and hydrocarbon mixture, stabilized , containing more than 20% butadienes	1010	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1 A209 A229		E0	FORBIDDEN		200	150 kg
Butadienes, stabilized	1010	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1 A209		E0	FORBIDDEN		200	150 kg
Butane	1011	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Butane, butane mixtures and mixtures having similar properties in cartridges each not exceeding 500 grams, see Receptacles , etc.												
Butanedione	2346	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Butane-1-thiol, see Butyl mercaptan												
1,2,4-Butanetriol trinitrate	FORBIDDEN											
Butan-2-ol, see Butanols												
1-Butanol, see Butanols												
Butanols	1120	3		Liquid flammable		A3	II	E2	353 Y341	5 L 1 L	364	60 L
							III	E1	355 Y344	60 L 10 L	366	220 L
Butanol, secondary, see Butanols												
Butanol, tertiary, see Butanols												
Butanone, see Ethyl methyl ketone												
2-Butenal, see Crotonaldehyde, stabilized												
Butene, see Butylene												
But-1-ene-3-one, see Methyl vinyl ketone, stabilized												
1,2-Buteneoxide, see 1,2-Butyleneoxide, stabilized												
2-Buten-1-ol, see Methallyl alcohol												
tert-Butoxycarbonyl azide	FORBIDDEN											

별표 1. 위험물 목록

3-2-33

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Butyl acetates	1123	3		Liquid flammable		A3	II	E2	353 Y341	5 L 1 L	364	60 L
Butyl acetate, secondary, see Butyl acetates							III	E1	355 Y344	60 L 10 L	366	220 L
Butyl acid phosphate	1718	8		Corrosive			III	E1	852 Y841	5 L 1 L	856	60 L
Butyl acrylates, stabilized	2348	3		Liquid flammable		A209	III	E1	355 Y344	60 L 10 L	366	220 L
Butyl alcohols, see Butanols												
n-Butylamine	1125	3	8	Liquid flammable & Corrosive			II	E2	352 Y340	1 L 0.5 L	363	5 L
N-Butylaniline	2738	6.1		Toxic			II	E4	654 Y641	5 L 1 L	662	60 L
sec-Butyl benzene, see Butylbenzenes												
Butylbenzenes	2709	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
n-Butyl bromide, see 1-Bromobutane												
n-Butyl chloride, see Chlorobutanes												
n-Butyl chloroformate	2743	6.1	3 8				II		FORBIDDEN		FORBIDDEN	
tert-Butylcyclohexyl chloroformate	2747	6.1		Toxic			III	E1	655 Y642	60 L 2 L	663	220 L
Butylene	1012	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1 A222		E0	FORBIDDEN		200	150 kg
1,2-Butylene oxide, stabilized	3022	3		Liquid flammable		A209	II	E2	353 Y341	5 L 1 L	364	60 L
Butyl ethers, see Dibutyl ethers												
Butyl ethyl ether, see Ethyl butyl ether												
n-Butyl formate	1128	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
tert-Butyl hydroperoxide, more than 90% with water	FORBIDDEN											
tert-Butyl hypochlorite	3255	4.2	8				I		FORBIDDEN		FORBIDDEN	
N,n-Butylimidazole	2690	6.1		Toxic			II	E4	654 Y641	5 L 1 L	662	60 L
N-n-Butyliminazole, see N,n-Butylimidazole												

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
tert-Butyl isocyanate	2484	6.1	3				I		FORBIDDEN		FORBIDDEN	
n-Butyl isocyanate	2485	6.1	3		AU 1 CA 7 IR 3 NL 1 US 3	A2	I		FORBIDDEN		FORBIDDEN	
Butyl lithium, see Organometallic substance, liquid, pyrophoric, water reactive (UN No. 3394)												
Butyl mercaptan	2347	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
n-Butyl methacrylate, stabilized	2227	3		Liquid flammable		A209	III	E1	355 Y344	60 L 10 L	366	220 L
Butyl methyl ether	2350	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
tert-Butyl monoperoxymaleate, more than 52%	FORBIDDEN											
tert-Butyl monoperoxyphthalate	FORBIDDEN											
Butyl nitrites	2351	3		Liquid flammable		A3	II III	E2 E1	353 Y341 355 Y344	5 L 1 L 60 L 10 L	364 366	60 L 220 L
tert-Butyl peroxyacetate, more than 52% and not more than 77%, when with not less than 23% diluent type A	FORBIDDEN											
tert-Butyl peroxyisobutyrate, more than 52% and not more than 77%, when with not less than 23% diluent Type A	FORBIDDEN											
Butylphenols, liquid, see Alkylphenols, liquid, n.o.s.												
Butylphenols, solid, see Alkylphenols, solid, n.o.s.												
Butyl propionates	1914	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
p-tert-Butyltoluene, see Butyltoluenes												
Butyltoluenes	2667	6.1		Toxic			III	E1	655 Y642	60 L 2 L	663	220 L
Butyltrichlorosilane	1747	8	3	Corrosive & Liquid flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		876	30 L
5-tert-Butyl-2,4,6-trinitro-m-xylene	2956	4.1					III		FORBIDDEN		FORBIDDEN	

별표 1. 위험물 목록

3-2-35

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Butyl vinyl ether, stabilized	2352	3		Liquid flammable		A209	II	E2	353 Y341	5 L 1 L	364	60 L
But-1-yne, see Ethylacetylene, stabilized (UN No. 2452)												
2-Butyne-1,4-diol, see 1,4-Butynediol												
1,4-Butynediol	2716	6.1		Toxic			III	E1	670 Y645	100 kg 10 kg	677	200 kg
Butyraldehyde	1129	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Butyraldoxime	2840	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Butyric acid	2820	8		Corrosive			III	E1	852 Y841	5 L 1 L	856	60 L
Butyric anhydride	2739	8		Corrosive			III	E1	852 Y841	5 L 1 L	856	60 L
Butyrone, see Dipropyl ketone												
Butyronitrile	2411	3	6.1	Liquid flammable & Toxic			II	E2	352 Y341	1 L 1 L	364	60 L
Butyroyl chloride, see Butyryl chloride												
Butyryl chloride	2353	3	8	Liquid flammable & Corrosive			II	E2	352 Y340	1 L 0.5 L	363	5 L
C												
Cable cutters, explosive, see Cutters, cable, explosive												
Cacodylic acid	1572	6.1		Toxic	US 4		II	E4	669 Y644	25 kg 1 kg	676	100 kg
Cadmium compound*	2570	6.1		Toxic	US 4	A3 A5	I II III	E5 E4 E1	666 669 Y644 670 Y645	5 kg 25 kg 1 kg 100 kg 10 kg	673 676 677	50 kg 100 kg 200 kg
Caesium	1407	4.3		Danger if wet			I	E0	FORBIDDEN		487	15 kg
Caesium hydroxide	2682	8		Corrosive			II	E2	859 Y844	15 kg 5 kg	863	50 kg
Caesium hydroxide solution	2681	8		Corrosive		A3	II III	E2 E1	851 Y840 852 Y841	1 L 0.5 L 5 L 1 L	855 856	30 L 60 L
Caesium nitrate	1451	5.1		Oxidizer			III	E1	559 Y546	25 kg 10 kg	563	100 kg
Caffeine, see Alkaloids , etc.												
Cajeputene, see Dipentene												

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Calcium	1401	4.3		Danger if wet			II	E2	484 Y475	15 kg 5 kg	490	50 kg
Calcium alloys, pyrophoric	1855	4.2					I		FORBIDDEN		FORBIDDEN	
Calcium arsenate	1573	6.1		Toxic	US 4		II	E4	669 Y644	25 kg 1 kg	676	100 kg
Calcium arsenate and calcium arsenite mixture, solid	1574	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Calcium bisulphite solution, see Bisulphites, aqueous solution, n.o.s.												
Calcium carbide	1402	4.3		Danger if wet	US 4		I II	E0 E2	FORBIDDEN 484 Y475	15 kg 5 kg	487 489	15 kg 50 kg
Calcium chlorate	1452	5.1		Oxidizer			II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
Calcium chlorate, aqueous solution	2429	5.1		Oxidizer		A3	II III	E2 E1	550 Y540 551 Y541	1 L 0.5 L 2.5 L 1 L	554 555	5 L 30 L
Calcium chlorite	1453	5.1		Oxidizer			II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
Calcium cyanamide with more than 0.1% of calcium carbide	1403	4.3		Danger if wet		A71	III	E1	486 Y477	25 kg 10 kg	491	100 kg
Calcium cyanide	1575	6.1		Toxic	US 4		I	E5	666	5 kg	673	50 kg
Calcium dithionite	1923	4.2		Spontaneous combustion			II	E2	467	15 kg	470	50 kg
Calcium hydride	1404	4.3		Danger if wet			I	E0	FORBIDDEN		487	15 kg
Calcium hydrosulphite	1923	4.2		Spontaneous combustion			II	E2	467	15 kg	470	50 kg
Calcium hypochlorite, dry	1748	5.1		Oxidizer	US 4	A136	II III	E2 E1	558 Y544 559 Y546	5 kg 2.5 kg 25 kg 10 kg	562 563	25 kg 100 kg
Calcium hypochlorite, dry, corrosive with more than 39% available chlorine (8.8% available oxygen)	3485	5.1	8	Oxidizer & Corrosive		A136	II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
Calcium hypochlorite, hydrated with not less than 5.5% but not more than 16% water	2880	5.1		Oxidizer	US 4	A3 A8 A136	II III	E2 E1	558 Y544 559 Y546	5 kg 2.5 kg 25 kg 10 kg	562 563	25 kg 100 kg
Calcium hypochlorite, hydrated, corrosive with not less than 5.5% but not more than 16% water	3487	5.1	8	Oxidizer & Corrosive		A8 A136	II III	E2 E1	558 Y544 559 Y545	5 kg 2.5 kg 25 kg 5 kg	562 563	25 kg 100 kg

별표 1. 위험물 목록

3-2-37

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Calcium hypochlorite, hydrated mixture with not less than 5.5% but not more than 16% water	2880	5.1		Oxidizer	US 4	A3 A8 A136	II III	E2 E1	558	5 kg	562	25 kg
									Y544	2.5 kg		
									559	25 kg	563	100 kg
									Y546	10 kg		
Calcium hypochlorite, hydrated mixture, corrosive with not less than 5.5% but not more than 16% water	3487	5.1	8	Oxidizer & Corrosive		A8 A136	II III		558	5 kg	562	25 kg
									Y544	2.5 kg		
									559	25 kg	563	100 kg
									Y545	5 kg		
Calcium hypochlorite mixture, dry with more than 39% available chlorine (8.8% available oxygen)	1748	5.1		Oxidizer	US 4	A138	II III	E2 E1	558	5 kg	562	25 kg
									Y544	2.5 kg		
									559	25 kg	563	100 kg
									Y546	10 kg		
Calcium hypochlorite mixture, dry with more than 10% but not more than 39% available chlorine	2208	5.1		Oxidizer	US 4	A136	III	E1	559	25 kg	563	100 kg
									Y546	10 kg		
Calcium hypochlorite mixture, dry, corrosive with more than 39% available chlorine (8.8% available oxygen)	3485	5.1	8	Oxidizer & Corrosive		A136	II	E2	558	5 kg	562	25 kg
									Y544	2.5 kg		
Calcium hypochlorite mixture, dry, corrosive with more than 10% but not more than 39% available chlorine	3486	5.1	8	Oxidizer & Corrosive		A136	III	E1	559	25 kg	563	100 kg
									Y545	5 kg		
Calcium manganese silicon	2844	4.3		Danger if wet			III	E1	486 Y477	25 kg 10 kg	491	100 kg
Calcium nitrate	1454	5.1		Oxidizer		A83	III	E1	559 Y546	25 kg 10 kg	563	100 kg
Calcium oxide	1910	8		Corrosive			III	E1	860 Y845	25 kg 5 kg	864	100 kg
Calcium perchlorate	1455	5.1		Oxidizer			II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
Calcium permanganate	1456	5.1		Oxidizer			II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
Calcium peroxide	1457	5.1		Oxidizer			II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
Calcium phosphide	1360	4.3	6.1	Danger if wet & Toxic			I	E0	FORBIDDEN		487	15 kg
Calcium, pyrophoric	1855	4.2					I		FORBIDDEN		FORBIDDEN	
Calcium resinate	1313	4.1		Solid flammable			III	E1	446 Y443	25 kg 10 kg	449	100 kg
Calcium resinate, fused	1314	4.1		Solid flammable			III	E1	446 Y443	25 kg 10 kg	449	100 kg
Calcium selenate, see Selenates												
Calcium silicide	1405	4.3		Danger if wet		A3	II III	E2 E1	484	15 kg	490	50 kg
									Y475	5 kg		
									486 Y477	25 kg 10 kg	491	100 kg

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Calcium silicon, see Calcium silicide												
Calcium superoxide, see Calcium peroxide												
Camphanone, see Camphor , synthetic												
Camphor , synthetic	2717	4.1		Solid flammable			III	E1	446 Y443	25 kg 10 kg	449	100 kg
Camphor oil	1130	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Camping gas, see Receptacles, smallcontaining gas, or gas cartridges , etc.												
Capacitor, asymmetric (with an energy storage capacity greater than 0.3 Wh)	3508	9		Miscellaneous		A196		E0	971	No limit	971	No limit
Capacitor, electric double layer (with an energy storage capacity greater than 0.3 Wh)	3499	9		Miscellaneous		A186		E0	971	No limit	971	No limit
Caproic acid	2829	8		Corrosive			III	E1	852 Y841	5 L 1 L	856	60 L
Caps, toy†, see Fireworks (UN Nos. 0333, 0336, 0337)												
Carbamate pesticide, liquid, flammable, toxic* , flash point less than 23°C	2758	3	6.1	Liquid flammable & Toxic		A4	I II	E0 E2	FORBIDDEN 352 Y341	1 L 1 L	361 364	30 L 60 L
Carbamate pesticide, liquid, toxic*	2992	6.1		Toxic		A3 A4	I II	E5 E4	652 654 Y641	1 L 5 L 1 L	658 662	30 L 60 L
							III	E1	655 Y642	60 L 2 L	663	220 L
Carbamate pesticide, liquid, toxic, flammable* , flash point not less than 23°C	2991	6.1	3	Toxic & Liquid flammable		A3 A4	I II	E5 E4	652 654 Y641	1 L 5 L 1 L	658 662	30 L 60 L
							III	E1	655 Y642	60 L 2 L	663	220 L
Carbamate pesticide, solid, toxic*	2757	6.1		Toxic		A3 A5	I II	E5 E4	666 669 Y644	5 kg 25 kg 1 kg	673 676	50 kg 100 kg
							III	E1	670 Y645	100 kg 10 kg	677	200 kg
Carbolic acid, see Phenol, solid or Phenol, molten												
Carbolic acid solution, see Phenol solution												

별표 1. 위험물 목록

3-2-39

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Carbon , animal or vegetable origin	1361	4.2			AU 1 CA 7 IR 3 NL 1 US 3	A2 A3	II III		FORBIDDEN FORBIDDEN		FORBIDDEN FORBIDDEN	
Carbon, activated	1362	4.2		Spontaneous combustion		A3	III	E1	472	0.5 kg	472	0.5 kg
Carbon bisulphide, see Carbon disulphide												
Carbon black (animal or vegetable origin), see Carbon												
Carbon dioxide	1013	2.2		Gas non-flammable		A202		E1	200	75 kg	200	150 kg
Carbon dioxide and ethylene oxide mixture, see Ethylene oxide and carbon dioxide mixture , etc.												
Carbon dioxide, refrigerated liquid	2187	2.2		Gas non-flammable				E1	202	50 kg	202	500 kg
Carbon dioxide, solid	1845	9		Miscellaneous		A48 A151		E0	954	200 kg	954	200 kg
Carbon disulphide	1131	3	6.1				I		FORBIDDEN		FORBIDDEN	
Carbonic anhydride, see Carbon dioxide , etc.												
Carbon monoxide, compressed	1016	2.3	2.1		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Carbon oxysulphide, see Carbonyl sulphide												
Carbon tetrabromide	2516	6.1		Toxic			III	E1	670 Y645	100 kg 10 kg	677	200 kg
Carbon tetrachloride	1846	6.1		Toxic	US 4		II	E4	654 Y641	5 L 1 L	661	60 L
Carbonyl chloride, see Phosgene												
Carbonyl fluoride	2417	2.3	8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Carbonyl sulphide	2204	2.3	2.1		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Cartridge cases, empty, primed, see Cases, cartridge, empty, with primer												

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Cartridges, actuating, for fire extinguisher or apparatus valve †, see Cartridges, power device (UN Nos. 0275, 0276, 0323, 0381)												
Cartridges, explosive, see Charges, demolition												
Cartridges, flash †	0049	1.1G							FORBIDDEN		FORBIDDEN	
Cartridges, flash †	0050	1.3G		Explosive				E0	FORBIDDEN		135	75 kg
Cartridges for tools, blank †	0014	1.4S		Explosive 1.4				E0	130	25 kg	130	100 kg
Cartridges for weapons with bursting charge†	0005	1.1F							FORBIDDEN		FORBIDDEN	
Cartridges for weapons with bursting charge†	0006	1.1E							FORBIDDEN		FORBIDDEN	
Cartridges for weapons with bursting charge†	0007	1.2F							FORBIDDEN		FORBIDDEN	
Cartridges for weapons with bursting charge†	0321	1.2E							FORBIDDEN		FORBIDDEN	
Cartridges for weapons with bursting charge†	0348	1.4F							FORBIDDEN		FORBIDDEN	
Cartridges for weapons with bursting charge†	0412	1.4E		Explosive 1.4				E0	FORBIDDEN		130	75 kg
Cartridges for weapons, blank †	0014	1.4S		Explosive 1.4				E0	130	25 kg	130	100 kg
Cartridges for weapons, blank †	0326	1.1C							FORBIDDEN		FORBIDDEN	
Cartridges for weapons, blank †	0327	1.3C							FORBIDDEN		FORBIDDEN	
Cartridges for weapons, blank †	0338	1.4C		Explosive 1.4				E0	FORBIDDEN		130	75 kg
Cartridges for weapons, blank †	0413	1.2C							FORBIDDEN		FORBIDDEN	
Cartridges for weapons, inert projectile †	0012	1.4S		Explosive 1.4				E0	130	25 kg	130	100 kg
Cartridges for weapons, inert projectile †	0328	1.2C							FORBIDDEN		FORBIDDEN	
Cartridges for weapons, inert projectile †	0339	1.4C		Explosive 1.4				E0	FORBIDDEN		130	75 kg
Cartridges for weapons, inert projectile †	0417	1.3C							FORBIDDEN		FORBIDDEN	
Cartridges, illuminating, see Ammunition, illuminating, etc.												
Cartridges, oil well †	0277	1.3C							FORBIDDEN		FORBIDDEN	
Cartridges, oil well †	0278	1.4C		Explosive 1.4				E0	FORBIDDEN		134	75 kg
Cartridges, power device †	0275	1.3C		Explosive				E0	FORBIDDEN		134	75 kg
Cartridges, power device †	0276	1.4C		Explosive 1.4				E0	FORBIDDEN		134	75 kg
Cartridges, power device †	0323	1.4S		Explosive 1.4		A165		E0	134	25 kg	134	100 kg

별표 1. 위험물 목록

3-2-41

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Cartridges, power device †	0381	1.2C							FORBIDDEN		FORBIDDEN	
Cartridges, signal †	0054	1.3G		Explosive				E0	FORBIDDEN		135	75 kg
Cartridges, signal †	0312	1.4G		Explosive 1.4				E0	FORBIDDEN		135	75 kg
Cartridges, signal †	0405	1.4S		Explosive 1.4				E0	135	25 kg	135	100 kg
Cartridges, small arms †	0012	1.4S		Explosive 1.4				E0	130	25 kg	130	100 kg
Cartridges, small arms †	0339	1.4C		Explosive 1.4				E0	FORBIDDEN		130	75 kg
Cartridges, small arms †	0417	1.3C							FORBIDDEN		FORBIDDEN	
Cartridges, small arms, blank †	0014	1.4S		Explosive 1.4				E0	130	25 kg	130	100 kg
Cartridges, small arms, blank †	0327	1.3C							FORBIDDEN		FORBIDDEN	
Cartridges, small arms, blank †	0338	1.4C		Explosive 1.4				E0	FORBIDDEN		130	75 kg
Cartridges, starter, jet engine, see Cartridges, power device												
Cases, cartridge, empty, with primer †	0055	1.4S		Explosive 1.4				E0	136	25 kg	136	100 kg
Cases, cartridge, empty, with primer †	0379	1.4C		Explosive 1.4				E0	FORBIDDEN		136	75 kg
Cases, combustible, empty, without primer †	0446	1.4C		Explosive 1.4				E0	FORBIDDEN		136	75 kg
Cases, combustible, empty, without primer †	0447	1.3C							FORBIDDEN		FORBIDDEN	
Casinghead gasoline, see Gasoline or Petrol or Motor spirit (UN No. 1203)												
Castor beans	2969	9		Miscellaneous		A31	II	E2	956	No limit	956	No limit
Castor flake	2969	9		Miscellaneous		A31	II	E2	956	No limit	956	No limit
Castor meal	2969	9		Miscellaneous		A31	II	E2	956	No limit	956	No limit
Castor pomace	2969	9		Miscellaneous		A31	II	E2	956	No limit	956	No limit
Catecholborane	—					A210						
Caustic alkali liquid, n.o.s.*	1719	8		Corrosive		A3	II	E2	851 Y840	1 L 0.5 L	855	30 L
							III	E1	852 Y841	5 L 1 L	856	60 L
Caustic potash, see Potassium hydroxide solution												
Caustic soda, see Sodium hydroxide solution												
Caustic soda liquor, see Sodium hydroxide solution												
≠ Cells, containing metallic sodium or sodium alloy †	3292	4.3		Danger if wet		A94 A183 A228		E0	492	25 kg	492	400 kg

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Celluloid, in blocks, rods, rolls, sheets, tubes, etc. (except scrap)	2000	4.1		Solid flammable		A3 A48 A205	III	E1	456	25 kg	456	100 kg
Celluloid, scrap	2002	4.2			AU 1 CA 7 IR 3 NL 1 US 3	A2 A3	III		FORBIDDEN		FORBIDDEN	
Cement, see Adhesives containing flammable liquid												
Cerium, slabs, ingots or rods	1333	4.1		Solid flammable			II	E2	445 Y441	15 kg 5 kg	448	50 kg
Cerium, turnings or gritty powder	3078	4.3		Danger if wet			II	E2	484 Y475	15 kg 5 kg	490	50 kg
Cer mischmetall, see Ferrocium												
Charcoal, activated, see Carbon, activated												
Charcoal, non-activated, see Carbon												
Charcoal screenings, wet		FORBIDDEN										
Charcoal, wet		FORBIDDEN										
Charges, bursting, plastics bonded	0457	1.1D							FORBIDDEN		FORBIDDEN	
Charges, bursting, plastics bonded	0458	1.2D							FORBIDDEN		FORBIDDEN	
Charges, bursting, plastics bonded	0459	1.4D		Explosive 1.4				E0	FORBIDDEN		130	75 kg
Charges, bursting, plastics bonded	0460	1.4S		Explosive 1.4		A165		E0	130	25 kg	130	100 kg
Charges, demolition †	0048	1.1D							FORBIDDEN		FORBIDDEN	
Charges, depth †	0056	1.1D							FORBIDDEN		FORBIDDEN	
Charges, expelling, explosive, for fire extinguishers, see Cartridges, power device												
Charges, explosive, commercial without detonator†	0442	1.1D							FORBIDDEN		FORBIDDEN	
Charges, explosive, commercial without detonator†	0443	1.2D							FORBIDDEN		FORBIDDEN	
Charges, explosive, commercial without detonator†	0444	1.4D		Explosive 1.4				E0	FORBIDDEN		137	75 kg
Charges, explosive, commercial without detonator†	0445	1.4S		Explosive 1.4		A165		E0	137	25 kg	137	100 kg
Charges, propelling †	0271	1.1C							FORBIDDEN		FORBIDDEN	
Charges, propelling †	0272	1.3C							FORBIDDEN		FORBIDDEN	
Charges, propelling †	0415	1.2C							FORBIDDEN		FORBIDDEN	
Charges, propelling †	0491	1.4C		Explosive 1.4				E0	FORBIDDEN		143	75 kg
Charges, propelling, for cannon †	0242	1.3C							FORBIDDEN		FORBIDDEN	

별표 1. 위험물 목록

3-2-43

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Charges, propelling, for cannon †	0279	1.1C							FORBIDDEN		FORBIDDEN	
Charges, propelling, for cannon †	0414	1.2C							FORBIDDEN		FORBIDDEN	
Charges, shaped without detonator†	0059	1.1D			AU 2 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Charges, shaped without detonator†	0439	1.2D							FORBIDDEN		FORBIDDEN	
Charges, shaped without detonator†	0440	1.4D		Explosive 1.4	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		137	75 kg
Charges, shaped without detonator†	0441	1.4S		Explosive 1.4		A165		E0	137	25 kg	137	100 kg
Charges, shaped, flexible, linear †	0237	1.4D		Explosive 1.4				E0	FORBIDDEN		138	75 kg
Charges, shaped, flexible, linear †	0288	1.1D							FORBIDDEN		FORBIDDEN	
Charges, supplementary, explosive †	0060	1.1D							FORBIDDEN		FORBIDDEN	
Chemical kit	3316	9		Miscellaneous		A44 A163		E0	960 Y960	10 kg 1 kg	960	10 kg
Chemical sample, toxic	3315	6.1				A106	I		FORBIDDEN		FORBIDDEN	
Chemical under pressure, n.o.s.*	3500	2.2		Gas non-flammable		A187		E0	218	75 kg	218	150 kg
Chemical under pressure, corrosive, n.o.s.*	3503	2.2	8	Gas non-flammable & Corrosive	AU 1 CA 7 IR 3 NL 1 US 3	A1 A187		E0	FORBIDDEN		218	100 kg
Chemical under pressure, flammable, n.o.s.*	3501	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1 A187		E0	FORBIDDEN		218	75 kg
Chemical under pressure, flammable, corrosive, n.o.s.*	3505	2.1	8	Gas flammable & Corrosive	AU 1 CA 7 IR 3 NL 1 US 3	A1 A187		E0	FORBIDDEN		218	75 kg
Chemical under pressure, flammable, toxic, n.o.s.*	3504	2.1	6.1	Gas flammable & Toxic	AU 1 CA 7 IR 3 NL 1 US 3	A1 A187		E0	FORBIDDEN		218	75 kg
Chemical under pressure, toxic, n.o.s.*	3502	2.2	6.1	Gas non-flammable & Toxic	AU 1 CA 7 IR 3 NL 1 US 3	A1 A187		E0	FORBIDDEN		218	100 kg

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Chile saltpetre, see Sodium nitrate												
Chloral, anhydrous, stabilized	2075	6.1		Toxic			II	E4	654 Y641	5 L 1 L	662	60 L
Chlorate and borate mixture	1458	5.1		Oxidizer		A3	II III	E2 E1	558 Y544 559 Y546	5 kg 2.5 kg 25 kg 10 kg	562 563	25 kg 100 kg
Chlorate and magnesium chloride mixture, solid	1459	5.1		Oxidizer		A3	II III	E2 E1	558 Y544 559 Y546	5 kg 2.5 kg 25 kg 10 kg	562 563	25 kg 100 kg
Chlorate and magnesium chloride mixture solution	3407	5.1		Oxidizer		A3	II III	E2 E1	550 Y540 551 Y541	1 L 0.5 L 2.5 L 1 L	554 555	5 L 30 L
Chlorates, inorganic, n.o.s.*	1461	5.1		Oxidizer		A171	II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
Chlorates, inorganic, aqueous solution, n.o.s.*	3210	5.1		Oxidizer		A3 A171	II III	E2 E1	550 Y540 551 Y541	1 L 0.5 L 2.5 L 1 L	554 555	5 L 30 L
Chloric acid, aqueous solution with not more than 10% chloric acid	2626	5.1			AU 1 CA 7 IR 3 NL 1 US 3	A2	II		FORBIDDEN		FORBIDDEN	
Chlorine	1017	2.3	5.1 8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Chlorine, adsorbed	3520	2.3	5.1 8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Chlorine azide	FORBIDDEN											
Chlorine dioxide	FORBIDDEN											
Chlorine pentafluoride	2548	2.3	5.1 8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Chlorine trifluoride	1749	2.3	5.1 8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	

별표 1. 위험물 목록

3-2-45

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Chlorites, inorganic, n.o.s.*	1462	5.1		Oxidizer		A172	II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
Chlorite solution	1908	8		Corrosive		A3	II III	E2 E1	851 Y840 852 Y841	1 L 0.5 L 5 L 1 L	855 856	30 L 60 L
Chloroacetaldehyde, see 2-Chloroethanal												
Chloroacetic acid, molten	3250	6.1	8				II		FORBIDDEN		FORBIDDEN	
Chloroacetic acid, solid	1751	6.1	8	Toxic & Corrosive			II	E4	668 Y644	15 kg 1 kg	675	50 kg
Chloroacetic acid solution	1750	6.1	8	Toxic & Corrosive			II	E4	653 Y640	1 L 0.5 L	660	30 L
Chloroacetone, stabilized	1695	6.1	3 8				I		FORBIDDEN		FORBIDDEN	
Chloroacetone (unstabilized)	FORBIDDEN											
Chloroacetonitrile	2668	6.1	3		AU 1 CA 7 NL 1 US 3		I		FORBIDDEN		FORBIDDEN	
Chloroacetophenone, liquid	3416	6.1		Toxic	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		661	60 L
Chloroacetophenone, solid	1697	6.1		Toxic	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		676	100 kg
Chloroacetyl chloride	1752	6.1	8		AU 1 CA 7 IR 3 NL 1 US 3	A2	I		FORBIDDEN		FORBIDDEN	
Chloroanilines, liquid	2019	6.1		Toxic			II	E4	654 Y641	5 L 1 L	662	60 L
Chloroanilines, solid	2018	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Chloroanisidines	2233	6.1		Toxic			III	E1	670 Y645	100 kg 10 kg	677	200 kg
Chlorobenzene	1134	3		Liquid flammable	US 4		III	E1	355 Y344	60 L 10 L	366	220 L
Chlorobenzotrifluorides	2234	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Chlorobenzyl chlorides, liquid	2235	6.1		Toxic			III	E1	655 Y642	60 L 2 L	663	220 L
Chlorobenzyl chlorides, solid	3427	6.1		Toxic			III	E1	670 Y645	100 kg 10 kg	677	200 kg
1-Chloro-3-bromopropane, see 1-Bromo-3-chloropropane												
1-Chlorobutane, see Chlorobutanes												
2-Chlorobutane, see Chlorobutanes												
Chlorobutanes	1127	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Chlorocresols, solid	3437	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Chlorocresols solution	2669	6.1		Toxic		A3	II	E4	654 Y641	5 L 1 L	662	60 L
							III	E1	655 Y642	60 L 2 L	663	220 L
Chlorodifluorobromomethane	1974	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
1-Chloro-1,1-difluoroethane	2517	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Chlorodifluoromethane	1018	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Chlorodifluoromethane and chloropentafluoroethane mixture with fixed boiling point, with approximately 49% chlorodifluoromethane	1973	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
3-Chloro-1,2-dihydroxypropane, see Glycerol alpha-monochlorohydrin												
Chlorodimethyl ether, see Methyl chloromethyl ether												
Chlorodinitrobenzenes, liquid	1577	6.1		Toxic		A113	II	E4	654 Y641	5 L 1 L	662	60 L
Chlorodinitrobenzenes, solid	3441	6.1		Toxic		A113	II	E4	669 Y644	25 kg 1 kg	676	100 kg
2-Chloroethanal	2232	6.1					I		FORBIDDEN		FORBIDDEN	
Chloroethane, see Ethyl chloride												
Chloroethane nitrile, see Chloroacetonitrile												
2-Chloroethanol, see Ethylene chlorohydrin												
Chloroform	1888	6.1		Toxic	US 4		III	E1	680 Y680	60 L 2 L	680	220 L

별표 1. 위험물 목록

3-2-47

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Chloroformates, toxic, corrosive, n.o.s.*	3277	6.1	8	Toxic & Corrosive			II	E4	653 Y640	1 L 0.5 L	660	30 L
Chloroformates, toxic, corrosive, flammable, n.o.s.*	2742	6.1	3 8	Toxic & Liquid flammable & Corrosive			II	E4	653 Y640	1 L 0.5 L	660	30 L
Chloromethane, see Methyl chloride												
2-Chloro-2-methylbutane, see Amyl chloride												
1-Chloro-3-methylbutane, see Amyl chloride												
Chloromethyl chloroformate	2745	6.1	8	Toxic & Corrosive			II	E4	653 Y640	1 L 0.5 L	660	30 L
Chloromethyl cyanide, see Chloroacetonitrile												
Chloromethyl ethyl ether	2354	3	6.1	Liquid flammable & Toxic			II	E2	352 Y341	1 L 1 L	364	60 L
Chloromethyl methyl ether, see Methyl chloromethyl ether												
3-Chloro-4-methylphenyl isocyanate, liquid	2236	6.1		Toxic			II	E4	654 Y641	5 L 1 L	662	60 L
3-Chloro-4-methylphenyl isocyanate, solid	3428	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
3-Chloro-2-methylprop-1-ene, see Methylallyl chloride												
Chloronitroanilines	2237	6.1		Toxic			III	E1	670 Y645	100 kg 10 kg	677	200 kg
Chloronitrobenzenes, liquid	3409	6.1		Toxic		A113	II	E4	654 Y641	5 L 1 L	662	60 L
Chloronitrobenzenes, solid	1578	6.1		Toxic		A113	II	E4	669 Y644	25 kg 1 kg	676	100 kg
Chloronitrotoluenes, liquid	2433	6.1		Toxic			III	E1	655 Y642	60 L 2 L	663	220 L
Chloronitrotoluenes, solid	3457	6.1		Toxic			III	E1	670 Y645	100 kg 10 kg	677	200 kg
Chloropentafluoroethane	1020	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
3-Chloroperoxybenzoic acid, more than 57% and not more than 86%, when with 14% or more inert solid	FORBIDDEN											
Chlorophenolates, liquid	2904	8		Corrosive			III	E1	852 Y841	5 L 1 L	856	60 L
Chlorophenolates, solid	2905	8		Corrosive			III	E1	860 Y845	25 kg 5 kg	864	100 kg
Chlorophenols, liquid	2021	6.1		Toxic	US 4		III	E1	655 Y642	60 L 2 L	663	220 L

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Chlorophenols, solid	2020	6.1		Toxic	US 4	A25	III	E1	670 Y645	100 kg 10 kg	677	200 kg
Chlorophenyltrichlorosilane	1753	8		Corrosive	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		876	30 L
Chloropicrin	1580	6.1					I		FORBIDDEN		FORBIDDEN	
Chloropicrin and methyl bromide mixture with more than 2% chloropicrin	1581	2.3			AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Chloropicrin and methyl chloride mixture	1582	2.3			AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Chloropicrin mixture, n.o.s.*	1583	6.1			AU 1 CA 7 IR 3 NL 1 US 3	A2 A3 A137	I II III		FORBIDDEN FORBIDDEN FORBIDDEN		FORBIDDEN FORBIDDEN FORBIDDEN	
Chloroplatinic acid, solid	2507	8		Corrosive			III	E1	860 Y845	25 kg 5 kg	864	100 kg
Chloroprene, stabilized	1991	3	6.1	Liquid flammable & Toxic		A209	I	E0	FORBIDDEN		361	30 L
Chloroprene, uninhibited	FORBIDDEN											
1-Chloropropane	1278	3		Liquid flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		364	60 L
2-Chloropropane	2356	3		Liquid flammable			I	E3	351	1 L	361	30 L
3-Chloro-propanediol-1,2, see Glycerol alpha-monochlorohydrin												
3-Chloropropanol-1	2849	6.1		Toxic			III	E1	655 Y642	60 L 2 L	663	220 L
3-Chloropropene, see Allyl chloride												
3-Chloroprop-1-ene, see Allyl chloride												
2-Chloropropene	2456	3		Liquid flammable			I	E3	351	1 L	361	30 L
2-Chloropropionic acid	2511	8		Corrosive		A3	III	E1	852 Y841	5 L 1 L	856	60 L
2-Chloropyridine	2822	6.1		Toxic			II	E4	654 Y641	5 L 1 L	662	60 L

별표 1. 위험물 목록

3-2-49

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Chlorosilanes, corrosive, n.o.s.	2987	8		Corrosive	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		876	30 L
Chlorosilanes, corrosive, flammable, n.o.s.	2986	8	3	Corrosive & Liquid flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		876	30 L
Chlorosilanes, flammable, corrosive, n.o.s.	2985	3	8	Liquid flammable & Corrosive			II	E0	FORBIDDEN		377	5 L
Chlorosilanes, toxic, corrosive, n.o.s. *	3361	6.1	8	Toxic & Corrosive			II	E0	FORBIDDEN		681	30 L
Chlorosilanes, toxic, corrosive, flammable, n.o.s.*	3362	6.1	3 8	Toxic & Liquid flammable & Corrosive			II	E0	FORBIDDEN		681	30 L
Chlorosilanes, water-reactive, flammable, corrosive, n.o.s.	2988	4.3	3 8	Danger if wet & Liquid flammable & Corrosive			I	E0	FORBIDDEN		480	1 L
Chlorosulphonic acid (with or without sulphur trioxide)	1754	8					I		FORBIDDEN		FORBIDDEN	
1-Chloro-1,2,2,2-tetrafluoroethane	1021	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Chlorotoluenes	2238	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
4-Chloro-o-toluidine hydrochloride, solid	1579	6.1		Toxic	US 4		III	E1	670 Y645	100 kg 10 kg	677	200 kg
4-Chloro-o-toluidine hydrochloride solution	3410	6.1		Toxic		A3	III	E1	655 Y642	60 L 2 L	663	220 L
Chlorotoluidines, liquid	3429	6.1		Toxic			III	E1	655 Y642	60 L 2 L	663	220 L
Chlorotoluidines, solid	2239	6.1		Toxic			III	E1	670 Y645	100 kg 10 kg	677	200 kg
1-Chloro-2,2,2-trifluoroethane	1983	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Chlorotrifluoroethylene, see Trifluorochloroethylene, stabilized (UN No. 1082)												
Chlorotrifluoromethane	1022	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Chlorotrifluoromethane and trifluoromethane azeotropic mixture with approximately 60% chlorotrifluoromethane	2599	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Chromic acid, solid, see Chromium trioxide, anhydrous												

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Chromic acid solution	1755	8		Corrosive		A3	II	E2	851 Y840	1 L 0.5 L	855	30 L
							III	E1	852 Y841	5 L 1 L	856	60 L
Chromic anhydride, solid, see Chromium trioxide, anhydrous												
Chromic fluoride, solid	1756	8		Corrosive			II	E2	859 Y844	15 kg 5 kg	863	50 kg
Chromic fluoride solution	1757	8		Corrosive		A3	II	E2	851 Y840	1 L 0.5 L	855	30 L
							III	E1	852 Y841	5 L 1 L	856	60 L
Chromic nitrate, see Chromium nitrate												
Chromic trioxide, see Chromium trioxide, anhydrous												
Chromium (VI) dichloride dioxide, see Chromium oxychloride												
Chromium (III) fluoride, solid, see Chromic fluoride, solid												
Chromium nitrate	2720	5.1		Oxidizer			III	E1	559 Y546	25 kg 10 kg	563	100 kg
Chromium (III) nitrate, see Chromium nitrate												
Chromium oxychloride	1758	8		Corrosive			I	E0	850	0.5 L	854	2.5 L
Chromium trioxide, anhydrous	1463	5.1	6.1 8	Oxidizer & Toxic & Corrosive	US 4		II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
Chromosulphuric acid	2240	8		Corrosive			I	E0	850	0.5 L	854	2.5 L
Chrysotile, see Asbestos, chrysotile (UN 2590), etc.												
Cigar and cigarette lighter fluid, see Flammable liquid, n.o.s.												
Cigar and cigarette lighters, charged with fuel, see Lighters (cigarettes), etc.												
Cinene, see Dipentene												
Cinnamene, see Styrene monomer, stabilized												
Cinnamol, see Styrene monomer, stabilized												
Clinical waste, unspecified, n.o.s.	3291	6.2		Infectious		A117		E0	621	No limit	621	No limit
Coal briquettes, hot	FORBIDDEN											

별표 1. 위험물 목록

3-2-51

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Coal gas, compressed †	1023	2.3	2.1		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Coal tar distillates, flammable	1136	3		Liquid flammable		A3	II	E2	353 Y341	5 L 1 L	364	60 L
							III	E1	355 Y344	60 L 10 L	366	220 L
Coal tar naphtha, see Petroleum distillates, n.o.s. or Petroleum products, n.o.s.												
Coal tar oil, see Coal tar distillates, flammable												
Coating solution (includes surface treatments or coatings used for industrial or other purposes such as vehicle undercoating, drum or barrel lining) †	1139	3		Liquid flammable		A3	I II	E3 E2	351 353 Y341	1 L 5 L 1 L	361 364	30 L 60 L
							III	E1	355 Y344	60 L 10 L	366	220 L
Cobalt dihydroxide powder, containing not less than 10% respirable particles	3550	6.1		Toxic			I	E5	666	5 kg	673	50 kg
Cobalt naphthenates, powder	2001	4.1		Solid flammable			III	E1	446 Y443	25 kg 10 kg	449	100 kg
Cobalt resinate, precipitated	1318	4.1		Solid flammable			III	E1	446 Y443	25 kg 10 kg	449	100 kg
Cocculus, see Toxins, extracted from living sources, n.o.s.												
Coke, hot	FORBIDDEN											
Collodion cottons, see Nitrocellulose , etc. (UN Nos. 0340, 0341, 0342, 2059, 2555, 2556, 2557)												
Cologne spirits, see Perfumery products , etc.												
Components, explosive train, n.o.s.* †	0382	1.2B							FORBIDDEN		FORBIDDEN	
Components, explosive train, n.o.s.* †	0383	1.4B		Explosive 1.4		A62		E0	FORBIDDEN		101	75 kg
Components, explosive train, n.o.s.* †	0384	1.4S		Explosive 1.4		A62 A165		E0	101	25 kg	101	100 kg
Components, explosive train, n.o.s.* †	0461	1.1B							FORBIDDEN		FORBIDDEN	
Composition B, see Hexolite , etc.												
Compressed gas, n.o.s.*	1956	2.2		Gas non-flammable		A202		E1	200	75 kg	200	150 kg

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Compressed gas, flammable, n.o.s.*	1954	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Compressed gas, oxidizing, n.o.s.*	3156	2.2	5.1	Gas non-flammable & Oxidizer	US 18			E0	200	75 kg	200	150 kg
Compressed gas, toxic, n.o.s.*	1955	2.3			AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Compressed gas, toxic, corrosive, n.o.s.*	3304	2.3	8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Compressed gas, toxic, flammable, n.o.s.*	1953	2.3	2.1		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Compressed gas, toxic, flammable, corrosive, n.o.s.*	3305	2.3	2.1 8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Compressed gas, toxic, oxidizing, n.o.s.*	3303	2.3	5.1		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Compressed gas, toxic, oxidizing, corrosive, n.o.s.*	3306	2.3	5.1 8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Consumer commodity †	8000	9		Miscellaneous		A112		E0	Y963	30 kg G	Y963	30 kg G
Contrivances, water-activated* with burster, expelling charge or propelling charge†	0248	1.2L							FORBIDDEN		FORBIDDEN	
Contrivances, water-activated* with burster, expelling charge or propelling charge†	0249	1.3L							FORBIDDEN		FORBIDDEN	
Copper acetoarsenite	1585	6.1		Toxic	US 4		II	E4	669 Y644	25 kg 1 kg	676	100 kg
Copper acetylide	FORBIDDEN											
Copper amine azide	FORBIDDEN											

별표 1. 위험물 목록

3-2-53

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Copper arsenite	1586	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Copper (II) arsenite, see Copper arsenite												
Copper based pesticide, liquid, flammable, toxic* , flash point less than 23°C	2776	3	6.1	Liquid flammable & Toxic		A4	I II	E0 E2	FORBIDDEN 352 Y341	1 L 1 L	361 364	30 L 60 L
Copper based pesticide, liquid, toxic*	3010	6.1		Toxic		A3 A4	I II	E5 E4	652 654 Y641	1 L 5 L 1 L	658 662	30 L 60 L
							III	E1	655 Y642	60 L 2 L	663	220 L
Copper based pesticide, liquid, toxic, flammable* , flash point not less than 23°C	3009	6.1	3	Toxic & Liquid flammable		A3 A4	I II	E5 E4	652 654 Y641	1 L 5 L 1 L	658 662	30 L 60 L
							III	E1	655 Y642	60 L 2 L	663	220 L
Copper based pesticide, solid, toxic*	2775	6.1		Toxic		A3 A5	I II	E5 E4	666 669 Y644	5 kg 25 kg 1 kg	673 676	50 kg 100 kg
							III	E1	670 Y645	100 kg 10 kg	677	200 kg
Copper chlorate	2721	5.1		Oxidizer			II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
Copper (II) chlorate, see Copper chlorate												
Copper chloride	2802	8		Corrosive	US 4		III	E1	860 Y845	25 kg 5 kg	864	100 kg
Copper cyanide	1587	6.1		Toxic	US 4		II	E4	669 Y644	25 kg 1 kg	676	100 kg
Copper selenate, see Selenates												
Copper selenite, see Selenites												
Copper tetramine nitrate	FORBIDDEN											
Copra †	1363	4.2			AU 1 CA 7 IR 3 NL 1 US 3	A2	III		FORBIDDEN		FORBIDDEN	
Cord, detonating, flexible†	0065	1.1D			AU 2 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Cord, detonating, flexible†	0289	1.4D		Explosive 1.4	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		139	75 kg

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only		
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package	
1	2	3	4	5	6	7	8	9	10	11	12	13	
Cord, detonating, metal clad†	0102	1.2D		Explosive 1.4	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN	DDEN	FORBIDDEN	DDEN	
Cord, detonating, metal clad†	0290	1.1D							FORBIDDEN	DDEN	FORBIDDEN	DDEN	
Cord, detonating, mild effect, metal clad	0104	1.4D							FORBIDDEN	DDEN	139	75 kg	
Cord, igniter †	0066	1.4G							FORBIDDEN	DDEN	140	75 kg	
Cordite, see Powder, smokeless													
Corrosive liquid, n.o.s.*	1760	8		Corrosive		A3	I	E0	850	0.5 L	854	2.5 L	
								E2	851	1 L	855	30 L	
								III	E1	Y840	0.5 L	856	60 L
										852	5 L		
Corrosive liquid, acidic, inorganic, n.o.s.*	3264	8		Corrosive		A3	I	E0	850	0.5 L	854	2.5 L	
								E2	851	1 L	855	30 L	
								III	E1	Y840	0.5 L	856	60 L
										852	5 L		
Corrosive liquid, acidic, organic, n.o.s.*	3265	8		Corrosive		A3	I	E0	850	0.5 L	854	2.5 L	
								E2	851	1 L	855	30 L	
								III	E1	Y840	0.5 L	856	60 L
										852	5 L		
Corrosive liquid, basic, inorganic, n.o.s.*	3266	8		Corrosive		A3	I	E0	850	0.5 L	854	2.5 L	
								E2	851	1 L	855	30 L	
								III	E1	Y840	0.5 L	856	60 L
										852	5 L		
Corrosive liquid, basic, organic, n.o.s.*	3267	8		Corrosive		A3	I	E0	850	0.5 L	854	2.5 L	
								E2	851	1 L	855	30 L	
								III	E1	Y840	0.5 L	856	60 L
										852	5 L		
Corrosive liquid, flammable, n.o.s.*	2920	8	3	Corrosive & Liquid flammable			I	E0	850	0.5 L	854	2.5 L	
								E2	851	1 L	855	30 L	
								II		Y840	0.5 L		
Corrosive liquid, oxidizing, n.o.s.*	3093	8	5.1	Corrosive & Oxidizer			I	E0	FORBIDDEN	DDEN	854	2.5 L	
								E2	851	1 L	855	30 L	
								II		Y840	0.5 L		
Corrosive liquid, self-heating, n.o.s.*	3301	8	4.2	Corrosive & Spontaneous combustion			I	E0	850	0.5 L	854	2.5 L	
								E2	851	1 L	855	30 L	
								II					
Corrosive liquid, toxic, n.o.s.*	2922	8	6.1	Corrosive & Toxic		A3 A4	I	E0	850	0.5 L	854	2.5 L	
								E2	851	1 L	855	30 L	
								III	E1	Y840	0.5 L	856	60 L
										852	5 L		
									Y841	1 L			

별표 1. 위험물 목록

3-2-55

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Corrosive liquid, water-reactive, n.o.s.*	3094	8	4.3	Corrosive & Danger if wet			I II	E2	FORBIDDEN 851	1 L	FORBIDDEN 855	30 L
Corrosive solid, n.o.s.*	1759	8		Corrosive		A3	I II III	E0 E2 E1	858 859 860 Y844 Y845	1 kg 15 kg 5 kg 25 kg 5 kg	862 863 864	25 kg 50 kg 100 kg
Corrosive solid, acidic, inorganic, n.o.s.*	3260	8		Corrosive		A3	I II III	E0 E2 E1	858 859 860 Y844 Y845	1 kg 15 kg 5 kg 25 kg 5 kg	862 863 864	25 kg 50 kg 100 kg
Corrosive solid, acidic, organic, n.o.s.*	3261	8		Corrosive		A3	I II III	E0 E2 E1	858 859 860 Y844 Y845	1 kg 15 kg 5 kg 25 kg 5 kg	862 863 864	25 kg 50 kg 100 kg
Corrosive solid, basic, inorganic, n.o.s.*	3262	8		Corrosive		A3	I II III	E0 E2 E1	858 859 860 Y844 Y845	1 kg 15 kg 5 kg 25 kg 5 kg	862 863 864	25 kg 50 kg 100 kg
Corrosive solid, basic, organic, n.o.s.*	3263	8		Corrosive		A3	I II III	E0 E2 E1	858 859 860 Y844 Y845	1 kg 15 kg 5 kg 25 kg 5 kg	862 863 864	25 kg 50 kg 100 kg
Corrosive solid, flammable, n.o.s.*	2921	8	4.1	Corrosive & Solid flammable			I II	E0 E2	858 859 Y844	1 kg 15 kg 5 kg	862 863	25 kg 50 kg
Corrosive solid, oxidizing, n.o.s.*	3084	8	5.1	Corrosive & Oxidizer			I II	E0 E2	858 859 Y844	1 kg 15 kg 5 kg	862 863	25 kg 50 kg
Corrosive solid, self-heating, n.o.s.*	3095	8	4.2	Corrosive & Spontaneous combustion			I II	E0 E2	858 859	1 kg 15 kg	862 863	25 kg 50 kg
Corrosive solid, toxic, n.o.s.*	2923	8	6.1	Corrosive & Toxic		A3 A5	I II III	E0 E2 E1	858 859 860 Y844 Y845	1 kg 15 kg 5 kg 25 kg 5 kg	862 863 864	25 kg 50 kg 100 kg
Corrosive solid, water-reactive, n.o.s.*	3096	8	4.3	Corrosive & Danger if wet			I II	E0 E2	858 859 Y844	1 kg 15 kg 5 kg	862 863	25 kg 50 kg
Cosmetics, n.o.s., see Consumer commodity												
Cosmetics, corrosive, liquid, n.o.s., see Corrosive liquid, n.o.s.												

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Cosmetics, corrosive, solid, n.o.s., see Corrosive solid, n.o.s.												
Cosmetics, flammable, liquid, n.o.s., see Flammable liquid, n.o.s. or Perfumery products												
Cosmetics, flammable, solid, n.o.s., see Flammable solid, inorganic, n.o.s. or organic, n.o.s.												
Cosmetics, oxidizing material, n.o.s., see Oxidizing liquid or solid, n.o.s.												
Cotton waste, oily	1364	4.2			AU 1 CA 7 IR 3 NL 1 US 3	A2	III		FORBIDDEN		FORBIDDEN	
Cotton, wet	1365	4.2			AU 1 CA 7 IR 3 NL 1 US 3	A2	III		FORBIDDEN		FORBIDDEN	
Coumarin derivative pesticide, liquid, flammable, toxic* , flash point less than 23°C	3024	3	6.1	Liquid flammable & Toxic		A4	I II	E0 E2	FORBIDDEN 352 Y341	1 L 1 L	361 364	30 L 60 L
Coumarin derivative pesticide, liquid, toxic*	3026	6.1		Toxic		A3 A4	I II III	E5 E4 E1	652 654 Y641 655 Y642	1 L 5 L 1 L 60 L 2 L	658 662 663	30 L 60 L 220 L
Coumarin derivative pesticide, liquid, toxic, flammable* , flash point not less than 23°C	3025	6.1	3	Toxic & Liquid flammable		A3 A4	I II III	E5 E4 E1	652 654 Y641 655 Y642	1 L 5 L 1 L 60 L 2 L	658 662 663	30 L 60 L 220 L
Coumarin derivative pesticide, solid, toxic*	3027	6.1		Toxic		A3 A5	I II III	E5 E4 E1	666 669 Y644 670 Y645	5 kg 25 kg 1 kg 100 kg 10 kg	673 676 677	50 kg 100 kg 200 kg
Creosote, see Toxic liquid, organic, n.o.s.												
Creosote salts, see Naphthalene , etc.												
Cresols, liquid	2076	6.1	8	Toxic & Corrosive			II	E4	653 Y640	1 L 0.5 L	660	30 L
Cresols, solid	3455	6.1	8	Toxic & Corrosive			II	E4	668 Y644	15 kg 1 kg	675	50 kg
Cresylic acid	2022	6.1	8	Toxic & Corrosive			II	E4	653 Y640	1 L 0.5 L	660	30 L

별표 1. 위험물 목록

3-2-57

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Crocidolite, see Asbestos, amphibole (UN No. 2212)												
Crotonaldehyde	1143	6.1	3		AU 1 CA 7 IR 3 NL 1 US 3 US 4	A2 A209	I		FORBIDDEN		FORBIDDEN	
Crotonaldehyde, stabilized	1143	6.1	3		AU 1 CA 7 IR 3 NL 1 US 3 US 4	A2 A209	I		FORBIDDEN		FORBIDDEN	
Crotonic acid, liquid	3472	8		Corrosive			III	E1	852 Y841	5 L 1 L	856	60 L
Crotonic acid, solid	2823	8		Corrosive			III	E1	860 Y845	25 kg 5 kg	864	100 kg
Crotonic aldehyde, stabilized, see Crotonaldehyde, stabilized												
Crotonylene	1144	3		Liquid flammable			I	E3	351	1 L	361	30 L
Crude naphtha, see Petroleum distillates, n.o.s.												
Cumene, see Isopropylbenzene												
Cupric chlorate, see Copper chlorate (UN No. 2721)												
Cupric cyanide, see Copper cyanide												
Cupriethylenediamine solution	1761	8	6.1	Corrosive & Toxic		A3	II III	E2 E1	851 Y840 852 Y841	1 L 0.5 L 5 L 1 L	855 856	30 L 60 L
Cutters, cable, explosive †	0070	1.4S		Explosive 1.4				E0	134	25 kg	134	100 kg
Cyanides, inorganic, solid, n.o.s.*	1588	6.1		Toxic	US 4	A3 A13	I II III	E5 E4 E1	666 669 Y644 670 Y645	5 kg 25 kg 1 kg 100 kg 10 kg	673 676 677	50 kg 100 kg 200 kg
Cyanide solution, n.o.s.*	1935	6.1		Toxic		A3	I II III	E5 E4 E1	652 654 Y641 655 Y642	1 L 5 L 1 L 60 L 2 L	658 661 663	30 L 60 L 220 L
Cyanides, organic, flammable, toxic, n.o.s., see Nitriles, flammable, toxic, n.o.s.												

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Cyanides, organic, toxic, n.o.s., see Nitriles, liquid, toxic, n.o.s. (UN No. 3276) or Nitriles, solid, toxic, n.o.s. (UN No. 3439)												
Cyanides, organic, toxic, flammable, n.o.s., see Nitriles, toxic, flammable, n.o.s.												
Cyanoacetonitrile, see Malononitrile												
Cyanogen	1026	2.3	2.1		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Cyanogen bromide	1889	6.1	8		AU 1 CA 7 IR 3 NL 1 US 3	A2	I		FORBIDDEN		FORBIDDEN	
Cyanogen chloride, stabilized	1589	2.3	8		AU 1 CA 7 IR 3 NL 1 US 3	A2 A209			FORBIDDEN		FORBIDDEN	
Cyanuric chloride	2670	8		Corrosive			II	E2	859 Y844	15 kg 5 kg	863	50 kg
Cyanuric triazide	FORBIDDEN											
Cyclobutane	2601	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Cyclobutyl chloroformate	2744	6.1	3 8	Toxic & Liquid flammable & Corrosive			II	E4	653 Y640	1 L 0.5 L	660	30 L
1,5,9-Cyclododecatriene	2518	6.1		Toxic			III	E1	655 Y642	60 L 2 L	663	220 L
Cycloheptane	2241	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
1,3,5-Cycloheptatriene, see Cycloheptatriene												
Cycloheptatriene	2603	3	6.1	Liquid flammable & Toxic			II	E2	352 Y341	1 L 1 L	364	60 L
Cycloheptene	2242	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
1,4-Cyclohexadienedione, see Benzoquinone												

별표 1. 위험물 목록

3-2-59

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Cyclohexane	1145	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Cyclohexanethiol, see Cyclohexyl mercaptan												
Cyclohexanone	1915	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Cyclohexene	2256	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Cyclohexenyltrichlorosilane	1762	8		Corrosive	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		876	30 L
Cyclohexyl acetate	2243	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Cyclohexylamine	2357	8	3	Corrosive & Liquid flammable			II	E2	851 Y840	1 L 0.5 L	855	30 L
Cyclohexyl isocyanate	2488	6.1	3				I		FORBIDDEN		FORBIDDEN	
Cyclohexyl mercaptan	3054	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Cyclohexyltrichlorosilane	1763	8		Corrosive	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		876	30 L
Cyclonite and cyclotetramethylene-tetranitramine mixture, desensitized with not less than 10% phlegmatizer, by mass	0391	1.1D							FORBIDDEN		FORBIDDEN	
Cyclonite and cyclotetramethylene-tetranitramine mixture, wetted with not less than 15% water, by mass	0391	1.1D							FORBIDDEN		FORBIDDEN	
Cyclonite, desensitized	0483	1.1D							FORBIDDEN		FORBIDDEN	
Cyclonite, wetted with not less than 15% water, by mass	0072	1.1D							FORBIDDEN		FORBIDDEN	
Cyclooctadiene phosphines	2940	4.2		Spontaneous combustion			II	E2	467	15 kg	470	50 kg
Cyclooctadienes	2520	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Cyclooctatetraene	2358	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Cyclopentane	1146	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Cyclopentanol	2244	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Cyclopentanone	2245	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Cyclopentene	2246	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Cyclopropane	1027	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Cyclotetramethylene-tetranitramine, desensitized	0484	1.1D							FORBIDDEN		FORBIDDEN	
Cyclotetramethylenetetranitramine (dry or unphlegmatized) (HMX)	FORBIDDEN											
Cyclotetramethylene-tetranitramine, wetted with not less than 15% water, by mass	0226	1.1D							FORBIDDEN		FORBIDDEN	
Cyclotrimethylenetrinitramine and cyclotetramethylenetetranitramine mixture, desensitized with not less than 10% phlegmatizer, by mass	0391	1.1D							FORBIDDEN		FORBIDDEN	
Cyclotrimethylenetrinitramine and cyclotetramethylenetetranitramine mixture, wetted with not less than 15% water, by mass	0391	1.1D							FORBIDDEN		FORBIDDEN	
Cyclotrimethylenetrinitramine, desensitized	0483	1.1D							FORBIDDEN		FORBIDDEN	
Cyclotrimethylenetrinitramine, wetted with not less than 15% water, by mass	0072	1.1D							FORBIDDEN		FORBIDDEN	
Cymenes	2046	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Cymol, see Cymenes												
D												
Dangerous goods in apparatus	3363	9		Miscellaneous		A48 A107		E0	See 962		See 962	
Dangerous goods in articles	3363	9		Miscellaneous		A48 A107		E0	See 962		See 962	
Dangerous goods in machinery	3363	9		Miscellaneous		A48 A107		E0	See 962		See 962	
Deanol, see 2- Dimethylaminoethanol (UN No. 2051)												

별표 1. 위험물 목록

3-2-61

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Decaborane	1868	4.1	6.1	Solid flammable & Toxic	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		448	50 kg
Decahydronaphthalene	1147	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Decalin, see Decahydronaphthalene												
n-Decane	2247	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Deflagrating metal salts of aromatic nitro-derivatives, n.o.s.	0132	1.3C							FORBIDDEN		FORBIDDEN	
Depth charges, see Charges, depth												
Desensitized explosive, liquid, n.o.s.*	3379	3			BE 3	A133	I		FORBIDDEN		FORBIDDEN	
Desensitized explosive, solid, n.o.s.*	3380	4.1			BE 3	A133 A217	I		FORBIDDEN		FORBIDDEN	
Detonating relays, see Detonators, non-electric or Detonator assemblies, non-electric												
Detonator assemblies, non-electric for blasting†	0360	1.1B							FORBIDDEN		FORBIDDEN	
Detonator assemblies, non-electric for blasting†	0361	1.4B		Explosive 1.4				E0	FORBIDDEN		131	75 kg
Detonator assemblies, non-electric for blasting†	0500	1.4S		Explosive 1.4		A165		E0	131	25 kg	131	100 kg
≠ Detonators, electric for blasting†	0030	1.1B				A226			FORBIDDEN		FORBIDDEN	
≠ Detonators, electric for blasting†	0255	1.4B		Explosive 1.4		A226		E0	FORBIDDEN		131	75 kg
≠ Detonators, electric for blasting†	0456	1.4S		Explosive 1.4		A165 A226		E0	131	25 kg	131	100 kg
≠ Detonators, electronic programmable for blasting†	0511	1.1B				A226		E0	FORBIDDEN		FORBIDDEN	
≠ Detonators, electronic programmable for blasting†	0512	1.4B		Explosive 1.4		A226		E0	FORBIDDEN		131	75 kg
≠ Detonators, electronic programmable for blasting†	0513	1.4S		Explosive 1.4		A165 A226		E0	131	25 kg	131	100 kg
Detonators for ammunition †	0073	1.1B							FORBIDDEN		FORBIDDEN	
Detonators for ammunition †	0364	1.2B							FORBIDDEN		FORBIDDEN	
Detonators for ammunition †	0365	1.4B		Explosive 1.4				E0	FORBIDDEN		133	75 kg
Detonators for ammunition †	0366	1.4S		Explosive 1.4		A165		E0	133	25 kg	133	100 kg
Detonators, non-electric for blasting†	0029	1.1B							FORBIDDEN		FORBIDDEN	

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Detonators, non-electric for blasting†	0267	1.4B		Explosive 1.4				E0	FORBIDDEN		131	75 kg
Detonators, non-electric for blasting†	0455	1.4S		Explosive 1.4		A165		E0	131	25 kg	131	100 kg
Deuterium, compressed	1957	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Devices, small, hydrocarbon gas powered with release device	3150	2.1		Gas flammable				E0	201	1 kg	201	15 kg
Diacetone alcohol	1148	3		Liquid flammable		A3	II	E2	353 Y341	5 L 1 L	364	60 L
							III	E1	355 Y344	60 L 10 L	366	220 L
Diacetone alcohol peroxides, more than 57% in solution with more than 9% hydrogen peroxide, less than 26% diacetone alcohol and less than 9% water; total active oxygen content more than 10% by mass	FORBIDDEN											
Diallylamine	2359	3	6.1 8	Liquid flammable & Toxic & Corrosive			II	E2	352 Y340	1 L 0.5 L	363	5 L
Diallyl ether	2360	3	6.1	Liquid flammable & Toxic			II	E2	352 Y341	1 L 1 L	364	60 L
4,4'-Diaminodiphenylmethane	2651	6.1		Toxic			III	E1	670 Y645	100 kg 10 kg	677	200 kg
1,2-Diaminoethane, see Ethylenediamine												
Diaminopropylamine, see 3,3'-Iminodipropylamine												
Di-n-amyamine	2841	3	6.1	Liquid flammable & Toxic			III	E1	355 Y343	60 L 2 L	366	220 L
p-Diazidobenzene	FORBIDDEN											
1,2-Diazidoethane	FORBIDDEN											
1,1'-Diazoaminonaphthalene	FORBIDDEN											
Diazoaminotetrazole (dry)	FORBIDDEN											
Diazodinitrophenol (dry)	FORBIDDEN											
Diazodinitrophenol, wetted with not less than 40% water, or mixture of alcohol and water, by mass	0074	1.1A							FORBIDDEN		FORBIDDEN	
Diazodiphenylmethane	FORBIDDEN											
2-Diazo-1-naphthol-5-sulphonylchloride	FORBIDDEN											

별표 1. 위험물 목록

3-2-63

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
2-Diazo-1-naphthol-4-sulphonylchloride	FORBIDDEN											
Diazonium nitrates (dry)	FORBIDDEN											
Diazonium perchlorates (dry)	FORBIDDEN											
1,3-Diazopropane	FORBIDDEN											
Dibenzopyridine, see Acridine												
Dibenzoyl peroxide, more than 77% and not more than 94%, when with 6% or more water	FORBIDDEN											
Dibenzoyl peroxide, more than 51%, when with not more than 48% inert solid	FORBIDDEN											
Dibenzylchlorosilane	2434	8		Corrosive	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		876	30 L
Dibenzyl peroxydicarbonate, more than 87% with water	FORBIDDEN											
Dibenzyl peroxydicarbonate, not more than 87% when with 13% or more water	FORBIDDEN											
Diborane	1911	2.3	2.1		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Dibromoacetylene	FORBIDDEN											
1,2-Dibromobutan-3-one	2648	6.1		Toxic			II	E4	654 Y641	5 L 1 L	662	60 L
1,2-Dibromo-3-chloropropane, see Dibromochloropropanes												
Dibromochloropropanes	2872	6.1		Toxic	US 4	A3	II	E4	654 Y641	5 L 1 L	662	60 L
							III	E1	655 Y642	60 L 2 L	663	220 L
Dibromodifluoromethane	1941	9		Miscellaneous			III	E1	964 Y964	100 L 30 kg G	964	220 L
Dibromomethane	2664	6.1		Toxic			III	E1	655 Y642	60 L 2 L	663	220 L
Di-n-butylamine	2248	8	3	Corrosive & Liquid flammable			II	E2	851 Y840	1 L 0.5 L	855	30 L
2-Dibutylaminoethanol, see Dibutylaminoethanol												

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
N,N-Di-n-butylaminoethanol, see Dibutylaminoethanol												
Dibutylaminoethanol	2873	6.1		Toxic			III	E1	655 Y642	60 L 2 L	663	220 L
Dibutyl ethers	1149	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
1,1-Di-(tert-butylperoxy)-3,3,5-trimethylcyclohexane, more than 90%	FORBIDDEN											
2,2-Di-(tert-butylperoxy) butane, more than 55% in solution	FORBIDDEN											
1,1-Di-(tert-butylperoxy) cyclohexane, more than 80%	FORBIDDEN											
Di-n-butyl peroxydicarbonate, more than 52% in solution	FORBIDDEN											
Di-(tert-butylperoxy) phthalate, more than 55% in solution	FORBIDDEN											
N,N'-Dichlorazodicarbonamidine (salts of) (dry)	FORBIDDEN											
Dichloroacetic acid	1764	8		Corrosive			II	E2	851 Y840	1 L 0.5 L	855	30 L
1,3-Dichloroacetone	2649	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Dichloroacetyl chloride	1765	8		Corrosive			II	E2	851 Y840	1 L 0.5 L	855	30 L
Dichloroacetylene	FORBIDDEN											
Dichloroanilines, liquid	1590	6.1		Toxic		A113	II	E4	654 Y641	5 L 1 L	662	60 L
Dichloroanilines, solid	3442	6.1		Toxic		A113	II	E4	669 Y644	25 kg 1 kg	676	100 kg
o-Dichlorobenzene	1591	6.1		Toxic	US 4	A113	III	E1	655 Y642	60 L 2 L	663	220 L
Di-4-chlorobenzoyl peroxide, not more than 77%, when with 23% or more water	FORBIDDEN											
2,2'-Dichlorodiethyl ether	1916	6.1	3	Toxic & Liquid flammable	US 4		II	E4	654 Y641	5 L 1 L	661	60 L
Dichlorodifluoromethane	1028	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Dichlorodifluoromethane and difluoroethane azeotropic mixture with approximately 74% dichlorodifluoromethane	2602	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Dichlorodifluoromethane and ethylene oxide mixture, see Ethylene oxide and dichlorodifluoromethane mixture , etc.												

별표 1. 위험물 목록

3-2-65

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Dichlorodimethyl ether, symmetrical	2249	6.1	3				I		FORBIDDEN		FORBIDDEN	
1,2-Dichloroethane, see Ethylene dichloride												
1,1-Dichloroethane	2362	3		Liquid flammable	US 4		II	E2	353 Y341	5 L 1 L	364	60 L
1,2-Dichloroethylene	1150	3		Liquid flammable	US 4		II	E2	353 Y341	5 L 1 L	364	60 L
1,2-Di(2-chloroethyl) ether, see 2,2'-Dichlorodiethyl ether												
Dichloroethyl sulphide	FORBIDDEN											
Dichlorofluoromethane	1029	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
alpha-Dichlorohydrin, see 1,3-Dichloropropanol-2												
Dichloroisocyanuric acid, dry	2465	5.1		Oxidizer		A28	II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
Dichloroisocyanuric acid salts	2465	5.1		Oxidizer		A28	II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
Dichloroisopropyl ether	2490	6.1		Toxic			II	E4	654 Y641	5 L 1 L	662	60 L
Dichloromethane	1593	6.1		Toxic			III	E1	655 Y642	60 L 2 L	663	220 L
1,1-Dichloro-1-nitroethane	2650	6.1		Toxic			II	E4	654 Y641	5 L 1 L	662	60 L
Dichloropentanes	1152	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Dichlorophenol, see Chlorophenols , liquid or solid, etc.												
Dichlorophenyl isocyanates	2250	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Dichlorophenyltrichlorosilane	1766	8		Corrosive	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		876	30 L
1,2-Dichloropropane	1279	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
1,3-Dichloropropanol-2	2750	6.1		Toxic			II	E4	654 Y641	5 L 1 L	662	60 L
1,3-Dichloro-2-propanone, see 1,3-Dichloroacetone												
Dichloropropenes	2047	3		Liquid flammable	US 4	A3	II	E2	353 Y341	5 L 1 L	364	60 L
							III	E1	355 Y344	60 L 10 L	366	220 L

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Dichlorosilane	2189	2.3	2.1 8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Dichloro-s-triazine -2,4,6-trione, see Dichloroisocyanuric acid, dry or Dichloroisocyanuric acid, salts												
1,2-Dichloro-1,1,2,2-tetrafluoroethane	1958	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Dichlorovinylchloroarsine	FORBIDDEN											
1,4-Dicyanobutane, see Adiponitrile												
Dicycloheptadiene, see Bicyclo [2.2.1] hepta-2,5-diene, stabilized or 2.5-Nonbornadiene, stabilized												
Dicyclohexylamine	2565	8		Corrosive			III	E1	852 Y841	5 L 1 L	856	60 L
Dicyclohexylamine nitrite, see Dicyclohexylammonium nitrite												
Dicyclohexylammonium nitrite	2687	4.1		Solid flammable			III	E1	446 Y443	25 kg 10 kg	449	100 kg
Dicyclohexyl peroxydicarbonate, more than 91%	FORBIDDEN											
Dicyclopentadiene	2048	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
2,2-Di-(4,4-di-tert-butylperoxy-cyclohexyl) propane, more than 42% with inert solid	FORBIDDEN											
Di-2,4-dichlorobenzoyl peroxide, not more than 77% when with 23% or more water	FORBIDDEN											
1,2-Di-(dimethylamino) ethane	2372	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Didymium nitrate	1465	5.1		Oxidizer			III	E1	559 Y546	25 kg 10 kg	563	100 kg
Diesel fuel	1202	3		Liquid flammable		A3	III	E1	355 Y344	60 L 10 L	366	220 L
Diethanol nitrosamine dinitrate (dry)	FORBIDDEN											
1,1-Diethoxyethane, see Acetal												
1,2-Diethoxyethane, see Ethylene glycol diethyl ether												
Diethoxymethane	2373	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
3,3-Diethoxypropene	2374	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L

별표 1. 위험물 목록

3-2-67

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Diethylamine	1154	3	8	Liquid flammable & Corrosive	US 4		II	E2	352 Y340	1 L 0.5 L	363	5 L
Diethylaminoethanol, see 2-Diethylaminoethanol (UN. 2686)												
2-Diethylaminoethanol	2686	8	3	Corrosive & Liquid flammable			II	E2	851 Y840	1 L 0.5 L	855	30 L
3-Diethylaminopropylamine	2684	3	8	Liquid flammable & Corrosive			III	E1	354 Y342	5 L 1 L	365	60 L
N,N-Diethylaniline	2432	6.1		Toxic		A113	III	E1	655 Y642	60 L 2 L	663	220 L
Diethylbenzene	2049	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Diethylcarbinol, see Pentanols (UN No. 1105)												
Diethyl carbonate	2366	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Diethyldichlorosilane	1767	8	3	Corrosive & Liquid flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		876	30 L
Diethylenediamine, see Piperazine												
Diethyleneglycol dinitrate, desensitized with not less than 25% non-volatile, water-insoluble phlegmatizer, by mass	0075	1.1D							FORBIDDEN		FORBIDDEN	
Diethyleneglycol dinitrate (dry)	FORBIDDEN											
Diethylenetriamine	2079	8		Corrosive			II	E2	851 Y840	1 L 0.5 L	855	30 L
N,N-Diethylethanolamine, see 2-Diethylaminoethanol												
Diethyl ether	1155	3		Liquid flammable			I	E3	351	1 L	361	30 L
N,N-Diethylethylenediamine	2685	8	3	Corrosive & Liquid flammable			II	E2	851 Y840	1 L 0.5 L	855	30 L
Diethylgold bromide	FORBIDDEN											
Di-(2-ethylhexyl) phosphoric acid, see Diisooctyl acid phosphate												
Diethyl ketone	1156	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Diethyl peroxydicarbonate, more than 27% in solution	FORBIDDEN											
Diethyl sulphate	1594	6.1		Toxic			II	E4	654 Y641	5 L 1 L	662	60 L

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Diethyl sulphide	2375	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Diethylthiophosphoryl chloride	2751	8		Corrosive			II	E2	851 Y840	1 L 0.5 L	855	30 L
Diethylzinc, see Organometallic substance, liquid, pyrophoric, water-reactive (UN No. 3394)												
2,4-Difluoroaniline, see Fluoroanilines												
Difluorochloroethane, see 1-Chloro-1,1-difluoroethane												
1,1-Difluoroethane	1030	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
1,1-Difluoroethylene	1959	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Difluoromethane	3252	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Difluoromethane, pentafluoroethane, and 1,1,1,2-tetrafluoroethane azeotropic mixture with approximately 23% difluoromethane and 25% pentafluoroethane, see Refrigerant gas R 407C												
Difluoromethane, pentafluoroethane, and 1,1,1,2-tetrafluoroethane azeotropic mixture with approximately 20% difluoromethane and 40% pentafluoroethane, see Refrigerant gas R 407A												
Difluoromethane, pentafluoroethane, and 1,1,1,2-tetrafluoroethane azeotropic mixture with approximately 10% difluoromethane and 70% pentafluoroethane, see Refrigerant gas R 407B												
Difluorophosphoric acid, anhydrous	1768	8		Corrosive			II	E2	851 Y840	1 L 0.5 L	855	30 L
2,2-Dihydroperoxypropane, not more than 27% when with 73% or more inert solid	FORBIDDEN											

별표 1. 위험물 목록

3-2-69

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
2,3-Dihydropyran	2376	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
1,8-Dihydroxy-2,4,5,7-tetranitro-anthraquinone (chrysamminic acid)	FORBIDDEN											
Di-(1-hydroxytetrazole) (dry)	FORBIDDEN											
Diiodoacetylene	FORBIDDEN											
Diisobutylamine	2361	3	8	Liquid flammable & Corrosive			III	E1	354 Y342	5 L 1 L	365	60 L
beta-Diisobutylene, see Diisobutylene, isomeric compounds												
alpha-Diisobutylene, see Diisobutylene, isomeric compounds												
Diisobutylene, isomeric compounds	2050	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Diisobutyl ketone	1157	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Diisobutyl peroxide, more than 32% and not more than 52%, when with 48% or more diluent Type A or B	FORBIDDEN											
Diisooctyl acid phosphate	1902	8		Corrosive			III	E1	852 Y841	5 L 1 L	856	60 L
Diisopropylamine	1158	3	8	Liquid flammable & Corrosive			II	E2	352 Y340	1 L 0.5 L	363	5 L
Diisopropyl ether	1159	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Diisopropyl peroxydicarbonate, more than 52%	FORBIDDEN											
Diketene, stabilized	2521	6.1	3			A209	I		FORBIDDEN		FORBIDDEN	
1,2-Dimethoxyethane	2252	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
1,1-Dimethoxyethane	2377	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Dimethoxystrychnine, see Brucine												
Dimethylamine, anhydrous	1032	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Dimethylamine aqueous solution	1160	3	8	Liquid flammable & Corrosive			II	E2	352 Y340	1 L 0.5 L	363	5 L
2-Dimethylaminoacetonitrile	2378	3	6.1	Liquid flammable & Toxic			II	E2	352 Y341	1 L 1 L	364	60 L

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
2-Dimethylaminoethanol	2051	8	3	Corrosive & Liquid flammable			II	E2	851 Y840	1 L 0.5 L	855	30 L
2-Dimethylaminoethyl acrylate, stabilized	3302	6.1		Toxic		A209	II	E4	654 Y641	5 L 1 L	662	60 L
2-Dimethylaminoethyl methacrylate, stabilized	2522	6.1		Toxic		A209	II	E4	654 Y641	5 L 1 L	662	60 L
N,N-Dimethylaniline	2253	6.1		Toxic			II	E4	654 Y641	5 L 1 L	662	60 L
Dimethylarsenic acid, see Cacodylic acid												
Di-(2-methylbenzoyl) peroxide, not more than 87% when with 13% or more water	FORBIDDEN											
N,N-Dimethylbenzylamine, see Benzyldimethylamine												
2,3-Dimethylbutane	2457	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
1,3-Dimethylbutylamine	2379	3	8	Liquid flammable & Corrosive			II	E2	352 Y340	1 L 0.5 L	363	5 L
Dimethylcarbamoyl chloride	2262	8		Corrosive	US 4		II	E2	851 Y840	1 L 0.5 L	855	30 L
Dimethyl carbonate	1161	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Dimethylcyclohexanes	2263	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
N,N-Dimethylcyclohexylamine	2264	8	3	Corrosive & Liquid flammable			II	E2	851 Y840	1 L 0.5 L	855	30 L
2,5-Dimethyl-2,5-di-(benzoylperoxy)hexane, more than 82%	FORBIDDEN											
2,5-Dimethyl-2,5-di-(tert-butylperoxy)hexyne-3, more than 86%	FORBIDDEN											
Dimethyldichlorosilane	1162	3	8	Liquid flammable & Corrosive			II	E0	FORBIDDEN		377	5 L
Dimethyldiethoxysilane	2380	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
2,5-Dimethyl-2,5-dihydroperoxy hexane, more than 82% with water	FORBIDDEN											
Dimethyldioxanes	2707	3		Liquid flammable		A3	II III	E2 E1	353 Y341 355 Y344	5 L 1 L 60 L 10 L	364 366	60 L 220 L
Dimethyl disulphide	2381	3	6.1				II		FORBIDDEN		FORBIDDEN	

별표 1. 위험물 목록

3-2-71

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Dimethylethanolamine, see 2-Dimethylaminoethanol												
Dimethyl ether	1033	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
N,N-Dimethylformamide	2265	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
1,1-Dimethylhydrazine, see Dimethylhydrazine, unsymmetrical												
Dimethylhydrazine, symmetrical	2382	6.1	3		US 4		I		FORBIDDEN		FORBIDDEN	
Dimethylhydrazine, unsymmetrical	1163	6.1	3 8				I		FORBIDDEN		FORBIDDEN	
N,N-Dimethyl-4-nitrosoaniline, see p-Nitrosodimethylaniline												
2,2-Dimethylpropane	2044	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Dimethyl-N-propylamine	2266	3	8	Liquid flammable & Corrosive			II	E2	352 Y340	1 L 0.5 L	363	5 L
Dimethyl sulphate	1595	6.1	8				I		FORBIDDEN		FORBIDDEN	
Dimethyl sulphide	1164	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Dimethyl thiophosphoryl chloride	2267	6.1	8	Toxic & Corrosive			II	E4	653 Y640	1 L 0.5 L	660	30 L
Dimethylzinc, see Organometallic substance, liquid, pyrophoric, water-reactive (UN No. 3394)												
Di-(1-naphthoyl) peroxide	FORBIDDEN											
DINGU	0489	1.1D							FORBIDDEN		FORBIDDEN	
Dinitroanilines	1596	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Dinitrobenzenes, liquid	1597	6.1		Toxic	US 4	A3	II	E4	654 Y641	5 L 1 L	662	60 L
							III	E1	655 Y642	60 L 2 L	663	220 L
Dinitrobenzenes, solid	3443	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Dinitrochlorobenzenes, see Chlorodinitrobenzenes, liquid (UN No. 1577) or Chlorodinitrobenzenes, solid (UN No. 3441)												

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Dinitro-o-cresol	1598	6.1		Toxic	US 4	A6	II	E4	669 Y644	25 kg 1 kg	676	100 kg
Dinitro-7,8-dimethylglycoluril (dry)	FORBIDDEN											
1,3-Dinitro-5,5-dimethyl hydantoin	FORBIDDEN											
1,3-Dinitro-4,5-dinitrosobenzene	FORBIDDEN											
1,2-Dinitroethane	FORBIDDEN											
1,1-Dinitroethane (dry)	FORBIDDEN											
Dinitrogen tetroxide	1067	2.3	5.1 8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Dinitroglycoluril	0489	1.1D							FORBIDDEN		FORBIDDEN	
Dinitromethane	FORBIDDEN											
Dinitrophenol , dry or wetted with less than 15% water, by mass	0076	1.1D	6.1						FORBIDDEN		FORBIDDEN	
Dinitrophenolates , alkali metals, dry or wetted with less than 15% water, by mass	0077	1.3C	6.1						FORBIDDEN		FORBIDDEN	
Dinitrophenolates , wetted with not less than 15% water, by mass	1321	4.1	6.1	Solid flammable & Toxic	BE 3	A40	I	E0	451	1 kg	451	15 kg
Dinitrophenol solution	1599	6.1		Toxic	US 4	A3	II III	E4 E1	654 Y641 655 Y642	5 L 1 L 60 L 2 L	662 663	60 L 220 L
Dinitrophenol , wetted with not less than 15% water, by mass	1320	4.1	6.1	Solid flammable & Toxic	BE 3 US 4	A40	I	E0	451	1 kg	451	15 kg
Dinitropropylene glycol	FORBIDDEN											
Dinitroresorcinol , dry or wetted with less than 15% water, by mass	0078	1.1D							FORBIDDEN		FORBIDDEN	
2,4-Dinitroresorcinol (heavy metal salts of) (dry)	FORBIDDEN											
4,6-Dinitroresorcinol (heavy metal salts of) (dry)	FORBIDDEN											
Dinitroresorcinol , wetted with not less than 15% water, by mass	1322	4.1		Solid flammable	BE 3	A40	I	E0	451	1 kg	451	15 kg
3,5-Dinitrosalicylic acid (lead salt) (dry)	FORBIDDEN											
Dinitrosobenzene	0406	1.3C							FORBIDDEN		FORBIDDEN	
Dinitrosobenzylamidine and salts of (dry)	FORBIDDEN											
2,2-Dinitrostilbene	FORBIDDEN											

별표 1. 위험물 목록

3-2-73

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
1,4-Dinitro-1,1,4,4-tetramethylolbutane tetranitrate (dry)	FORBIDDEN											
Dinitrotoluene mixed with sodium chlorate, see Explosive, blasting, type C												
Dinitrotoluenes, liquid	2038	6.1		Toxic	US 4		II	E4	654 Y641	5 L 1 L	662	60 L
Dinitrotoluenes, molten	1600	6.1					II		FORBIDDEN		FORBIDDEN	
Dinitrotoluenes, solid	3454	6.1		Toxic	US 4		II	E4	669 Y644	25 kg 1 kg	676	100 kg
2,4-Dinitro-1,3,5-trimethylbenzene	FORBIDDEN											
Di-(beta-nitroxyethyl) ammonium nitrate	FORBIDDEN											
a,a'-Di-(nitroxy) methylether	FORBIDDEN											
1,9-Dinitroxy pentamethylene- 2,4,6,8-tetramine (dry)	FORBIDDEN											
Dioxane	1165	3		Liquid flammable	US 4		II	E2	353 Y341	5 L 1 L	364	60 L
Dioxolane	1166	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Dipentene	2052	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Di-(2-phenoxyethyl) peroxydicarbonate, more than 85%	FORBIDDEN											
Diphenylamine chloroarsine	1698	6.1					I		FORBIDDEN		FORBIDDEN	
Diphenylchloroarsine, liquid	1699	6.1					I		FORBIDDEN		FORBIDDEN	
Diphenylchloroarsine, solid	3450	6.1		Toxic			I	E0	FORBIDDEN		673	50 kg
Diphenyldichlorosilane	1769	8		Corrosive	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		876	30 L
Diphenylmethyl bromide	1770	8		Corrosive			II	E2	859 Y844	15 kg 5 kg	863	50 kg
Dipicrylamine	0079	1.1D							FORBIDDEN		FORBIDDEN	
Dipicryl sulphide , dry or wetted with less than 10% water, by mass	0401	1.1D							FORBIDDEN		FORBIDDEN	
Dipicryl sulphide , wetted with not less than 10% water, by mass	2852	4.1		Solid flammable	BE 3	A40	I	E0	FORBIDDEN		451	0.5 kg
Dipropionyl peroxide, more than 28% in solution	FORBIDDEN											
Dipropylamine	2383	3	8	Liquid flammable & Corrosive			II	E2	352 Y340	1 L 0.5 L	363	5 L

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Dipropylene triamine, see 3,3'-Iminodipropylamine												
Di-n-propyl ether	2384	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Dipropyl ketone	2710	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
+ Disilane	3553	2.1						E0	FORBIDDEN		FORBIDDEN	
Disinfectant, liquid, corrosive, n.o.s.*	1903	8		Corrosive		A3	I	E0	850	0.5 L	854	2.5 L
							II	E2	851 Y840	1 L 0.5 L	855	30 L
							III	E1	852 Y841	5 L 1 L	856	60 L
Disinfectant, liquid, toxic, n.o.s.*	3142	6.1		Toxic		A3 A4	I	E5	652	1 L	658	30 L
							II	E4	654 Y641	5 L 1 L	662	60 L
							III	E1	655 Y642	60 L 2 L	663	220 L
Disinfectant, solid, toxic, n.o.s.*	1601	6.1		Toxic		A3 A5	I	E5	666	5 kg	673	50 kg
							II	E4	669 Y644	25 kg 1 kg	676	100 kg
							III	E1	670 Y645	100 kg 10 kg	677	200 kg
Disodium trioxosilicate	3253	8		Corrosive			III	E1	860 Y845	25 kg 5 kg	864	100 kg
Disuccinic acid peroxide 72% or more	FORBIDDEN											
Divinyl ether, stabilized	1167	3		Liquid flammable		A209	I	E3	351	1 L	361	30 L
Dodecyltrichlorosilane	1771	8		Corrosive	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		876	30 L
Drugs, n.o.s., see Consumer commodity												
Drugs, corrosive, liquid, n.o.s., see Corrosive liquid, n.o.s.												
Drugs, corrosive, solid, n.o.s., see Corrosive solid, n.o.s.												
Drugs, flammable, liquid, n.o.s., see Flammable liquid, n.o.s.												
Drugs, flammable, solid, n.o.s., see Flammable solid, inorganic, n.o.s. or organic, n.o.s.												
Drugs, oxidizing substance, n.o.s., see Oxidizing liquid or solid, n.o.s.												
Drugs, toxic, liquid, n.o.s., see Toxic liquid, organic, n.o.s.												

별표 1. 위험물 목록

3-2-75

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Drugs, toxic, solid, n.o.s., see Toxic solid, organic, n.o.s.												
Dry ice	1845	9		Miscellaneous		A48 A151		E0	954	200 kg	954	200 kg
Dye and dye intermediate, n.o.s., flammable liquid, see Flammable liquid, n.o.s.												
Dye intermediate, liquid, corrosive, n.o.s.* †	2801	8		Corrosive		A3	I II III	E0 E2 E1	850 851 Y840 852 Y841	0.5 L 1 L 0.5 L 5 L 1 L	854 855 856	2.5 L 30 L 60 L
Dye intermediate, liquid, toxic, n.o.s.* †	1602	6.1		Toxic		A3 A4	I II III	E5 E4 E1	652 654 Y641 655 Y642	1 L 5 L 1 L 60 L 2 L	658 662 663	30 L 60 L 220 L
Dye intermediate, solid, corrosive, n.o.s.* †	3147	8		Corrosive		A3	I II III	E0 E2 E1	858 859 Y844 860 Y845	1 kg 15 kg 5 kg 25 kg 5 kg	862 863 864	25 kg 50 kg 100 kg
Dye intermediate, solid, toxic, n.o.s.* †	3143	6.1		Toxic		A3 A5	I II III	E5 E4 E1	666 669 Y644 670 Y645	5 kg 25 kg 1 kg 100 kg 10 kg	673 676 677	50 kg 100 kg 200 kg
Dye, liquid, corrosive, n.o.s.*	2801	8		Corrosive		A3	I II III	E0 E2 E1	850 851 Y840 852 Y841	0.5 L 1 L 0.5 L 5 L 1 L	854 855 856	2.5 L 30 L 60 L
Dye, liquid, toxic, n.o.s.*	1602	6.1		Toxic		A3 A4	I II III	E5 E1	652 654 Y641 655 Y642	1 L 5 L 1 L 60 L 2 L	658 662 663	30 L 60 L 220 L
Dye, solid, corrosive, n.o.s.*	3147	8		Corrosive		A3	I II III	E0 E2 E1	858 859 Y844 860 Y845	1 kg 15 kg 5 kg 25 kg 5 kg	862 863 864	25 kg 50 kg 100 kg
Dye, solid, toxic, n.o.s.*	3143	6.1		Toxic		A3 A5	I II III	E5 E4 E1	666 669 Y644 670 Y645	5 kg 25 kg 1 kg 100 kg 10 kg	673 676 677	50 kg 100 kg 200 kg
Dynamite, see Explosive, blasting, type A												

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
E												
Electric storage batteries, see Batteries , etc. (UN Nos. 2794, 2795, 2800, 3028)												
Electrolyte (acid or alkaline) for batteries†, see Battery fluid, acid or Battery fluid, alkali												
Electron tubes containing mercury, see Mercury contained in manufactured articles												
Elevated temperature liquid, n.o.s.* , at or above 100°C and below its flash point (including molten metals, molten salts, etc.)	3257	9					III		FORBIDDEN		FORBIDDEN	
Elevated temperature liquid, flammable, n.o.s.* , with flash point above 60°C, at or above its flash point	3256	3					III		FORBIDDEN		FORBIDDEN	
Elevated temperature solid, n.o.s.* , at or above 240°C	3258	9					III		FORBIDDEN		FORBIDDEN	
Engine, fuel cell, flammable gas powered †	3529	2.1		Gas flammable		A70 A87 A154 A176 A208		E0	FORBIDDEN		220	No limit
Engine, fuel cell, flammable liquid powered †	3528	3		Liquid flammable		A70 A87 A154 A176 A208		E0	378	No limit	378	No limit
≠ Engine, internal combustion	3530	9		Miscellaneous		A70 A87 A154 A208		E0	972	No limit	972	No limit
Engine, internal combustion, flammable gas powered	3529	2.1		Gas flammable		A70 A87 A154 A208		E0	FORBIDDEN		220	No limit
Engine, internal combustion, flammable liquid powered	3528	3		Liquid flammable		A70 A87 A154 A208		E0	378	No limit	378	No limit
Engines, rocket, see Rocket motors , etc.												
Environmentally hazardous substance, liquid, n.o.s.*	3082	9		Miscellaneous	DE 5 US 4	A97 A158 A197 A215	III	E1	964 Y964	450 L 30 kg G	964	450 L

별표 1. 위험물 목록

3-2-77

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Environmentally hazardous substance, solid, n.o.s.*	3077	9		Miscellaneous	DE 5 US 4	A97 A158 A179 A197 A215	III	E1	956 Y956	400 kg 30 kg G	956	400 kg
Epibromohydrin	2558	6.1	3				I		FORBIDDEN		FORBIDDEN	
Epichlorohydrin	2023	6.1	3	Toxic & Liquid flammable	US 4	A113	II	E4	654 Y641	5 L 1 L	662	60 L
1,2-Epoxybutane, stabilized, see 1,2-Butylene oxide, stabilized												
Epoxyethane, see Ethylene oxide												
1,2-Epoxy-3-ethoxypropane	2752	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
2,3-Epoxy-1-propanal, see Glycidaldehyde												
2,3-Epoxypropyl ethyl ether, see 1,2-Epoxy-3-ethoxypropane												
Esters, n.o.s.*	3272	3		Liquid flammable		A3	II	E2	353 Y341	5 L 1 L	364	60 L
							III	E1	355 Y344	60 L 10 L	366	220 L
Ethane	1035	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Ethane, refrigerated liquid	1961	2.1							FORBIDDEN		FORBIDDEN	
Ethanethiol, see Ethyl mercaptan												
Ethanol	1170	3		Liquid flammable		A3 A58 A180	II	E2	353 Y341	5 L 1 L	364	60 L
							III	E1	355 Y344	60 L 10 L	366	220 L
Ethanolamine	2491	8		Corrosive		A3	III	E1	852 Y841	5 L 1 L	856	60 L
Ethanol amine dinitrate	FORBIDDEN											
Ethanolamine solution	2491	8		Corrosive		A3	III	E1	852 Y841	5 L 1 L	856	60 L
Ethanol and gasoline mixture, with more than 10% ethanol	3475	3		Liquid flammable		A156	II	E2	353 Y341	5 L 1 L	364	60 L
Ethanol and motor spirit mixture, with more than 10% ethanol	3475	3		Liquid flammable		A156	II	E2	353 Y341	5 L 1 L	364	60 L
Ethanol and petrol mixture, with more than 10% ethanol	3475	3		Liquid flammable		A156	II	E2	353 Y341	5 L 1 L	364	60 L

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Ethanol solution	1170	3		Liquid flammable		A3 A58 A180	II III	E2 E1	353 Y341 355 Y344	5 L 1 L 60 L 10 L	364 366	60 L 220 L
Ether, see Diethyl ether												
Ethers, n.o.s.*	3271	3		Liquid flammable		A3	II III	E2 E1	353 Y341 355 Y344	5 L 1 L 60 L 10 L	364 366	60 L 220 L
2-Ethoxyethanol, see Ethylene glycol monoethyl ether												
2-Ethoxyethyl acetate, see Ethylene glycol monoethyl ether acetate												
Ethoxy propane-1, see Ethyl propyl ether												
Ethyl acetate	1173	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Ethylacetylene, stabilized	2452	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1 A209		E0	FORBIDDEN		200	150 kg
Ethyl acrylate, stabilized	1917	3		Liquid flammable		A209	II	E2	353 Y341	5 L 1 L	364	60 L
Ethyl alcohol	1170	3		Liquid flammable		A3 A58 A180	II III	E2 E1	353 Y341 355 Y344	5 L 1 L 60 L 10 L	364 366	60 L 220 L
Ethyl alcohol solution	1170	3		Liquid flammable		A3 A58 A180	II III	E2 E1	353 Y341 355 Y344	5 L 1 L 60 L 10 L	364 366	60 L 220 L
Ethylamine	1036	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Ethylamine, aqueous solution with not less than 50% but not more than 70% ethylamine	2270	3	8	Liquid flammable & Corrosive			II	E2	352 Y340	1 L 0.5 L	363	5 L
Ethyl amyl ketone	2271	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
N-Ethylaniline	2272	6.1		Toxic			III	E1	655 Y642	60 L 2 L	663	220 L
2-Ethylaniline	2273	6.1		Toxic			III	E1	655 Y642	60 L 2 L	663	220 L

별표 1. 위험물 목록

3-2-79

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Ethylbenzene	1175	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
N-Ethyl-N-benzylaniline	2274	6.1		Toxic			III	E1	655 Y642	60 L 2 L	663	220 L
N-Ethylbenzyltoluidines, liquid	2753	6.1		Toxic			III	E1	655 Y642	60 L 2 L	663	220 L
N-Ethylbenzyltoluidines, solid	3460	6.1		Toxic			III	E1	670 Y645	100 kg 10 kg	677	200 kg
Ethyl borate	1176	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Ethyl bromide	1891	3	6.1	Liquid flammable & Toxic			II	E2	352 Y341	1 L 1 L	364	60 L
Ethyl bromoacetate	1603	6.1	3		AU 1 CA 7 IR 3 NL 1 US 3	A2	II		FORBIDDEN		FORBIDDEN	
2-Ethylbutanol	2275	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
2-Ethylbutyl acetate	1177	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Ethyl butyl ether	1179	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
2-Ethylbutyraldehyde	1178	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Ethyl butyrate	1180	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Ethyl chloride	1037	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3 US 4	A1		E0	FORBIDDEN		200	150 kg
Ethyl chloroacetate	1181	6.1	3	Toxic & Liquid flammable			II	E4	654 Y641	5 L 1 L	662	60 L
Ethyl chlorocarbonate, see Ethyl chloroformate												
Ethyl chloroformate	1182	6.1	3 8				I		FORBIDDEN		FORBIDDEN	
Ethyl-alpha-chloropropionate, see Ethyl-2-chloropropionate												
Ethyl 2-chloropropionate	2935	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Ethyl chlorothioformate	2826	8	3				II		FORBIDDEN		FORBIDDEN	

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Ethyl crotonate	1862	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Ethylchloroarsine	1892	6.1					I		FORBIDDEN		FORBIDDEN	
Ethylchlorosilane	1183	4.3	3 8	Danger if wet & Liquid flammable & Corrosive			I	E0	FORBIDDEN		480	1 L
Ethylene	1962	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Ethylene, acetylene and propylene mixture, refrigerated liquid containing at least 71.5% ethylene with not more than 22.5% acetylene and not more than 6% propylene	3138	2.1							FORBIDDEN		FORBIDDEN	
Ethylene chlorohydrin	1135	6.1	3				I		FORBIDDEN		FORBIDDEN	
Ethylenediamine	1604	8	3	Corrosive & Liquid flammable			II	E2	851 Y840	1 L 0.5 L	855	30 L
Ethylene diamine diperchlorate	FORBIDDEN											
Ethylene dibromide	1605	6.1			US 4		I		FORBIDDEN		FORBIDDEN	
Ethylene dibromide and methyl bromide, liquid mixture, see Methyl bromide and ethylene dibromide mixture, liquid												
Ethylene dichloride	1184	3	6.1	Liquid flammable & Toxic	US 4		II	E2	352 Y341	1 L 1 L	364	60 L
Ethylene glycol diethyl ether	1153	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
							III	E1	355 Y344	60 L 10 L	366	220 L
Ethylene glycol dinitrate	FORBIDDEN											
Ethylene glycol monoethyl ether	1171	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Ethylene glycol monoethyl ether acetate	1172	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Ethylene glycol monomethyl ether	1188	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Ethylene glycol monomethyl ether acetate	1189	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Ethyleneimine, stabilized	1185	6.1	3			A209	I		FORBIDDEN		FORBIDDEN	

별표 1. 위험물 목록

3-2-81

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Ethylene oxide	1040	2.3	2.1		AU 1 CA 7 IR 3 NL 1 US 3 US 4	A2 A131			FORBIDDEN		FORBIDDEN	
Ethylene oxide and carbon dioxide mixture with more than 9% but not more than 87% ethylene oxide	1041	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	25 kg
Ethylene oxide and carbon dioxide mixture, with more than 87% ethylene oxide	3300	2.3	2.1		AU 1 CA 7 IR 3 NL 1 US 3 US 4	A2			FORBIDDEN		FORBIDDEN	
Ethylene oxide and carbon dioxide mixture, with not more than 9% ethylene oxide	1952	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Ethylene oxide and chlorotetrafluoroethane mixture, with not more than 8.8% ethylene oxide	3297	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Ethylene oxide and dichlorodifluoromethane mixture, with not more than 12.5% ethylene oxide	3070	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Ethylene oxide and pentafluoroethane mixture, with not more than 7.9% ethylene oxide	3298	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Ethylene oxide and propylene oxide mixture, not more than 30% ethylene oxide	2983	3	6.1	Liquid flammable & Toxic			I	E0	FORBIDDEN		361	30 L
Ethylene oxide and tetrafluoroethane mixture, with not more than 5.6% ethylene oxide	3299	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Ethylene oxide with nitrogen up to a total pressure of 1 MPa at 50°C	1040	2.3	2.1		AU 1 CA 7 IR 3 NL 1 US 3 US 4	A2			FORBIDDEN		FORBIDDEN	
Ethylene, refrigerated liquid	1038	2.1							FORBIDDEN		FORBIDDEN	
Ethyl ether	1155	3		Liquid flammable			I	E3	351	1 L	361	30 L

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Ethyl fluoride	2453	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Ethyl formate	1190	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
2-Ethylhexylamine	2276	3	8	Liquid flammable & Corrosive			III	E1	354 Y342	5 L 1 L	365	60 L
2-Ethylhexyl chloroformate	2748	6.1	8	Toxic & Corrosive			II	E4	653 Y640	1 L 0.5 L	660	30 L
Ethyl hydroperoxide	FORBIDDEN											
Ethylidene chloride, see 1,1-Dichloroethane												
Ethyl isobutyrate	2385	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Ethyl isocyanate	2481	6.1	3		US 2		I		FORBIDDEN		FORBIDDEN	
Ethyl lactate	1192	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Ethyl mercaptan	2363	3		Liquid flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1	I	E0	FORBIDDEN		361	30 L
Ethyl methacrylate, stabilized	2277	3		Liquid flammable		A209	II	E2	353 Y341	5 L 1 L	364	60 L
Ethyl methyl ether	1039	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Ethyl methyl ketone	1193	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Ethyl nitrate	FORBIDDEN											
Ethyl nitrite	FORBIDDEN											
Ethyl nitrite solution	1194	3	6.1		AU 1 CA 7 IR 3 NL 1 US 3	A2	I		FORBIDDEN		FORBIDDEN	
Ethyl orthoformate	2524	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Ethyl oxalate	2525	6.1		Toxic			III	E1	655 Y642	60 L 2 L	663	220 L
Ethyl perchlorate	FORBIDDEN											

별표 1. 위험물 목록

3-2-83

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Ethylphenyldichlorosilane	2435	8		Corrosive	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		876	30 L
1-Ethylpiperidine	2386	3	8	Liquid flammable & Corrosive			II	E2	352 Y340	1 L 0.5 L	363	5 L
Ethyl propionate	1195	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Ethyl propyl ether	2615	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Ethyl silicate, see Tetraethyl silicate												
Ethyl sulphate, see Diethyl sulphate												
N-Ethyltoluidines	2754	6.1		Toxic			II	E4	654 Y641	5 L 1 L	662	60 L
Ethyltrichlorosilane	1196	3	8	Liquid flammable & Corrosive			II	E0	FORBIDDEN		377	5 L
Etiologic agent, see Infectious substance , etc.												
Explosive articles, see Articles, explosive , etc.												
Explosive, blasting, type A †	0081	1.1D							FORBIDDEN		FORBIDDEN	
Explosive, blasting, type B †	0082	1.1D							FORBIDDEN		FORBIDDEN	
Explosive, blasting, type B †	0331	1.5D							FORBIDDEN		FORBIDDEN	
Explosive, blasting, type C †	0083	1.1D							FORBIDDEN		FORBIDDEN	
Explosive, blasting, type D †	0084	1.1D							FORBIDDEN		FORBIDDEN	
Explosive, blasting, type E †	0241	1.1D							FORBIDDEN		FORBIDDEN	
Explosive, blasting, type E †	0332	1.5D							FORBIDDEN		FORBIDDEN	
Explosive, emulsion, see Explosive, blasting, type E												
Explosive, seismic, see Explosive, blasting, type A, B and C												
Explosive, slurry, see Explosive blasting, type E												
Explosive substances, see Substances, explosive												
Explosive, water gel, see Explosive, blasting, type E												
Extracts, liquid, for flavour or aroma	1197	3		Liquid flammable		A3	II	E2	353 Y341	5 L 1 L	364	60 L
							III	E1	355 Y344	60 L 10 L	366	220 L

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
F												
Fabrics, animal, n.o.s., with oil	1373	4.2			AU 1 CA 7 IR 3 NL 1 US 3	A2	III		FORBIDDEN		FORBIDDEN	
Fabrics impregnated with weakly nitrated nitrocellulose, n.o.s.	1353	4.1		Solid flammable			III	E1	446 Y443	25 kg 10 kg	449	100 kg
Fabrics, synthetic, n.o.s., with oil	1373	4.2			AU 1 CA 7 IR 3 NL 1 US 3	A2	III		FORBIDDEN		FORBIDDEN	
Fabrics, vegetable, n.o.s., with oil	1373	4.2			AU 1 CA 7 IR 3 NL 1 US 3	A2	III		FORBIDDEN		FORBIDDEN	
Ferric arsenate	1606	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Ferric arsenite	1607	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Ferric chloride, anhydrous	1773	8		Corrosive			III	E1	860 Y845	25 kg 5 kg	864	100 kg
Ferric chloride solution	2582	8		Corrosive		A3	III	E1	852 Y841	5 L 1 L	856	60 L
Ferric nitrate	1466	5.1		Oxidizer			III	E1	559 Y546	25 kg 10 kg	563	100 kg
Ferrocium	1323	4.1		Solid flammable		A42	II	E2	445 Y441	15 kg 5 kg	448	50 kg
Ferrosilicon with 30% or more but less than 90% silicon	1408	4.3	6.1	Danger if wet & Toxic		A3 A10	III	E1	485 Y477	25 kg 10 kg	491	100 kg
Ferrous arsenate	1608	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Ferrous metal borings in a form liable to self-heating	2793	4.2		Spontaneous combustion		A3	III	E1	469	25 kg	471	100 kg
Ferrous metal cuttings in a form liable to self-heating	2793	4.2		Spontaneous combustion		A3	III	E1	469	25 kg	471	100 kg
Ferrous metal shavings in a form liable to self-heating	2793	4.2		Spontaneous combustion		A3	III	E1	469	25 kg	471	100 kg
Ferrous metal turnings in a form liable to self-heating	2793	4.2		Spontaneous combustion		A3	III	E1	469	25 kg	471	100 kg

별표 1. 위험물 목록

3-2-85

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Fertilizer ammoniating solution with free ammonia	1043	2.2		Gas non-flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Fertilizer with ammonium nitrate, n.o.s., see Ammonium nitrate based fertilizer (UN No. 2067) or Ammonium nitrate based fertilizer (UN No. 2071)												
Fibreglass repair kit, see Polyester resin kit												
Fibres, animal burnt, wet or damp	1372	4.2			AU 1 CA 7 IR 3 NL 1 US 3	A2	III		FORBIDDEN		FORBIDDEN	
Fibres, animal, n.o.s. , with oil	1373	4.2			AU 1 CA 7 IR 3 NL 1 US 3	A2	III		FORBIDDEN		FORBIDDEN	
Fibres impregnated with weakly nitrated nitrocellulose, n.o.s.	1353	4.1		Solid flammable	BE 3		III	E1	446 Y443	25 kg 10 kg	449	100 kg
Fibres, synthetic, n.o.s. , with oil	1373	4.2			AU 1 CA 7 IR 3 NL 1 US 3	A2	III		FORBIDDEN		FORBIDDEN	
Fibres, vegetable burnt, wet or damp	1372	4.2				A2	III		FORBIDDEN		FORBIDDEN	
Fibres, vegetable, n.o.s. , with oil	1373	4.2			AU 1 CA 7 IR 3 NL 1 US 3	A2	III		FORBIDDEN		FORBIDDEN	
Fibres, vegetable, dry	3360	4.1			AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Films, nitrocellulose base , gelatin coated, except scrap†	1324	4.1		Solid flammable			III	E1	454 Y454	25 kg 10 kg	454	100 kg
Films, nitrocellulose base, from which gelatin has been removed; film scrap, see Celluloid scrap												
Fire extinguisher charges , corrosive liquid†	1774	8		Corrosive			II	E0	851 Y840	1 L 0.5 L	855	30 L

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Fire extinguisher charges, expelling, explosive, see Cartridges, power device												
Fire extinguishers with compressed or liquefied gas	1044	2.2		Gas non-flammable		A19		E0	213	75 kg	213	150 kg
Firelighters, solid with flammable liquid†	2623	4.1		Solid flammable			III	E1	446 Y443	25 kg 10 kg	449	100 kg
+ Fire suppressant dispersing devices †	0514	1.4S		Explosive 1.4		A232		E0	135	25 kg	135	100 kg
+ Fire suppressant dispersing devices †	3559	9		Miscellaneous		A232		E0	961	25 kg	961	100 kg
Fireworks †	0333	1.1G							FORBIDDEN		FORBIDDEN	
Fireworks †	0334	1.2G							FORBIDDEN		FORBIDDEN	
Fireworks †	0335	1.3G							FORBIDDEN		FORBIDDEN	
Fireworks †	0336	1.4G		Explosive 1.4				E0	FORBIDDEN		135	75 kg
Fireworks †	0337	1.4S		Explosive 1.4				E0	135	25 kg	135	100 kg
First aid kit	3316	9		Miscellaneous		A44 A163		E0	960 Y960	10 kg 1 kg	960	10 kg
Fish meal, stabilized	2216	9		Miscellaneous		A219	III	E1	956	100 kg	956	200 kg
Fish meal, unstabilized	1374	4.2			AU 1 CA 7 IR 3 NL 1 US 3	A2	II		FORBIDDEN		FORBIDDEN	
Fish scrap, stabilized	2216	9			AU 1 CA 7 IR 3 NL 1 US 3	A2	III		FORBIDDEN		FORBIDDEN	
Fish scrap, unstabilized	1374	4.2			AU 1 CA 7 IR 3 NL 1 US 3	A2	II		FORBIDDEN		FORBIDDEN	
Flammable gas, see Compressed or Liquefied gas, flammable , etc.												
Flammable gas in lighters, see Lighters (cigarettes), containing flammable gas												
Flammable gas (small receptacles not fitted with a dispersion device, not refillable), see Receptacles , etc.												

별표 1. 위험물 목록

3-2-87

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Flammable liquid, n.o.s.*	1993	3		Liquid flammable		A3	I	E3	351	1 L	361	30 L
								E2	353	5 L	364	60 L
									Y341	1 L		
								III	E1	355	60 L	220 L
Flammable liquid, corrosive, n.o.s.*	2924	3	8	Liquid flammable & Corrosive		A3	I	E0	350	0.5 L	360	2.5 L
								E2	352	1 L	363	5 L
									Y340	0.5 L		
								III	E1	354	5 L	60 L
Flammable liquid, toxic, n.o.s.*	1992	3	6.1	Liquid flammable & Toxic		A3	I	E0	FORBIDDEN		361	30 L
								E2	352	1 L	364	60 L
									Y341	1 L		
								III	E1	355	60 L	220 L
Flammable liquid, toxic, corrosive, n.o.s.*	3286	3	6.1 8	Liquid flammable & Toxic & Corrosive			I	E0	FORBIDDEN		360	2.5 L
								E2	352	1 L	363	5 L
									Y340	0.5 L		
Flammable solid, corrosive, inorganic, n.o.s.*	3180	4.1	8	Solid flammable & Corrosive		A3	II	E2	445	15 kg	448	50 kg
									Y441	5 kg		
								III	E1	446	25 kg	100 kg
									Y442	5 kg		
Flammable solid, corrosive, organic, n.o.s.*	2925	4.1	8	Solid flammable & Corrosive		A3	II	E2	445	15 kg	448	50 kg
									Y441	5 kg		
								III	E1	446	25 kg	100 kg
									Y442	5 kg		
Flammable solid, inorganic, n.o.s.*	3178	4.1		Solid flammable		A3	II	E2	445	15 kg	448	50 kg
									Y441	5 kg		
								III	E1	446	25 kg	100 kg
									Y443	10 kg		
Flammable solid, organic, n.o.s.*	1325	4.1		Solid flammable		A3	II	E2	445	15 kg	448	50 kg
									Y441	5 kg		
								III	E1	446	25 kg	100 kg
									Y443	10 kg		
Flammable solid, organic, molten, n.o.s.*	3176	4.1				A3	II		FORBIDDEN		FORBIDDEN	
								III	FORBIDDEN		FORBIDDEN	
Flammable solid, oxidizing, n.o.s.*	3097	4.1	5.1			A3	II		FORBIDDEN		FORBIDDEN	
								III	FORBIDDEN		FORBIDDEN	
Flammable solid, toxic, inorganic, n.o.s.*	3179	4.1	6.1	Solid flammable & Toxic		A3	II	E2	445	15 kg	448	50 kg
									Y440	1 kg		
								III	E1	446	25 kg	100 kg
									Y443	10 kg		
Flammable solid, toxic, organic, n.o.s.*	2926	4.1	6.1	Solid flammable & Toxic		A3	II	E2	445	15 kg	448	50 kg
									Y440	1 kg		
								III	E1	446	25 kg	100 kg
									Y443	10 kg		
Flares, aerial †	0093	1.3G		Explosive				E0	FORBIDDEN		135	75 kg
Flares, aerial †	0403	1.4G		Explosive 1.4				E0	FORBIDDEN		135	75 kg

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Flares, aerial †	0404	1.4S		Explosive 1.4				E0	135	25 kg	135	100 kg
Flares, aerial †	0420	1.1G							FORBIDDEN		FORBIDDEN	
Flares, aerial †	0421	1.2G							FORBIDDEN		FORBIDDEN	
Flares, aeroplane, see Flares, aerial												
Flares, distress, small, see Signal devices, hand												
Flares, railway or highway, see Signal devices, hand												
Flares, surface †	0092	1.3G		Explosive				E0	FORBIDDEN		135	75 kg
Flares, surface †	0418	1.1G							FORBIDDEN		FORBIDDEN	
Flares, surface †	0419	1.2G							FORBIDDEN		FORBIDDEN	
Flares, water-activated, see Contrivances, water-activated , etc.												
Flash powder †	0094	1.1G							FORBIDDEN		FORBIDDEN	
Flash powder †	0305	1.3G							FORBIDDEN		FORBIDDEN	
Flue dusts, toxic, see Arsenical dust												
Fluoric acid, see Hydrofluoric acid (UN No. 1790)												
Fluorine, compressed	1045	2.3	5.1 8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Fluoroacetic acid	2642	6.1		Toxic			I	E5	665	1 kg	672	15 kg
p-Fluoroaniline, see Fluoroanilines												
2-Fluoroaniline, see Fluoroanilines												
4-Fluoroaniline, see Fluoroanilines												
o-Fluoroaniline, see Fluoroanilines												
Fluoroanilines	2941	6.1		Toxic			III	E1	655 Y642	60 L 2 L	663	220 L
Fluorobenzene	2387	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Fluoroboric acid	1775	8		Corrosive			II	E2	851 Y840	1 L 0.5 L	855	30 L
Fluoroethane, see Ethyl fluoride												
Fluoroform, see Trifluoromethane												
Fluoromethane, see Methyl fluoride												
Fluorophosphoric acid, anhydrous	1776	8		Corrosive			II	E2	851 Y840	1 L 0.5 L	855	30 L
Fluorosilicates, n.o.s.*	2856	6.1		Toxic			III	E1	670 Y645	100 kg 10 kg	677	200 kg

별표 1. 위험물 목록

3-2-89

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Fluorosilicic acid	1778	8		Corrosive			II	E2	851 Y840	1 L 0.5 L	855	30 L
Fluorosulphonic acid	1777	8		Corrosive			I	E0	850	0.5 L	854	2.5 L
Fluorotoluenes	2388	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Formaldehyde solution with less than 25 per cent formaldehyde	—					A189						
Formaldehyde solution with not less than 25% formaldehyde	2209	8		Corrosive	US 4		III	E1	852 Y841	5 L 1 L	856	60 L
Formaldehyde solution, flammable	1198	3	8	Liquid flammable & Corrosive		A180	III	E1	354 Y342	5 L 1 L	365	60 L
Formalin, see Formaldehyde solution												
Formamidine sulphinic acid, see Thiourea dioxide												
Formic acid with more than 85% acid by mass	1779	8	3	Corrosive & Liquid flammable			II	E2	851 Y840	1 L 0.5 L	855	30 L
Formic acid with not less than 5% but less than 10% acid by mass	3412	8		Corrosive			III	E1	852 Y841	5 L 1 L	856	60 L
Formic acid with not less than 10% but not more than 85% acid by mass	3412	8		Corrosive			II	E2	851 Y840	1 L 0.5 L	855	30 L
Formic aldehyde, see Formaldehyde solution												
2-Formyl-3,4-dihydro-2H-pyran, see Acrolein dimer, stabilized												
Fracturing devices, explosive , without detonator for oil wells†	0099	1.1D			AU 2 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Fuel, aviation, turbine engine	1863	3		Liquid flammable		A3	I II III	E3 E2 E1	351 353 Y341 355 Y344	1 L 5 L 1 L 60 L 10 L	361 364 366	30 L 60 L 220 L
Fuel cell cartridges , containing corrosive substances†	3477	8		Corrosive		A146 A157		E0	873 Y873	5 kg 2.5 kg	873	50 kg
Fuel cell cartridges , containing flammable liquids†	3473	3		Liquid flammable		A146		E0	374 Y374	5 kg 2.5 kg	374	50 kg
Fuel cell cartridges , containing hydrogen in metal hydride†	3479	2.1		Gas flammable		A146 A162		E0	215 Y215	1 kg 0.5 kg	215	15 kg
Fuel cell cartridges , containing liquefied flammable gas†	3478	2.1		Gas flammable		A146 A161		E0	215 Y215	1 kg 0.5 kg	215	15 kg
Fuel cell cartridges , containing water-reactive substances†	3476	4.3		Danger if wet		A146 A157		E0	495 Y495	5 kg 2.5 kg	495	50 kg

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Fuel cell cartridges contained in equipment, containing corrosive substances	3477	8		Corrosive		A146 A157		E0	874	5 kg	874	50 kg
Fuel cell cartridges contained in equipment, containing flammable liquids	3473	3		Liquid flammable		A146		E0	375	5 kg	375	50 kg
Fuel cell cartridges contained in equipment, containing hydrogen in metal hydride	3479	2.1		Gas flammable		A146 A162		E0	216	1 kg	216	15 kg
Fuel cell cartridges contained in equipment, containing liquefied flammable gas	3478	2.1		Gas flammable		A146 A161		E0	216	1 kg	216	15 kg
Fuel cell cartridges contained in equipment, containing water-reactive substances	3476	4.3		Danger if wet		A146 A157		E0	496	5 kg	496	50 kg
Fuel cell cartridges packed with equipment, containing corrosive substances	3477	8		Corrosive		A146 A157		E0	875	5 kg	875	50 kg
Fuel cell cartridges packed with equipment, containing flammable liquids	3473	3		Liquid flammable		A146		E0	376	5 kg	376	50 kg
Fuel cell cartridges packed with equipment, containing hydrogen in metal hydride	3479	2.1		Gas flammable		A146 A162		E0	217	1 kg	217	15 kg
Fuel cell cartridges packed with equipment, containing liquefied flammable gas	3478	2.1		Gas flammable		A146 A161		E0	217	1 kg	217	15 kg
Fuel cell cartridges packed with equipment, containing water-reactive substances	3476	4.3		Danger if wet		A146 A157		E0	497	5 kg	497	50 kg
≠ Fuel system components (including fuel control units (FCU), carburettors, fuel lines, fuel pumps), see Dangerous goods in apparatus or Dangerous goods in articles or Dangerous Goods in machinery (UN No. 3363)												
Fulminate of mercury (dry)	FORBIDDEN											
Fulminate of mercury, wet, see Mercury fulminate , etc.												
Fulminating gold	FORBIDDEN											
Fulminating mercury	FORBIDDEN											
Fulminating platinum	FORBIDDEN											
Fulminating silver	FORBIDDEN											
Fulminic acid	FORBIDDEN											

별표 1. 위험물 목록

3-2-91

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Fumaryl dichloride, see Fumaryl chloride												
Fumaryl chloride	1780	8		Corrosive			II	E2	851 Y840	1 L 0.5 L	855	30 L
Fumigant, see appropriate pesticide												
Fumigated cargo transport unit	3359	9							FORBIDDEN		FORBIDDEN	
Fungicide, see appropriate pesticide												
Furaldehydes	1199	6.1	3	Toxic & Liquid flammable			II	E4	654 Y641	5 L 1 L	662	60 L
Furan	2389	3		Liquid flammable			I	E3	351	1 L	361	30 L
Furfuryl alcohol	2874	6.1		Toxic			III	E1	655 Y642	60 L 2 L	663	220 L
Furfurylamine	2526	3	8	Liquid flammable & Corrosive			III	E1	354 Y342	5 L 1 L	365	60 L
Furyl carbinol, see Furfuryl alcohol												
Fuse, detonating , metal clad	0102	1.2D							FORBIDDEN		FORBIDDEN	
Fuse, detonating , metal clad	0290	1.1D							FORBIDDEN		FORBIDDEN	
Fuse, detonating, mild effect , metal clad	0104	1.4D		Explosive 1.4				E0	FORBIDDEN		139	75 kg
Fuse, igniter , tubular, metal clad†	0103	1.4G		Explosive 1.4				E0	FORBIDDEN		140	75 kg
Fusel oil	1201	3		Liquid flammable		A3	II	E2	353 Y341	5 L 1 L	364	60 L
							III	E1	355 Y344	60 L 10 L	366	220 L
Fuse, non-detonating †	0101	1.3G							FORBIDDEN		FORBIDDEN	
Fuse, safety †	0105	1.4S		Explosive 1.4				E0	140	25 kg	140	100 kg
Fuzes, combination, percussion or time, see Fuzes, detonating (UN Nos. 0257, 0367); Fuzes, igniting (UN Nos. 0317, 0368)												
Fuzes, detonating †	0106	1.1B							FORBIDDEN		FORBIDDEN	
Fuzes, detonating †	0107	1.2B							FORBIDDEN		FORBIDDEN	
Fuzes, detonating †	0257	1.4B		Explosive 1.4				E0	FORBIDDEN		141	75 kg
Fuzes, detonating †	0367	1.4S		Explosive 1.4		A165		E0	141	25 kg	141	100 kg
Fuzes, detonating with protective features†	0408	1.1D							FORBIDDEN		FORBIDDEN	
Fuzes, detonating with protective features†	0409	1.2D							FORBIDDEN		FORBIDDEN	
Fuzes, detonating with protective features†	0410	1.4D		Explosive 1.4				E0	FORBIDDEN		141	75 kg
Fuzes, igniting †	0316	1.3G							FORBIDDEN		FORBIDDEN	

Part 3

2025–2026 EDITION

별표 1. 위험물 목록

3-2-93

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Gas drips, hydrocarbon†, see Hydrocarbons, liquid, n.o.s.												
Gas liquefied, see Liquefied gas , etc.												
Gas oil	1202	3		Liquid flammable		A3	III	E1	355 Y344	60 L 10 L	366	220 L
Gasoline	1203	3		Liquid flammable		A100	II	E2	353 Y341	5 L 1 L	364	60 L
Gasoline, casinghead, see Gasoline												
Gas, refrigerated liquid, n.o.s.*	3158	2.2		Gas non-flammable				E1	202	50 kg	202	500 kg
Gas, refrigerated liquid, flammable, n.o.s.*	3312	2.1							FORBIDDEN		FORBIDDEN	
Gas, refrigerated liquid, oxidizing, n.o.s.*	3311	2.2	5.1		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Gas sample, non-pressurized, flammable, n.o.s. , not refrigerated liquid	3167	2.1		Gas flammable				E0	206	1 L	206	5 L
Gas sample, non-pressurized, toxic, n.o.s. , not refrigerated liquid	3169	2.3		Gas toxic	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		206	1 L
Gas sample, non-pressurized, toxic, flammable, n.o.s. , not refrigerated liquid	3168	2.3	2.1	Gas toxic & Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		206	1 L
Gas turbine engines†, see Engine, internal combustion, flammable liquid powered (UN No. 3528) or Engine internal combustion, flammable gas powered (UN No. 3529)												
Gelatin, blasting, see Explosive, blasting, type A												
Gelatin dynamites, see Explosive, blasting, type A												
Genetically modified micro-organisms	3245	9		None		A47		E0	959	No limit	959	No limit
Genetically modified organisms	3245	9		None		A47		E0	959	No limit	959	No limit
Germane	2192	2.3	2.1		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Germane, adsorbed	3523	2.3	2.1		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Germanium hydride, see Germane												
Glycer-1,3-dichlorohydrin, see 1,3-Dichloropropanol-2												
Glycerol-1,3-dinitrate		FORBIDDEN										
Glycerol gluconate trinitrate		FORBIDDEN										
Glycerol lactate trinitrate		FORBIDDEN										
Glycerol alpha-monochlorohydrin	2689	6.1		Toxic			III	E1	655 Y642	60 L 2 L	663	220 L
Glyceryl trinitrate, see Nitroglycerin , etc.												
Glycidaldehyde	2622	3	6.1	Liquid flammable & Toxic	US 4		II	E2	352 Y341	1 L 1 L	364	60 L
Grenades , hand or rifle, with bursting charge†	0284	1.1D							FORBIDDEN		FORBIDDEN	
Grenades , hand or rifle, with bursting charge†	0285	1.2D							FORBIDDEN		FORBIDDEN	
Grenades , hand or rifle, with bursting charge†	0292	1.1F							FORBIDDEN		FORBIDDEN	
Grenades , hand or rifle, with bursting charge†	0293	1.2F							FORBIDDEN		FORBIDDEN	
Grenades, illuminating†, see Ammunition, illuminating , etc. (UN Nos. 0171, 0254, 0297)												
Grenades, practice , hand or rifle†	0110	1.4S		Explosive 1.4				E0	141	25 kg	141	100 kg
Grenades, practice , hand or rifle†	0318	1.3G							FORBIDDEN		FORBIDDEN	
Grenades, practice , hand or rifle†	0372	1.2G							FORBIDDEN		FORBIDDEN	
Grenades, practice , hand or rifle†	0452	1.4G		Explosive 1.4				E0	FORBIDDEN		141	75 kg
Grenades, smoke, see Ammunition, smoke , etc. (UN Nos. 0015; 0016; 0245; 0246; 0303)												
Guanidine nitrate	1467	5.1		Oxidizer			III	E1	559 Y546	25 kg 10 kg	563	100 kg
Guanyl nitrosaminoguanylidene hydrazine (dry)		FORBIDDEN										
Guanyl nitrosaminoguanylidene hydrazine, wetted with not less than 30% water, by mass	0113	1.1A							FORBIDDEN		FORBIDDEN	
Guanyl nitrosaminoguanyltetrazene (dry)		FORBIDDEN										

별표 1. 위험물 목록

3-2-95

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Guanyl nitrosaminoguanyltetrazene, wetted with not less than 30% water, or mixture of alcohol and water, by mass	0114	1.1A							FORBIDDEN		FORBIDDEN	
Gunpowder , granular or as a meal	0027	1.1D							FORBIDDEN		FORBIDDEN	
Gunpowder, compressed	0028	1.1D							FORBIDDEN		FORBIDDEN	
Gunpowder in pellets	0028	1.1D							FORBIDDEN		FORBIDDEN	
Gutta percha solution, see Rubber solution												
H												
Hafnium powder, dry	2545	4.2		Spontaneous combustion		A3	I		FORBIDDEN		FORBIDDEN	
							II	E2	467	15 kg	470	50 kg
							III	E1	469	25 kg	471	100 kg
Hafnium powder, wetted with not less than 25% water (a visible excess of water must be present) (a) mechanically produced, particle size less than 53 microns; (b) chemically produced, particle size less than 840 microns	1326	4.1		Solid flammable		A35	II	E2	445 Y441	15 kg 5 kg	448	50 kg
Halogenated monomethyldiphenylmethanes, liquid	3151	9		Miscellaneous		A11 A95	II	E2	964	100 L	964	220 L
Halogenated monomethyldiphenylmethanes, solid	3152	9		Miscellaneous		A11 A95	II	E2	956	100 kg	956	200 kg
Hay	1327	4.1			AU 1 CA 7 IR 3 NL 1 US 3	A2 A198			FORBIDDEN		FORBIDDEN	
Heating oil, light	1202	3		Liquid flammable		A3	III	E1	355 Y344	60 L 10 L	366	220 L
Heat producing articles, battery operated equipment, such as under-water torches or soldering equipment, which, if accidentally activated, will generate extreme heat and can cause fire	—	9				A93			FORBIDDEN		FORBIDDEN	
Heavy hydrogen, see Deuterium, compressed (UN No. 1957)												
Helium, compressed	1046	2.2		Gas non-flammable		A69 A202		E1	200	75 kg	200	150 kg
Helium, refrigerated liquid	1963	2.2		Gas non-flammable				E1	202	50 kg	202	500 kg
Heptafluoropropane	3296	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
n-Heptaldehyde	3056	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
n-Heptanal, see n-Heptaldehyde												
Heptanes	1206	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
4-Heptanone, see Dipropyl ketone												
n-Heptene	2278	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Hexachloroacetone	2661	6.1		Toxic			III	E1	655 Y642	60 L 2 L	663	220 L
Hexachlorobenzene	2729	6.1		Toxic	US 4		III	E1	670 Y645	100 kg 10 kg	677	200 kg
Hexachloro-1,3-butadiene, see Hexachlorobutadiene												
Hexachlorobutadiene	2279	6.1		Toxic	US 4		III	E1	655 Y642	60 L 2 L	663	220 L
Hexachlorocyclopentadiene	2646	6.1			US 4		I		FORBIDDEN		FORBIDDEN	
Hexachlorophene	2875	6.1		Toxic	US 4		III	E1	670 Y645	100 kg 10 kg	677	200 kg
Hexachloro-2-propanone, see Hexachloroacetone												
Hexadecyltrichlorosilane	1781	8		Corrosive	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		876	30 L
Hexadiene	2458	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Hexaethyl tetraphosphate	1611	6.1		Toxic	US 4		II	E4	654 Y641	5 L 1 L	662	60 L
Hexaethyl tetraphosphate and compressed gas mixture	1612	2.3			AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Hexafluoroacetone	2420	2.3	8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Hexafluoroacetone hydrate, liquid	2552	6.1		Toxic			II	E4	654 Y641	5 L 1 L	662	60 L
Hexafluoroacetone hydrate, solid	3436	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Hexafluoroethane	2193	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg

별표 1. 위험물 목록

3-2-97

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Hexafluorophosphoric acid	1782	8		Corrosive			II	E2	851 Y840	1 L 0.5 L	855	30 L
Hexafluoropropylene	1858	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Hexahydrocresol, see Methylcyclohexanols , etc.												
Hexahydromethyl phenol, see Methylcyclohexanols , etc.												
Hexaldehyde	1207	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
3,3,6,6,9,9-Hexamethyl-1,2,4,5 tetra-oxacyclononane, more than 52%	FORBIDDEN											
Hexamethylenediamine, solid	2280	8		Corrosive			III	E1	860 Y845	25 kg 5 kg	864	100 kg
Hexamethylenediamine solution	1783	8		Corrosive		A3	II III	E2 E1	851 Y840 852 Y841	1 L 0.5 L 5 L 1 L	855 856	30 L 60 L
Hexamethylene diisocyanate	2281	6.1		Toxic			II	E4	654 Y641	5 L 1 L	662	60 L
Hexamethyleneimine	2493	3	8	Liquid flammable & Corrosive			II	E2	352 Y340	1 L 0.5 L	363	5 L
Hexamethylenetetramine	1328	4.1		Solid flammable			III	E1	446 Y443	25 kg 10 kg	449	100 kg
Hexamethylene triperoxide diamine (dry)	FORBIDDEN											
Hexamethylol benzene hexanitrate	FORBIDDEN											
Hexamine, see Hexamethylenetetramine												
Hexanes	1208	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Hexanitroazoxy benzene	FORBIDDEN											
2,2',4,4',6,6'-Hexanitro-3,3'-dihydroxyazobenzene (dry)	FORBIDDEN											
Hexanitrodiphenylamine	0079	1.1D							FORBIDDEN		FORBIDDEN	
2,3',4,4',6,6'-Hexanitrodiphenylether	FORBIDDEN											
N,N' (Hexanitrodiphenyl) ethylene dinitramine (dry)	FORBIDDEN											
Hexanitrodiphenyl urea	FORBIDDEN											
Hexanitroethane	FORBIDDEN											
Hexanitrooxanilide	FORBIDDEN											
Hexanitrostilbene	0392	1.1D							FORBIDDEN		FORBIDDEN	
Hexanoic acid, see Caproic acid												

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Hexanols	2282	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
1-Hexene	2370	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Hexogen and cyclotetramethylene-tetranitramine mixture, desensitized with not less than 10% phlegmatizer, by mass	0391	1.1D							FORBIDDEN		FORBIDDEN	
Hexogen and cyclotetramethylene-tetranitramine mixture, wetted with not less than 15% water, by mass	0391	1.1D							FORBIDDEN		FORBIDDEN	
Hexogen, desensitized	0483	1.1D							FORBIDDEN		FORBIDDEN	
Hexogen, wetted with not less than 15% water, by mass	0072	1.1D							FORBIDDEN		FORBIDDEN	
Hexolite , dry or wetted with less than 15% water, by mass	0118	1.1D							FORBIDDEN		FORBIDDEN	
Hexotol , dry or wetted with less than 15% water, by mass	0118	1.1D							FORBIDDEN		FORBIDDEN	
Hexotonal	0393	1.1D							FORBIDDEN		FORBIDDEN	
Hexyl	0079	1.1D							FORBIDDEN		FORBIDDEN	
Hexyltrichlorosilane	1784	8		Corrosive	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		876	30 L
High explosives, see individual explosives entries												
HMX, desensitized	0484	1.1D							FORBIDDEN		FORBIDDEN	
HMX (dry or unphlegmatized)	FORBIDDEN											
HMX, wetted with not less than 15% water, by mass	0226	1.1D							FORBIDDEN		FORBIDDEN	
Hydrazine, anhydrous	2029	8	3 6.1	Corrosive & Liquid flammable & Toxic	US 4		I	E0	FORBIDDEN		854	2.5 L
Hydrazine, aqueous solution with more than 37% hydrazine by mass	2030	8	6.1	Corrosive & Toxic	AU 1 CA 7 IR 3 NL 1 US 3	A1 A36	I II III	E0 E0 E1	FORBIDDEN FORBIDDEN 852 Y841	5 L 1 L	854 855 856	2.5 L 30 L 60 L
Hydrazine, aqueous solution with not more than 37% hydrazine, by mass	3293	6.1		Toxic		A3	III	E1	655 Y642	60 L 2 L	663	220 L

별표 1. 위험물 목록

3-2-99

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Hydrazine aqueous solution, flammable with more than 37% hydrazine, by mass	3484	8	3 6.1	Corrosive & Liquid flammable & Toxic	AU 1 CA 7 IR 3 NL 1 US 3	A1	I	E0	FORBIDDEN		854	2.5 L
Hydrazine azide	FORBIDDEN											
Hydrazine chlorate	FORBIDDEN											
Hydrazine dicarbonic acid diazide	FORBIDDEN											
Hydrazine perchlorate	FORBIDDEN											
Hydrazine selenate	FORBIDDEN											
Hydrides, metal, water-reactive, n.o.s., see Metal hydrides, water-reactive, n.o.s.												
Hydriodic acid	1787	8		Corrosive		A3	II	E2	851 Y840	1 L 0.5 L	855	30 L
							III	E1	852 Y841	5 L 1 L	856	60 L
Hydriodic acid, anhydrous, see Hydrogen iodide, anhydrous												
Hydrobromic acid , more than 49% strength	1788	8			AU 1 CA 7 IR 3 NL 1 US 3	A2	II		FORBIDDEN		FORBIDDEN	
Hydrobromic acid , not more than 49% strength	1788	8		Corrosive		A3	II	E2	851 Y840	1 L 0.5 L	855	30 L
							III	E1	852 Y841	5 L 1 L	856	60 L
Hydrocarbon gas mixture, compressed, n.o.s.*	1964	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Hydrocarbon gas mixture, liquefied, n.o.s.*	1965	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Hydrocarbon gas powered small devices, see Devices, small, hydrocarbon gas powered with release device												
Hydrocarbon gas refills for small devices with release device	3150	2.1		Gas flammable				E0	201	1 kg	201	15 kg

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Hydrocarbons, liquid, n.o.s.	3295	3		Liquid flammable		A3	I	E3	351	1 L	361	30 L
								E2	353	5 L	364	60 L
									Y341	1 L		
								III	E1	355	60 L	220 L
Hydrochloric acid	1789	8		Corrosive		A3	II	E2	851	1 L	855	30 L
									Y840	0.5 L		
								III	E1	852	5 L	60 L
									Y841	1 L		
Hydrocyanic acid, aqueous solution with not more than 20% hydrogen cyanide	1613	6.1					I		FORBIDDEN		FORBIDDEN	
Hydrofluoric acid, with more than 60% hydrogen fluoride	1790	8	6.1	Corrosive & Toxic			I	E0	850	0.5 L	854	2.5 L
Hydrofluoric acid, with not more than 60% hydrogen fluoride	1790	8	6.1	Corrosive & Toxic			II	E2	851	1 L	855	30 L
Hydrofluoric acid and sulphuric acid mixture	1786	8	6.1	Corrosive & Toxic	AU 1 CA 7 IR 3 NL 1 US 3	A1	I	E0	FORBIDDEN		854	2.5 L
Hydrofluoroboric acid, see Fluoroboric acid												
Hydrofluosilicic acid, see Fluorosilicic acid												
Hydrogen and methane mixture, compressed	2034	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Hydrogen arsenide, see Arsine												
Hydrogen bromide, anhydrous	1048	2.3	8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Hydrogen bromide solution, see Hydrobromic acid (UN No. 1788)												
Hydrogen chloride, anhydrous	1050	2.3	8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Hydrogen chloride, refrigerated liquid	2186	2.3	8						FORBIDDEN		FORBIDDEN	

별표 1. 위험물 목록

3-2-101

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Hydrogen, compressed	1049	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Hydrogen cyanide, aqueous solution with not more than 20% hydrogen cyanide	1613	6.1					I		FORBIDDEN		FORBIDDEN	
Hydrogen cyanide, solution in alcohol with not more than 45% hydrogen cyanide	3294	6.1	3				I		FORBIDDEN		FORBIDDEN	
Hydrogen cyanide, stabilized containing less than 3% water	1051	6.1	3			A209	I		FORBIDDEN		FORBIDDEN	
Hydrogen cyanide, stabilized containing less than 3% water and absorbed in a porous inert material	1614	6.1				A209	I		FORBIDDEN		FORBIDDEN	
Hydrogen cyanide, unstabilized	FORBIDDEN											
Hydrogendifluorides, solid, n.o.s.	1740	8		Corrosive		A3	II	E2	859 Y844	15 kg 5 kg	863	50 kg
							III	E1	860 Y845	25 kg 5 kg	864	100 kg
Hydrogendifluorides, solution, n.o.s.	3471	8	6.1	Corrosive & Toxic		A3	II	E2	851 Y840	1 L 0.5 L	855	30 L
							III	E1	852 Y841	5 L 1 L	856	60 L
Hydrogen fluoride, anhydrous	1052	8	6.1		AU 1 CA 7 IR 3 NL 1 US 3	A2	I		FORBIDDEN		FORBIDDEN	
Hydrogen fluoride solution, see Hydrofluoric acid, etc.												
Hydrogen in a metal hydride storage system	3468	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1 A143 A176		E0	FORBIDDEN		214	100 kg
Hydrogen in a metal hydride storage system contained in equipment	3468	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1 A143 A176		E0	FORBIDDEN		214	100 kg
Hydrogen in a metal hydride storage system packed with equipment	3468	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1 A143 A176		E0	FORBIDDEN		214	100 kg

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Hydrogen iodide, anhydrous	2197	2.3	8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Hydrogen iodide solution, see Hydriodic acid												
Hydrogen peroxide and peroxyacetic acid mixture with acid(s), water and not more than 5% peroxyacetic acid, stabilized	3149	5.1	8	Oxidizer & Corrosive		A96	II	E2	550 Y540	1 L 0.5 L	554	5 L
Hydrogen peroxide, aqueous solution with more than 40% but not more than 60% hydrogen peroxide (stabilized as necessary)	2014	5.1	8		AU 1 CA 7 IR 3 NL 1 US 3	A2 A75	II		FORBIDDEN		FORBIDDEN	
Hydrogen peroxide, aqueous solution with not less than 8% but less than 20% hydrogen peroxide (stabilized as necessary)	2984	5.1		Oxidizer			III	E1	551 Y541	2.5 L 1 L	555	30 L
Hydrogen peroxide, aqueous solution with not less than 20% but not more than 40% hydrogen peroxide (stabilized as necessary)	2014	5.1	8	Oxidizer & Corrosive			II	E2	550 Y540	1 L 0.5 L	554	5 L
Hydrogen peroxide, aqueous solution, stabilized with more than 60% hydrogen peroxide	2015	5.1	8				I		FORBIDDEN		FORBIDDEN	
Hydrogen peroxide, stabilized	2015	5.1	8				I		FORBIDDEN		FORBIDDEN	
Hydrogen, refrigerated liquid	1966	2.1							FORBIDDEN		FORBIDDEN	
Hydrogen selenide, adsorbed	3526	2.3	2.1		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Hydrogen selenide, anhydrous	2202	2.3	2.1		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Hydrogen silicide, see Silane												
Hydrogen sulphide	1053	2.3	2.1		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Hydroselenic acid, see Hydrogen selenide, anhydrous												

별표 1. 위험물 목록

3-2-103

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Hydrosilicofluoric acid, see Fluorosilicic acid												
1-Hydroxybenzotriazole, anhydrous , dry or wetted with less than 20% water, by mass	0508	1.3C							FORBIDDEN		FORBIDDEN	
1-Hydroxybenzotriazole monohydrate	3474	4.1		Solid flammable	BE 3		I	E0	451	0.5 kg	451	0.5 kg
3-Hydroxybutan-2-one, see Acetyl methyl carbinol												
Hydroxyl amine iodide	FORBIDDEN											
Hydroxylamine sulphate	2865	8		Corrosive			III	E1	860 Y845	25 kg 5 kg	864	100 kg
1-Hydroxy-3-methyl-2-penten-4-yne, see 1-Pentol												
3-Hydroxyphenol, see Resorcinol												
Hypochlorites, inorganic, n.o.s.*	3212	5.1		Oxidizer		A169	II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
Hypochlorite solution †	1791	8		Corrosive		A3	II III	E2 E1	851 Y840 852 Y841	1 L 0.5 L 5 L 1 L	855 856	30 L 60 L
Hyponitrous acid	FORBIDDEN											
I												
Igniters †	0121	1.1G							FORBIDDEN		FORBIDDEN	
Igniters †	0314	1.2G							FORBIDDEN		FORBIDDEN	
Igniters †	0315	1.3G							FORBIDDEN		FORBIDDEN	
Igniters †	0325	1.4G		Explosive 1.4				E0	FORBIDDEN		142	75 kg
Igniters †	0454	1.4S		Explosive 1.4				E0	142	25 kg	142	100 kg
Ignition element for lighter, containing pyrophoric liquid	FORBIDDEN											
3,3'-Iminodipropylamine	2269	8		Corrosive			III	E1	852 Y841	5 L 1 L	856	60 L
Indiarubber, see Rubber solution												
Infectious substance, affecting animals only	2900	6.2		Infectious	AU 3 CA 8 GB 5 VU 2	A81 A140		E0	620	50 mL or 50 g	620	4 L or 4 kg
Infectious substance, affecting humans	2814	6.2		Infectious	AU 3 CA 8 GB 5 VU 2	A81 A140		E0	620	50 mL or 50 g	620	4 L or 4 kg
Inflammable, see Flammable												

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Ink, printer's, flammable, see Printing ink												
Inositol hexanitrate (dry)	FORBIDDEN											
Insecticide, see appropriate pesticide												
Insecticide gas, n.o.s.*	1968	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Insecticide gas, flammable, n.o.s.*	3354	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Insecticide gas, toxic, n.o.s.*	1967	2.3			AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Insecticide gas, toxic, flammable, n.o.s.*	3355	2.3	2.1		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Inulin trinitrate (dry)	FORBIDDEN											
Iodine	3495	8	6.1	Corrosive & Toxic		A113	III	E1	860 Y845	25 kg 5 kg	864	100 kg
Iodine azide (dry)	FORBIDDEN											
Iodine monochloride, liquid	3498	8		Corrosive			II	E0	FORBIDDEN		855	30 L
Iodine monochloride, solid	1792	8		Corrosive	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		863	50 kg
Iodine pentafluoride	2495	5.1	6.1 8				I		FORBIDDEN		FORBIDDEN	
2-Iodobutane	2390	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Iodomethane, see Methyl iodide												
Iodomethylpropanes	2391	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Iodopropanes	2392	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
alpha-Iodotoluene, see Benzyl iodide												
Iodoxy compounds (dry)	FORBIDDEN											
IPDI, see Isophorone diisocyanate												
Iridium nitratopentamine iridium nitrate	FORBIDDEN											

별표 1. 위험물 목록

3-2-105

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Iron chloride, anhydrous, see Ferric chloride, anhydrous												
Iron (III) chloride, anhydrous, see Ferric chloride, anhydrous												
Iron chloride solution, see Ferric chloride solution												
Iron oxide, spent † (obtained from coal gas purification)	1376	4.2			AU 1 CA 7 IR 3 NL 1 US 3	A2 A3	III		FORBIDDEN		FORBIDDEN	
Iron pentacarbonyl	1994	6.1	3				I		FORBIDDEN		FORBIDDEN	
Iron perchloride, anhydrous, see Ferric chloride, anhydrous												
Iron powder, pyrophoric, see Pyrophoric metal, n.o.s. or Pyrophoric alloy, n.o.s.												
Iron sesquichloride, anhydrous, see Ferric chloride, anhydrous												
Iron sponge, spent † (obtained from coal gas purification)	1376	4.2			AU 1 CA 7 IR 3 NL 1 US 3	A2 A3	III		FORBIDDEN		FORBIDDEN	
Iron swarf, see Ferrous metal, borings, cuttings, shavings or turnings , etc.												
Irritating agents, see Tear gas substance , etc.												
Isobutane	1969	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Isobutanol	1212	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Isobutene, see Isobutylene												
Isobutyl acetate	1213	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Isobutyl acrylate, stabilized	2527	3		Liquid flammable		A209	III	E1	355 Y344	60 L 10 L	366	220 L
Isobutyl alcohol	1212	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Isobutyl aldehyde	2045	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Isobutylamine	1214	3	8	Liquid flammable & Corrosive			II	E2	352 Y340	1 L 0.5 L	363	5 L
Isobutylene	1055	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Isobutyl formate	2393	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Isobutyl isobutyrate	2528	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Isobutyl isocyanate	2486	6.1	3		US 2		I		FORBIDDEN		FORBIDDEN	
Isobutyl methacrylate, stabilized	2283	3		Liquid flammable		A209	III	E1	355 Y344	60 L 10 L	366	220 L
Isobutyl propionate	2394	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Isobutyraldehyde	2045	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Isobutyric acid	2529	3	8	Liquid flammable & Corrosive			III	E1	354 Y342	5 L 1 L	365	60 L
Isobutyronitrile	2284	3	6.1	Liquid flammable & Toxic			II	E2	352 Y341	1 L 1 L	364	60 L
Isobutyryl chloride	2395	3	8	Liquid flammable & Corrosive			II	E2	352 Y340	1 L 0.5 L	363	5 L
Isocyanates, flammable, toxic, n.o.s.* †	2478	3	6.1	Liquid flammable & Toxic			A3	E2	352 Y341	1 L 1 L	364	60 L
							III	E1	355 Y343	60 L 2 L	366	220 L
Isocyanate solution, flammable, toxic, n.o.s.* †	2478	3	6.1	Liquid flammable & Toxic			A3	E2	352 Y341	1 L 1 L	364	60 L
							III	E1	355 Y343	60 L 2 L	366	220 L
Isocyanate solution, toxic, n.o.s.* †	2206	6.1		Toxic			A3	E4	654 Y641	5 L 1 L	662	60 L
							III	E1	655 Y642	60 L 2 L	663	220 L
Isocyanate solution, toxic, flammable, n.o.s.* †	3080	6.1	3	Toxic & Liquid flammable				E4	654 Y641	5 L 1 L	662	60 L
Isocyanates, toxic, n.o.s.* †	2206	6.1		Toxic			A3	E4	654 Y641	5 L 1 L	662	60 L
							III	E1	655 Y642	60 L 2 L	663	220 L
Isocyanates, toxic, flammable, n.o.s.* †	3080	6.1	3	Toxic & Liquid flammable			II	E4	654 Y641	5 L 1 L	662	60 L
Isocyanatobenzotrifluorides	2285	6.1	3	Toxic & Liquid flammable			II	E4	654 Y641	5 L 1 L	662	60 L

별표 1. 위험물 목록

3-2-107

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
3-Isocyanatomethyl-3,5,5-trimethylcyclohexyl isocyanate, see Isophorone diisocyanate												
Isododecane, see Pentamethylheptane												
Isoheptene	2287	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Isohexene	2288	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Isooctane, see Octanes												
Isooctene	1216	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Isopentane, see Pentanes , etc. liquid												
Isopentenenes	2371	3		Liquid flammable			I	E3	351	1 L	361	30 L
Isopentylamine, see Amylamine												
Isopentyl nitrite, see Amyl nitrite												
Isophoronediamine	2289	8		Corrosive			III	E1	852 Y841	5 L 1 L	856	60 L
Isophorone diisocyanate	2290	6.1		Toxic			III	E1	655 Y642	60 L 2 L	663	220 L
Isoprene, stabilized	1218	3		Liquid flammable		A209	I	E3	351	1 L	361	30 L
Isopropanol	1219	3		Liquid flammable		A180	II	E2	353 Y341	5 L 1 L	364	60 L
Isopropenyl acetate	2403	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Isopropenylbenzene	2303	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Isopropyl acetate	1220	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Isopropyl acid phosphate	1793	8		Corrosive			III	E1	852 Y841	5 L 1 L	856	60 L
Isopropyl alcohol	1219	3		Liquid flammable		A180	II	E2	353 Y341	5 L 1 L	364	60 L
Isopropylamine	1221	3	8	Liquid flammable & Corrosive			I	E0	350	0.5 L	360	2.5 L
Isopropylbenzene	1918	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Isopropyl sec-butyl peroxydicarbonate, not more than 52%, with di-sec-butyl peroxydicarbonate, not more than 28%, with di-isopropyl peroxydicarbonate, not more than 22%	FORBIDDEN											

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Isopropyl butyrate	2405	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Isopropyl chloride, see 2-Chloropropane												
Isopropyl chloroacetate	2947	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Isopropyl chloroformate	2407	6.1	3 8		AU 1 CA 7 IR 3 NL 1 US 3	A2	I		FORBIDDEN		FORBIDDEN	
Isopropyl-alpha-chloropropionate, see Isopropyl 2-chloropropionate												
Isopropyl 2-chloropropionate	2934	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Isopropylcumyl hydroperoxide, more than 72% in solution	FORBIDDEN											
Isopropyl ether, see Diisopropyl ether												
Isopropylethylene, see 3-Methyl-1-butene												
Isopropyl formate, see Propyl formates												
Isopropyl isobutyrate	2406	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Isopropyl isocyanate	2483	6.1	3				I		FORBIDDEN		FORBIDDEN	
Isopropyl mercaptan, see Propanethiols												
Isopropyl nitrate	1222	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Isopropyl propionate	2409	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Isopropyltoluene, see Cymenes												
Isopropyltoluol, see Cymenes												
≠ Isosorbide dinitrate mixture with not less than 60% lactose, mannose, starch or calcium hydrogen phosphate	2907	4.1		Solid flammable	BE 3	A40 A49	II	E0	445	15 kg	448	50 kg
Isosorbide-5-mononitrate	3251	4.1				A110	III		FORBIDDEN		FORBIDDEN	
Isothiocyanic acid	FORBIDDEN											
Isovaleraldehyde, see Valeraldehyde												

J

Jet fuel, see **Fuel, aviation, turbine engine**

별표 1. 위험물 목록

3-2-109

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Jet perforating guns, charged , oil well, without detonator†	0124	1.1D							FORBIDDEN		FORBIDDEN	
Jet perforating guns, charged , oil well, without detonator†	0494	1.4D		Explosive 1.4		A24		E0	FORBIDDEN		101	300 kg
Jet tappers, without detonator, see Charges, shaped (UN Nos. 0059, 0439, 0440, 0441)												
K												
Kerosene	1223	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Ketones, liquid, n.o.s.*	1224	3		Liquid flammable		A3	II	E2	353 Y341	5 L 1 L	364	60 L
							III	E1	355 Y344	60 L 10 L	366	220 L
Krill meal	3497	4.2		Spontaneous combustion		A3	II	E2	467	15 kg	470	50 kg
							III	E1	469	25 kg	471	100 kg
Krypton, compressed	1056	2.2		Gas non-flammable		A69 A202		E1	200	75 kg	200	150 kg
Krypton, refrigerated liquid	1970	2.2		Gas non-flammable				E1	202	50 kg	202	500 kg
L												
Lacquer base or lacquer chips, nitrocellulose, dry†, see Nitrocellulose , etc. (UN No. 2557)												
Lacquer base or lacquer chips, plastic, wet with alcohol or solvent, see Contrivances, water-activated , etc.												
Lead acetate	1616	6.1		Toxic			III	E1	670 Y645	100 kg 10 kg	677	200 kg
Lead (II) acetate, see Lead acetate												
Lead arsenates	1617	6.1		Toxic	US 4		II	E4	669 Y644	25 kg 1 kg	676	100 kg
Lead arsenites	1618	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Lead azide (dry)												
Lead azide, wetted with not less than 20% water, or mixture of alcohol and water, by mass	0129	1.1A							FORBIDDEN		FORBIDDEN	
Lead chloride, solid, see Lead compound, soluble, n.o.s.												
Lead compound, soluble, n.o.s.*	2291	6.1		Toxic		A92	III	E1	670 Y645	100 kg 10 kg	677	200 kg
Lead cyanide	1620	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Lead (II) cyanide, see Lead cyanide												
Lead dioxide	1872	5.1		Oxidizer			III	E1	559 Y546	25 kg 10 kg	563	100 kg
Lead nitrate	1469	5.1	6.1	Oxidizer & Toxic			II	E2	558 Y543	5 kg 1 kg	562	25 kg
Lead (II) nitrate, see Lead nitrate												
Lead nitroresorcinate (dry)	FORBIDDEN											
Lead (II) perchlorate, see Lead perchlorate, solid (UN No.1470) or Lead perchlorate solution (UN No.3408)												
Lead perchlorate, solid	1470	5.1	6.1	Oxidizer & Toxic			II	E2	558 Y543	5 kg 1 kg	562	25 kg
Lead perchlorate solution	3408	5.1	6.1	Oxidizer & Toxic		A3	II III	E2 E1	550 Y540 551 Y541	1 L 0.5 L 2.5 L 1 L	554 555	5 L 30 L
Lead peroxide, see Lead dioxide												
Lead phosphite, dibasic	2989	4.1		Solid flammable		A3	II III	E2 E1	445 Y441 446 Y443	15 kg 5 kg 25 kg 10 kg	448 449	50 kg 100 kg
Lead picrate (dry)	FORBIDDEN											
Lead styphnate (dry)	FORBIDDEN											
Lead styphnate, wetted with not less than 20% water, or mixture of alcohol and water, by mass	0130	1.1A							FORBIDDEN		FORBIDDEN	
Lead sulphate with more than 3% free acid	1794	8		Corrosive	US 4		II	E2	859 Y844	15 kg 5 kg	863	50 kg
Lead tetraethyl, see Motor fuel anti-knock mixture												
Lead tetramethyl, see Motor fuel anti-knock mixture												
Lead trinitroresorcinate (dry)	FORBIDDEN											
Lead trinitroresorcinate, wetted with not less than 20% water, or mixture of alcohol and water, by mass	0130	1.1A							FORBIDDEN		FORBIDDEN	
Life-saving appliances, not self-inflating containing dangerous goods as equipment	3072	9		Miscellaneous		A48 A87 A154 A182 A223		E0	955	No limit	955	No limit

별표 1. 위험물 목록

3-2-111

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Life-saving appliances, self-inflating	2990	9		Miscellaneous		A48 A87 A154 A223		E0	955	No limit	955	No limit
Lighter flints, see Ferrocium												
Lighter fluid, see Flammable liquid, n.o.s.												
Lighter refills containing flammable gas	1057	2.1		Gas flammable				E0	201	1 kg	201	15 kg
Lighters containing flammable gas	1057	2.1		Gas flammable	US 7			E0	201	1 kg	201	15 kg
Lighters (cigarettes) containing pyrophoric liquid	FORBIDDEN											
Lighters, fuse †	0131	1.4S		Explosive 1.4				E0	142	25 kg	142	100 kg
Lighters (cigarettes) with lighter fluids	FORBIDDEN											
Limonene, inactive, see Dipentene												
Liquefied gas, n.o.s.*	3163	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Liquefied gases , non-flammable, charged with nitrogen, carbon dioxide or air	1058	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Liquefied gas, flammable, n.o.s.*	3161	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Liquefied gas, oxidizing, n.o.s.*	3157	2.2	5.1	Gas non-flammable & Oxidizer	US 18			E0	200	75 kg	200	150 kg
Liquefied gas, toxic, n.o.s.*	3162	2.3			AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Liquefied gas, toxic, corrosive, n.o.s.*	3308	2.3	8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Liquefied gas, toxic, flammable, n.o.s.*	3160	2.3	2.1		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Liquefied gas, toxic, flammable, corrosive, n.o.s.*	3309	2.3	2.1 8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Liquefied gas, toxic, oxidizing, n.o.s.*	3307	2.3	5.1		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Liquefied gas, toxic, oxidizing, corrosive, n.o.s.*	3310	2.3	5.1 8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Liquefied petroleum gas, see Petroleum gases, liquefied												
Liquor, see Alcoholic beverages , etc.												
Lithium	1415	4.3		Danger if wet	AU 1 CA 7 IR 3 NL 1 US 3	A1	I	E0	FORBIDDEN		487	15 kg
Lithium alkyls, liquid, see Organometallic substance, liquid, pyrophoric, water-reactive (UN No. 3394)												
Lithium alkyls, solid, see Organometallic substance, solid, pyrophoric, water-reactive (UN No. 3393)												
Lithium alloy batteries, see Lithium metal batteries , etc. (UN Nos. 3090, 3091)												
Lithium aluminium hydride	1410	4.3		Danger if wet			I	E0	FORBIDDEN		487	15 kg
Lithium aluminium hydride, ethereal	1411	4.3	3	Danger if wet & Liquid flammable			I	E0	FORBIDDEN		480	1 L
Lithium batteries installed in cargo transport unit lithium ion batteries or lithium metal batteries	3536	9							FORBIDDEN		FORBIDDEN	
Lithium borohydride	1413	4.3		Danger if wet			I	E0	FORBIDDEN		487	15 kg
Lithium ferrosilicon	2830	4.3		Danger if wet			II	E2	484 Y475	15 kg 5 kg	490	50 kg
Lithium hydride	1414	4.3		Danger if wet			I	E0	FORBIDDEN		487	15 kg
Lithium hydride, fused solid	2805	4.3		Danger if wet			II	E2	483 Y475	15 kg 5 kg	489	50 kg
Lithium hydroxide	2680	8		Corrosive			II	E2	859 Y844	15 kg 5 kg	863	50 kg
Lithium hydroxide solution	2679	8		Corrosive		A3	II III	E2 E1	851 Y840 852 Y841	1 L 0.5 L 5 L 1 L	855 856	30 L 60 L

별표 1. 위험물 목록

3-2-113

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Lithium hypochlorite, dry	1471	5.1		Oxidizer		A3	II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
							III	E1	559 Y546	25 kg 10 kg	563	100 kg
Lithium hypochlorite mixture	1471	5.1		Oxidizer		A3	II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
							III	E1	559 Y546	25 kg 10 kg	563	100 kg
Lithium in cartouches, see Lithium												
≠ Lithium ion batteries (including lithium ion polymer batteries)	3480	9		Miscellaneous — Lithium or sodium ion batteries	US 3	A88 A99 A154 A183 A201 A213		E0	FORBIDDEN		See 965	
≠ Lithium ion batteries contained in equipment (including lithium ion polymer batteries)	3481	9		Miscellaneous — Lithium or sodium ion batteries	US 3	A48 A88 A99 A154 A181 A185 A213 A220		E0	967	5 kg	967	35 kg
≠ Lithium ion batteries packed with equipment (including lithium ion polymer batteries)	3481	9		Miscellaneous — Lithium or sodium ion batteries	US 3	A88 A99 A154 A181 A185 A213		E0	966	5 kg	966	35 kg
Lithium ion polymer batteries, see Lithium ion batteries , etc. (UN Nos. 3480, 3481)												
≠ Lithium metal batteries (including lithium alloy batteries)†	3090	9		Miscellaneous — Lithium or sodium ion batteries	US 2 US 3	A88 A99 A154 A183 A201 A213		E0	FORBIDDEN		See 968	
≠ Lithium metal batteries contained in equipment (including lithium alloy batteries)†	3091	9		Miscellaneous — Lithium or sodium ion batteries	US 2 US 3	A48 A88 A99 A154 A181 A185 A213 A220		E0	970	5 kg	970	35 kg

별표 1. 위험물 목록

Part 3

									Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	10	11	12	13
≠ Lithium metal batteries packed with equipment (including lithium alloy batteries)†	3091	9		Miscellaneous — Lithium or sodium ion batteries	US 2 US 3	A88 A99 A154 A181 A185 A213		E0	969	5 kg	969	35 kg
Lithium nitrate	2722	5.1		Oxidizer			III	E1	559 Y546	25 kg 10 kg	563	100 kg
Lithium nitride	2806	4.3		Danger if wet			I	E0	FORBIDDEN		488	15 kg
Lithium peroxide	1472	5.1		Oxidizer			II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
Lithium silicide, see Lithium silicon												
Lithium silicon †	1417	4.3		Danger if wet			II	E2	483 Y475	15 kg 5 kg	489	50 kg
LNG, see Methane, refrigerated liquid or natural gas, refrigerated liquid , etc.												
London Purple	1621	6.1		Toxic		A6	II	E4	669 Y644	25 kg 1 kg	676	100 kg
LPG, see Petroleum gases, liquefied												
Lye, see Sodium hydroxide, solid												
Lythene, see Petroleum distillates, n.o.s.												
M												
Machinery, fuel cell, flammable gas powered	3529	2.1		Gas flammable		A70 A87 A154 A176 A208		E0	FORBIDDEN		220	No limit
Machinery, fuel cell, flammable liquid powered	3528	3		Liquid flammable		A70 A87 A154 A176 A208		E0	378	No limit	378	No limit
≠ Machinery, internal combustion	3530	9		Miscellaneous		A70 A87 A154 A208		E0	972	No limit	972	No limit
Machinery, internal combustion, flammable gas powered	3529	2.1		Gas flammable		A70 A87 A154 A208		E0	FORBIDDEN		220	No limit
Machinery, internal combustion, flammable liquid powered	3528	3		Liquid flammable		A70 A87 A154 A208		E0	378	No limit	378	No limit

별표 1. 위험물 목록

3-2-115

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Magnesium in pellets, turnings or ribbons Magnesium alkyls, see Organometallic substance, liquid, pyrophoric, water-reactive (UN No. 3394)	1869	4.1		Solid flammable		A15	III	E1	446 Y443	25 kg 10 kg	449	100 kg
Magnesium alloys with more than 50% magnesium in pellets, turnings or ribbons	1869	4.1		Solid flammable		A15	III	E1	446 Y443	25 kg 10 kg	449	100 kg
Magnesium alloys powder	1418	4.3	4.2	Danger if wet & Spontaneous combustion		A3	I II III	E0 E2 E1	FORBIDDEN 483 486	15 kg 25 kg	488 490 491	15 kg 50 kg 100 kg
Magnesium aluminium phosphide	1419	4.3	6.1	Danger if wet & Toxic			I	E0	FORBIDDEN		487	15 kg
Magnesium arsenate Magnesium bisulphite solution, see Bisulphites, aqueous solution, n.o.s.	1622	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Magnesium bromate	1473	5.1		Oxidizer			II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
Magnesium chlorate Magnesium chloride and chlorate mixture, see Chlorate and magnesium chloride mixture, solid (UN No. 1459) or Chlorate and magnesium chloride mixture solution (UN No. 3407)	2723	5.1		Oxidizer			II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
Magnesium diamide Magnesium diphenyl, see Organometallic substance, solid, pyrophoric, water-reactive (UN No. 3393)	2004	4.2		Spontaneous combustion			II	E2	467	15 kg	470	50 kg
Magnesium dross, wet or hot	FORBIDDEN											
Magnesium fluorosilicate	2853	6.1		Toxic			III	E1	670 Y645	100 kg 10 kg	677	200 kg
Magnesium granules, coated , particle size not less than 149 microns	2950	4.3		Danger if wet			III	E1	486 Y477	25 kg 10 kg	491	100 kg
Magnesium hydride	2010	4.3		Danger if wet			I	E0	FORBIDDEN		487	15 kg
Magnesium nitrate	1474	5.1		Oxidizer		A155	III	E1	559 Y546	25 kg 10 kg	563	100 kg
Magnesium perchlorate	1475	5.1		Oxidizer			II	E2	558 Y544	5 kg 2.5 kg	562	25 kg

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Magnesium peroxide	1476	5.1		Oxidizer			II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
Magnesium phosphide	2011	4.3	6.1	Danger if wet & Toxic			I	E0	FORBIDDEN		487	15 kg
Magnesium powder	1418	4.3	4.2	Danger if wet & Spontaneous combustion		A3	I II III	E0 E2 E1	FORBIDDEN 483 486	15 kg 25 kg	488 490 491	15 kg 50 kg 100 kg
Magnesium scrap†, see Magnesium or Magnesium alloys (UN No. 1869)												
Magnesium silicide	2624	4.3		Danger if wet			II	E2	483 Y475	15 kg 5 kg	489	50 kg
Magnesium silicofluoride, see Magnesium fluorosilicate												
Magnetized material	2807	9		Magnetic				E0	953	No limit	953	No limit
Maleic anhydride	2215	8		Corrosive			III	E1	860 Y845	25 kg 5 kg	864	100 kg
Maleic anhydride, molten	2215	8					III		FORBIDDEN		FORBIDDEN	
Malonic dinitrile, see Malononitrile												
Malonodinitrile, see Malononitrile												
Malononitrile	2647	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Maneb	2210	4.2	4.3	Spontaneous combustion & Danger if wet		A30	III	E1	468	25 kg	471	100 kg
Maneb preparation with not less than 60% maneb	2210	4.2	4.3	Spontaneous combustion & Danger if wet		A30	III	E1	468	25 kg	471	100 kg
Maneb preparation, stabilized against self-heating	2968	4.3		Danger if wet		A3	III	E1	486 Y477	25 kg 10 kg	491	100 kg
Maneb stabilized against self-heating	2968	4.3		Danger if wet		A3	III	E1	486 Y477	25 kg 10 kg	491	100 kg
Manganese ethylene-di- dithiocarbamate, see Maneb												
Manganese ethylene-1,2-di- dithiocarbamate, see Maneb												
Manganese nitrate	2724	5.1		Oxidizer			III	E1	559 Y546	25 kg 10 kg	563	100 kg
Manganese (II) nitrate, see Manganese nitrate												
Manganese resinate	1330	4.1		Solid flammable			III	E1	446 Y443	25 kg 10 kg	449	100 kg
Manganous nitrate, see Manganese nitrate												
Mannitan tetranitrate	FORBIDDEN											

별표 1. 위험물 목록

3-2-117

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Mannitol hexanitrate (dry)	FORBIDDEN											
Mannitol hexanitrate, wetted with not less than 40% water, or mixture of alcohol and water, by mass	0133	1.1D							FORBIDDEN		FORBIDDEN	
Matches, fusee †	2254	4.1			AU 1 CA 7 IR 3 NL 1 US 3	A2 A125	III		FORBIDDEN		FORBIDDEN	
Matches, safety (book, card or strike on box)†	1944	4.1		Solid flammable		A125	III	E1	455 Y455	25 kg 10 kg	455	100 kg
Matches, ‘strike anywhere’ †	1331	4.1			AU 1 CA 7 IR 3 NL 1 US 3	A2 A125	III		FORBIDDEN		FORBIDDEN	
Matches, trick, see Fireworks , etc.												
Matches, wax ‘vesta’	1945	4.1		Solid flammable		A125	III	E1	455 Y455	25 kg 10 kg	455	100 kg
Medical waste, n.o.s.	3291	6.2		Infectious		A117		E0	621	No limit	621	No limit
Medical waste, Category A, affecting animals only, solid	3549	6.2				A2 A218		E0	FORBIDDEN		FORBIDDEN	
Medical waste, Category A, affecting humans , solid	3549	6.2				A2 A218		E0	FORBIDDEN		FORBIDDEN	
Medicine, n.o.s., see Consumer commodity												
Medicine, liquid, flammable, toxic, n.o.s.	3248	3	6.1	Liquid flammable & Toxic		A3 A80	II III	E2 E1	352 Y341 355 Y343	1 L 1 L 60 L 2 L	364 366	60 L 220 L
Medicine, liquid, toxic, n.o.s.	1851	6.1		Toxic		A3	II III	E4 E1	654 Y641 655 Y642	5 L 1 L 60 L 2 L	662 663	60 L 220 L
Medicine, solid, toxic, n.o.s.	3249	6.1		Toxic		A3	II III	E4 E1	669 Y644 670 Y645	25 kg 1 kg 100 kg 10 kg	676 677	100 kg 200 kg
p-Mentha-1,8-diene, see Dipentene												
Mercaptan mixture, liquid, flammable, n.o.s.*	3336	3		Liquid flammable		A3	I II III	E0 E2 E1	FORBIDDEN 353 Y341 355 Y344	5 L 1 L 60 L 10 L	361 364 366	30 L 60 L 220 L

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Mercaptan mixture, liquid, flammable, toxic, n.o.s.*	1228	3	6.1	Liquid flammable & Toxic	AU 1 CA 7 IR 3 NL 1 US 3	A1 A3	II III	E0 E1	FORBIDDEN 373 Y373	5 L 1 L	373	60 L 220 L
Mercaptan mixture, liquid, toxic, flammable, n.o.s.*	3071	6.1	3	Toxic & Liquid flammable			II	E4	654 Y641	5 L 1 L	661	60 L
Mercaptans, liquid, flammable, n.o.s.*	3336	3		Liquid flammable		A3	I II III	E0 E2 E1	FORBIDDEN 353 Y341 355 Y344	5 L 1 L 60 L 10 L	361 364 366	30 L 60 L 220 L
Mercaptans, liquid, flammable, toxic, n.o.s.*	1228	3	6.1	Liquid flammable & Toxic	AU 1 CA 7 IR 3 NL 1 US 3	A1 A3	II III	E0 E1	FORBIDDEN 373 Y373	5 L 1 L	373	60 L 220 L
Mercaptans, liquid, toxic, flammable, n.o.s.*	3071	6.1	3	Toxic & Liquid flammable			II	E4	654 Y641	5 L 1 L	661	60 L
2-Mercaptoethanol, see Thioglycol												
2-Mercaptopropionic acid, see Thiolactic acid												
5-Mercaptotetrazol-1-acetic acid	0448	1.4C		Explosive 1.4				E0	FORBIDDEN		114 b)	75 kg
Mercuric arsenate	1623	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Mercuric chloride	1624	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Mercuric nitrate	1625	6.1		Toxic	US 4		II	E4	669 Y644	25 kg 1 kg	676	100 kg
Mercuric potassium cyanide	1626	6.1		Toxic			I	E5	666	5 kg	673	50 kg
Mercuric sulphate, see Mercury sulphate												
Mercuriol, see Mercury nucleate												
Mercurous azide												
Mercurous bisulphate, see Mercury sulphate												
Mercurous chloride, see Mercury compound, solid, n.o.s. (UN No. 2025)												
Mercurous nitrate	1627	6.1		Toxic	US 4		II	E4	669 Y644	25 kg 1 kg	676	100 kg
Mercurous sulphate, see Mercury sulphate												
Mercury	2809	8	6.1	Corrosive & Toxic	US 4		III	E0	868	35 kg	868	35 kg

별표 1. 위험물 목록

3-2-119

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Mercury acetate	1629	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Mercury acetylide	FORBIDDEN											
Mercury ammonium chloride	1630	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Mercury based pesticide, liquid, flammable, toxic* , flash point less than 23°C	2778	3	6.1	Liquid flammable & Toxic		A4	I II	E0 E2	FORBIDDEN 352 Y341	1 L 1 L	361 364	30 L 60 L
Mercury based pesticide, liquid, toxic*	3012	6.1		Toxic		A3 A4	I II	E5 E4	652 654 Y641	1 L 5 L 1 L	658 662	30 L 60 L
							III	E1	655 Y642	60 L 2 L	663	220 L
Mercury based pesticide, liquid, toxic, flammable* , flash point not less than 23°C	3011	6.1	3	Toxic & Liquid flammable		A3 A4	I II	E5 E4	652 654 Y641	1 L 5 L 1 L	658 662	30 L 60 L
							III	E1	655 Y642	60 L 2 L	663	220 L
Mercury based pesticide, solid, toxic*	2777	6.1		Toxic		A3 A5	I II	E5 E4	666 669 Y644	5 kg 25 kg 1 kg	673 676	50 kg 100 kg
							III	E1	670 Y645	100 kg 10 kg	677	200 kg
Mercury benzoate	1631	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Mercury bichloride, see Mercuric chloride												
Mercury bromides	1634	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Mercury compound, liquid, n.o.s.*	2024	6.1		Toxic		A3 A4 A6 A18	I II	E5 E4	652 654 Y641	1 L 5 L 1 L	658 661	30 L 60 L
							III	E1	655 Y642	60 L 2 L	663	220 L
Mercury compound, solid, n.o.s.*	2025	6.1		Toxic		A3 A5 A6 A18	I II	E5 E4	666 669 Y644	5 kg 25 kg 1 kg	673 676	50 kg 100 kg
							III	E1	670 Y645	100 kg 10 kg	677	200 kg
Mercury contained in manufactured articles	3506	8	6.1	Corrosive & Toxic		A48 A69 A191		E0	869	No limit	869	No limit
Mercury cyanide	1636	6.1		Toxic	US 4		II	E4	669 Y644	25 kg 1 kg	676	100 kg
Mercury fulminate, wetted with not less than 20% water, or mixture of alcohol and water, by mass	0135	1.1A							FORBIDDEN		FORBIDDEN	

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Mercury gluconate	1637	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Mercury iodide	1638	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Mercury iodide aquabasic ammonobasic (Iodide of Millon's base)	FORBIDDEN											
Mercury nitride	FORBIDDEN											
Mercury nucleate	1639	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Mercury oleate	1640	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Mercury oxide	1641	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Mercury oxycyanide, desensitized	1642	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Mercury potassium iodide	1643	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Mercury salicylate	1644	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Mercury sulphate	1645	6.1		Toxic	US 4		II	E4	669 Y644	25 kg 1 kg	676	100 kg
Mercury thiocyanate	1646	6.1		Toxic	US 4		II	E4	669 Y644	25 kg 1 kg	676	100 kg
Mercury vapour tubes, see Mercury contained in manufactured articles (UN No. 3506)												
Mesitylene, see 1,3,5-Trimethylbenzene												
Mesityl oxide	1229	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Metal carbonyls, liquid, n.o.s.*	3281	6.1		Toxic		A3 A4 A137	I II III	E5 E4 E1	652 654 Y641 655 Y642	1 L 5 L 1 L 60 L 2 L	658 662 663	30 L 60 L 220 L
Metal carbonyls, solid, n.o.s.*	3466	6.1		Toxic		A3 A5	I II III	E5 E4 E1	666 669 Y644 670 Y645	5 kg 25 kg 1 kg 100 kg 10 kg	673 676 677	50 kg 100 kg 200 kg
Metal catalyst, dry*	2881	4.2		Spontaneous combustion		A1 A3 A36	I II III		FORBIDDEN FORBIDDEN 473		FORBIDDEN 473	

별표 1. 위험물 목록

3-2-121

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Metal catalyst, wetted* with a visible excess of liquid	1378	4.2		Spontaneous combustion	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		473	50 kg
Metalddehyde	1332	4.1		Solid flammable			III	E1	446 Y443	25 kg 10 kg	449	100 kg
Metal hydrides, flammable, n.o.s.*	3182	4.1		Solid flammable		A3	II	E2	445 Y441	15 kg 5 kg	448	50 kg
							III	E1	446 Y443	25 kg 10 kg	449	100 kg
Metal hydrides, water-reactive, n.o.s.*	1409	4.3		Danger if wet			I	E0	FORBIDDEN		487	15 kg
							II	E2	484 Y475	15 kg 5 kg	490	50 kg
Metallic substance, water-reactive, n.o.s.*	3208	4.3		Danger if wet		A3	I	E0	FORBIDDEN		487	15 kg
							II	E2	483 Y475	15 kg 5 kg	489	50 kg
							III	E1	485 Y477	25 kg 10 kg	491	100 kg
Metallic substance, water-reactive, self-heating, n.o.s.*	3209	4.3	4.2	Danger if wet & Spontaneous combustion		A3	I	E0	FORBIDDEN		487	15 kg
							II	E0	FORBIDDEN		489	50 kg
							III	E1	485	25 kg	491	100 kg
Metal powder, flammable, n.o.s.	3089	4.1		Solid flammable		A3	II	E2	445 Y441	15 kg 5 kg	448	50 kg
							III	E1	446 Y443	25 kg 10 kg	449	100 kg
Metal powder, self-heating, n.o.s.*	3189	4.2		Spontaneous combustion		A3	II	E2	467	15 kg	470	50 kg
							III	E1	469	25 kg	471	100 kg
Metal salts of organic compounds, flammable, n.o.s.*	3181	4.1		Solid flammable		A3	II	E2	445 Y441	15 kg 5 kg	448	50 kg
							III	E1	446 Y443	25 kg 10 kg	449	100 kg
Methacrylaldehyde, stabilized	2396	3	6.1	Liquid flammable & Toxic		A209	II	E2	352 Y341	1 L 1 L	364	60 L
Methacrylic acid, stabilized	2531	8		Corrosive		A209	II	E2	851 Y840	1 L 0.5 L	855	30 L
Methacrylonitrile, stabilized	3079	6.1	3			A209	I		FORBIDDEN		FORBIDDEN	
Methallyl alcohol	2614	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Methanal, see Formaldehyde solution												
Methane and hydrogen, mixture, compressed, see Hydrogen and methane, mixture, compressed												

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Methane, compressed	1971	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Methane, refrigerated liquid with high methane content	1972	2.1							FORBIDDEN		FORBIDDEN	
Methanesulphonyl chloride	3246	6.1	8				I		FORBIDDEN		FORBIDDEN	
Methanol	1230	3	6.1	Liquid flammable & Toxic		A113	II	E2	352 Y341	1 L 1 L	364	60 L
Methazoic acid									FORBIDDEN			
2-Methoxyethyl acetate, see Ethylene glycol monomethyl ether acetate												
Methoxymethyl isocyanate	2605	6.1	3				I		FORBIDDEN		FORBIDDEN	
4-Methoxy-4-methylpentan-2-one	2293	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
1-Methoxy-4-nitrobenzene, see Nitroanisoles, liquid (UN No. 2730) or Nitroanisoles, solid (UN No. 3458)												
1-Methoxy-2-nitrobenzene, see Nitroanisoles, liquid (UN No. 2730) or Nitroanisoles, solid (UN No. 3458)												
1-Methoxy-3-nitrobenzene, see Nitroanisoles, liquid (UN No. 2730) or Nitroanisoles, solid (UN No. 3458)												
1-Methoxy-2-propanol	3092	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Methyl acetate	1231	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Methylacetylene and propadiene mixture, stabilized †	1060	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1 A209		E0	FORBIDDEN		200	150 kg
beta-Methyl acrolein, see Crotonaldehyde or Crotonaldehyde, stabilized (UN No. 1143)												
Methyl acrylate, stabilized	1919	3		Liquid flammable		A209	II	E2	353 Y341	5 L 1 L	364	60 L
Methylal	1234	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Methyl alcohol, see Methanol												
Methyl allyl alcohol, see Methallyl alcohol												

별표 1. 위험물 목록

3-2-123

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Methylallyl chloride	2554	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Methylamine, anhydrous	1061	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3 US 4	A1		E0	FORBIDDEN		200	150 kg
Methylamine, aqueous solution	1235	3	8	Liquid flammable & Corrosive			II	E2	352 Y340	1 L 0.5 L	363	5 L
Methylamine dinitramine and dry salts thereof	FORBIDDEN											
Methylamine nitroform	FORBIDDEN											
Methylamine perchlorate (dry)	FORBIDDEN											
Methylamyl acetate	1233	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Methyl amyl alcohol, see Methyl isobutyl carbinol												
Methyl amyl ketone, see n-Amyl methyl ketone (UN No. 1110)												
N-Methylaniline	2294	6.1		Toxic			III	E1	655 Y642	60 L 2 L	663	220 L
Methylated spirit, see Alcohols, n.o.s. or Alcohols, flammable, toxic, n.o.s.												
alpha-Methylbenzyl alcohol, liquid	2937	6.1		Toxic			III	E1	655 Y642	60 L 2 L	663	220 L
alpha-Methylbenzyl alcohol, solid	3438	6.1		Toxic			III	E1	670 Y645	100 kg 10 kg	677	200 kg
Methyl bromide with not more than 2% chloropicrin	1062	2.3			AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Methyl bromide and chloropicrin mixture, see Chloropicrin and methyl bromide mixture												
Methyl bromide and ethylene dibromide mixture, liquid	1647	6.1			AU 1 CA 7 NL 1 US 3		I		FORBIDDEN		FORBIDDEN	
Methyl bromoacetate	2643	6.1		Toxic			II	E4	654 Y641	5 L 1 L	662	60 L
2-Methylbutanal	3371	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
3-Methylbutan-2-one	2397	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
2-Methyl-1-butene	2459	3		Liquid flammable			I	E3	351	1 L	361	30 L
2-Methyl-2-butene	2460	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
3-Methyl-1-butene	2561	3		Liquid flammable			I	E3	351	1 L	361	30 L
N-Methylbutylamine	2945	3	8	Liquid flammable & Corrosive			II	E2	352 Y340	1 L 0.5 L	363	5 L
Methyl tert-butyl ether	2398	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Methyl butyrate	1237	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Methyl chloride	1063	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	100 kg
Methyl chloride and chloropicrin mixture, see Chloropicrin and methyl chloride mixture												
Methyl chloride and methylene chloride mixture	1912	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1 A52		E0	FORBIDDEN		200	150 kg
Methyl chloroacetate	2295	6.1	3				I		FORBIDDEN		FORBIDDEN	
Methyl chlorocarbonate, see Methyl chloroformate												
Methyl chloroform, see 1,1,1-Trichloroethane												
Methyl chloroformate	1238	6.1	3 8				I		FORBIDDEN		FORBIDDEN	
Methyl chloromethyl ether	1239	6.1	3				I		FORBIDDEN		FORBIDDEN	
Methyl-alpha-chloropropionate, see Methyl 2-chloropropionate												
Methyl 2-chloropropionate	2933	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Methylchlorosilane	2534	2.3	2.1 8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Methyl cyanide, see Acetonitrile												
Methylcyclohexane	2296	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Methylcyclohexanols, flammable	2617	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L

별표 1. 위험물 목록

3-2-125

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Methylcyclohexanone	2297	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Methylcyclopentane	2298	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Methyl dichloroacetate	2299	6.1		Toxic			III	E1	655 Y642	60 L 2 L	663	220 L
Methyldichlorosilane	1242	4.3	3 8	Danger if wet & Liquid flammable & Corrosive			I	E0	FORBIDDEN		480	1 L
Methylene bromide, see Dibromomethane												
Methylene chloride, see Dichloromethane												
Methylene chloride and methyl chloride mixture, see Methyl chloride and methylene chloride mixture												
Methylene cyanide, see Malononitrile												
p,p'-Methylene dianiline, see 4,4'- Diaminodiphenylmethane												
Methylene dibromide, see Dibromomethane												
2,2'-Methylene-di-(3,4,6- trichlorophenol), see Hexachlorophene												
Methylene glycol dinitrate												
Methyl ethyl ether, see Ethyl methyl ether												
Methyl ethyl ketone	1193	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Methyl ethyl ketone peroxide(s), not more than 52% when with 48% or more diluent type A												
Methyl ethyl ketone peroxide(s), 48% or more if available oxygen above 10% and not more than 10.7%, with or without water												
2-Methyl-5-ethylpyridine	2300	6.1		Toxic			III	E1	655 Y642	60 L 2 L	663	220 L
Methyl fluoride	2454	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Methyl formate	1243	3		Liquid flammable			I	E3	351	1 L	361	30 L

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
2-Methylfuran	2301	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
a-Methylglucoside tetranitrate	FORBIDDEN											
a-Methylglycerol trinitrate	FORBIDDEN											
Methyl glycol, see Ethylene glycol monomethyl ether												
Methyl glycol acetate, see Ethylene glycol monomethyl ether acetate												
2-Methyl-2-heptanethiol	3023	6.1	3				I		FORBIDDEN		FORBIDDEN	
5-Methylhexan-2-one	2302	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Methylhydrazine	1244	6.1	3 8				I		FORBIDDEN		FORBIDDEN	
Methyl iodide	2644	6.1			US 4		I		FORBIDDEN		FORBIDDEN	
Methyl isobutyl carbinol	2053	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Methyl isobutyl ketone	1245	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Methyl isocyanate	2480	6.1	3				I		FORBIDDEN		FORBIDDEN	
Methyl isopropenyl ketone, stabilized	1246	3		Liquid flammable		A209	II	E2	353 Y341	5 L 1 L	364	60 L
Methyl isothiocyanate	2477	6.1	3				I		FORBIDDEN		FORBIDDEN	
Methyl isovalerate	2400	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Methyl magnesium bromide in ethyl ether	1928	4.3	3	Danger if wet & Liquid flammable			I	E0	FORBIDDEN		480	1 L
Methyl mercaptan	1064	2.3	2.1		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Methyl mercaptopropionaldehyde, see 4-Thiapentanal (UN No. 2785)												
Methyl methacrylate monomer, stabilized	1247	3		Liquid flammable		A209	II	E2	353 Y341	5 L 1 L	364	60 L
4-Methylmorpholine	2535	3	8	Liquid flammable & Corrosive			II	E2	352 Y340	1 L 0.5 L	363	5 L
N-Methylmorpholine	2535	3	8	Liquid flammable & Corrosive			II	E2	352 Y340	1 L 0.5 L	363	5 L
Methyl nitramine (dry), metal salts of	FORBIDDEN											
Methyl nitrate	FORBIDDEN											
Methyl nitrite	FORBIDDEN											

별표 1. 위험물 목록

3-2-127

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Methyl orthosilicate	2606	6.1	3				I		FORBIDDEN		FORBIDDEN	
Methylpentadiene	2461	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Methylpentanes, see Hexanes												
4-Methylpentan-2-ol, see Methyl isobutyl carbinol												
2-Methylpentan-2-ol	2560	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
3-Methyl-2-penten-4-ynol, see 1-Pentol												
Methylphenyldichlorosilane	2437	8		Corrosive	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		876	30 L
2-Methyl-2-phenylpropane, see Butylbenzenes												
Methyl picric acid (heavy metal salts of)	FORBIDDEN											
1-Methylpiperidine	2399	3	8	Liquid flammable & Corrosive			II	E2	352 Y340	1 L 0.5 L	363	5 L
Methyl propionate	1248	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Methylpropylbenzene, see Cymenes												
Methyl propyl ether	2612	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Methyl propyl ketone	1249	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Methyl pyridines, see Picolines												
alpha-Methylstyrene, see Isopropenylbenzene												
Methylstyrene, stabilized, see Vinyltoluenes, stabilized (UN No. 2618)												
Methyl sulphate, see Dimethyl sulphate												
Methyl sulphide, see Dimethyl sulphide												
Methyltetrahydrofuran	2536	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Methyl trichloroacetate	2533	6.1		Toxic			III	E1	655 Y642	60 L 2 L	663	220 L

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Methyltrichlorosilane	1250	3	8	Liquid flammable & Corrosive	AU 1 CA 7 IR 3 NL 1 US 3		II	E0	FORBIDDEN		377	5 L
Methyl trimethylol methane trinitrate	FORBIDDEN											
alpha-Methylvaleraldehyde	2367	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Methyl vinyl benzene, stabilized, see Vinyltoluenes, stabilized (UN No. 2618)												
Methyl vinyl ketone, stabilized	1251	6.1	3 8			A209	I		FORBIDDEN		FORBIDDEN	
MIBC, see Methyl isobutyl carbinol												
Mine rescue equipment containing carbon dioxide, see Carbon dioxide												
Mines with bursting charge†	0136	1.1F							FORBIDDEN		FORBIDDEN	
Mines with bursting charge†	0137	1.1D							FORBIDDEN		FORBIDDEN	
Mines with bursting charge†	0138	1.2D							FORBIDDEN		FORBIDDEN	
Mines with bursting charge†	0294	1.2F							FORBIDDEN		FORBIDDEN	
Mirbane oil, see Nitrobenzene												
Missiles, guided, see Rockets , (UN No. 0398) liquid fuelled , etc. or Rockets , etc.												
Mobility aids, see Battery-powered equipment or Battery-powered vehicle												
Molybdenum pentachloride	2508	8		Corrosive			III	E1	860 Y845	25 kg 5 kg	864	100 kg
Monochloroacetic acid, see Chloroacetic acid , etc.												
Monochlorobenzene, see Chlorobenzene												
Monochlorodifluoromethane, see Chlorodifluoromethane												
Monochlorodifluoromethane and monochloropentafluoroethane mixture, see Chlorodifluoromethane and chloropentafluoroethane mixture , etc.												
Monochlorodifluoromono-bromomethane, see Chlorodifluorobromomethane												
Monoethylamine, see Ethylamine												

별표 1. 위험물 목록

3-2-129

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Monopropylamine, see Propylamine												
Morpholine	2054	8	3	Corrosive & Liquid flammable			I	E0	850	0.5 L	854	2.5 L
Motorcycles, see Vehicle (flammable gas powered) or Vehicle (flammable liquid powered)												
Motor fuel anti-knock mixture	1649	6.1		Toxic	AU 1 CA 7 IR 3 NL 1 US 3	A1	I	E0	FORBIDDEN		658	30 L
Motor fuel anti-knock mixture, flammable	3483	6.1	3		AU 1 CA 7 IR 3 NL 1 US 3	A2	I		FORBIDDEN		FORBIDDEN	
Motor spirit	1203	3		Liquid flammable		A100	II	E2	353 Y341	5 L 1 L	364	60 L
Muriatic acid, see Hydrochloric acid												
Musk xylene	2956	4.1					III		FORBIDDEN		FORBIDDEN	
Mysorite, see Asbestos, amphibole (UN No. 2212)												
N												
Naphtha, see Petroleum distillates, n.o.s.												
Naphthalene, crude	1334	4.1		Solid flammable	US 4		III	E1	446 Y443	25 kg 10 kg	449	100 kg
Naphthalene diozonide	FORBIDDEN											
Naphthalene, molten	2304	4.1					III		FORBIDDEN		FORBIDDEN	
Naphthalene, refined	1334	4.1		Solid flammable	US 4		III	E1	446 Y443	25 kg 10 kg	449	100 kg
Naphtha, petroleum, see Petroleum distillates, n.o.s.												
Naphtha, solvent, see Petroleum products, n.o.s.												
alpha-Naphthylamine	2077	6.1		Toxic	US 4		III	E1	670 Y645	100 kg 10 kg	677	200 kg
Naphthyl amineperchlorate	FORBIDDEN											
beta-Naphthylamine, solid	1650	6.1		Toxic	US 4		II	E4	669 Y644	25 kg 1 kg	676	100 kg
beta-Naphthylamine solution	3411	6.1		Toxic		A3	II	E4	654 Y641	5 L 1 L	662	60 L
							III	E1	655 Y642	60 L 2 L	663	220 L

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
1-Naphthylthiourea, see Naphthylthiourea												
Naphthylthiourea	1651	6.1		Toxic	US 4	A6	II	E4	669 Y644	25 kg 1 kg	676	100 kg
Naphthylurea	1652	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Natural gas, compressed with high methane content	1971	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Natural gasoline, see Gasoline or Motor spirit or Petrol												
Natural gas, refrigerated liquid with high methane content	1972	2.1							FORBIDDEN		FORBIDDEN	
Neohexane, see Hexanes												
Neon, compressed	1065	2.2		Gas non-flammable		A69 A202		E1	200	75 kg	200	150 kg
Neon, refrigerated liquid	1913	2.2		Gas non-flammable				E1	202	50 kg	202	500 kg
Neothyl, see Methyl propyl ether												
Nickel carbonyl	1259	6.1	3				I		FORBIDDEN		FORBIDDEN	
Nickel cyanide	1653	6.1		Toxic	US 4		II	E4	669 Y644	25 kg 1 kg	676	100 kg
Nickel (II) cyanide, see Nickel cyanide												
Nickel nitrate	2725	5.1		Oxidizer	US 4		III	E1	559 Y546	25 kg 10 kg	563	100 kg
Nickel (II) nitrate, see Nickel nitrate												
Nickel nitrite	2726	5.1		Oxidizer			III	E1	559 Y546	25 kg 10 kg	563	100 kg
Nickel (II) nitrite, see Nickel nitrite												
Nickelous nitrate, see Nickel nitrate												
Nickelous nitrite, see Nickel nitrite												
Nickel picrate	FORBIDDEN											
Nickel tetracarbonyl, see Nickel carbonyl												
Nicotine	1654	6.1		Toxic			II	E4	654 Y641	5 L 1 L	662	60 L
Nicotine compound, liquid, n.o.s.*	3144	6.1		Toxic	US 4	A3 A4 A6	I II III	E5 E4 E1	652 654 Y641 655 Y642	1 L 5 L 1 L 60 L 2 L	658 662 663	30 L 60 L 220 L

별표 1. 위험물 목록

3-2-131

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Nicotine compound, solid, n.o.s.*	1655	6.1		Toxic	US 4	A3	I	E5	666	5 kg	673	50 kg
						A5	II	E4	669	25 kg	676	100 kg
						A6			Y644	1 kg		
							III	E1	670	100 kg	677	200 kg
Nicotine hydrochloride, liquid	1656	6.1		Toxic	US 4	A3	II	E4	654	5 L	662	60 L
						A6			Y641	1 L		
							III	E1	655	60 L	663	220 L
									Y642	2 L		
Nicotine hydrochloride, solid	3444	6.1		Toxic		A6	II	E4	669	25 kg	676	100 kg
Nicotine hydrochloride solution	1656	6.1		Toxic	US 4	A3	II	E4	654	5 L	662	60 L
						A6			Y641	1 L		
							III	E1	655	60 L	663	220 L
									Y642	2 L		
Nicotine preparation, liquid, n.o.s.*	3144	6.1		Toxic	US 4	A3	I	E5	652	1 L	658	30 L
						A4	II	E4	654	5 L	662	60 L
						A6			Y641	1 L		
							III	E1	655	60 L	663	220 L
Nicotine preparation, solid, n.o.s.*	1655	6.1		Toxic	US 4	A3	I	E5	666	5 kg	673	50 kg
						A5	II	E4	669	25 kg	676	100 kg
						A6			Y644	1 kg		
							III	E1	670	100 kg	677	200 kg
Nicotine salicylate	1657	6.1		Toxic	US 4				Y645	10 kg		
							II	E4	669	25 kg	676	100 kg
									Y644	1 kg		
Nicotine sulphate, solid	3445	6.1		Toxic	US 4	A3	II	E4	669	25 kg	676	100 kg
Nicotine sulphate solution	1658	6.1		Toxic	US 4	A3	II	E4	654	5 L	662	60 L
									Y641	1 L		
							III	E1	655	60 L	663	220 L
									Y642	2 L		
Nicotine tartrate	1659	6.1		Toxic	US 4		II	E4	669	25 kg	676	100 kg
Nitrates, inorganic, n.o.s.	1477	5.1		Oxidizer		A3	II	E2	558	5 kg	562	25 kg
									Y544	2.5 kg		
							III	E1	559	25 kg	563	100 kg
									Y546	10 kg		
Nitrates, inorganic, aqueous solution, n.o.s.	3218	5.1		Oxidizer		A3	II	E2	550	1 L	554	5 L
						A65			Y540	0.5 L		
							III	E1	551	2.5 L	555	30 L
									Y541	1 L		
Nitrates of diazonium compounds	FORBIDDEN	FORBIDDEN										
Nitrating acid mixture with more than 50% nitric acid†	1796	8	5.1	Corrosive & Oxidizer			I	E0	FORBIDDEN		854	2.5 L

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Nitrating acid mixture with not more than 50% nitric acid†	1796	8		Corrosive	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		855	30 L
Nitrating acid mixture, spent with more than 50% nitric acid†	1826	8	5.1	Corrosive & Oxidizer		A34	I	E0	FORBIDDEN		854	2.5 L
Nitrating acid mixture, spent with not more than 50% nitric acid†	1826	8		Corrosive	AU 1 CA 7 IR 3 NL 1 US 3	A1 A34	II	E0	FORBIDDEN		855	30 L
Nitric acid , other than red fuming, with at least 65% but not more than 70% nitric acid	2031	8	5.1	Corrosive & Oxidizer	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		855	30 L
Nitric acid , other than red fuming, with more than 20% and less than 65% nitric acid	2031	8		Corrosive		A212	II	E0	FORBIDDEN		855	30 L
Nitric acid , other than red fuming, with more than 70% nitric acid	2031	8	5.1	Corrosive & Oxidizer			I	E0	FORBIDDEN		854	2.5 L
Nitric acid , other than red fuming, with not more than 20% nitric acid	2031	8		Corrosive			II	E2	851 Y840	1 L 0.5 L	855	30 L
Nitric acid, red fuming	2032	8	5.1 6.1				I		FORBIDDEN		FORBIDDEN	
Nitric oxide and dinitrogen tetroxide mixture	1975	2.3	5.1 8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Nitric oxide and nitrogen dioxide mixture	1975	2.3	5.1 8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Nitric oxide, compressed	1660	2.3	5.1 8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Nitric oxide, compressed contained in gas cartridges for use in sterilization devices, see Gas cartridges (toxic, oxidizing & corrosive) without a release device, non-refillable (UN No. 2037) or Receptacles, small, containing gas (toxic, oxidizing & corrosive) without a release device, non-refillable (UN No. 2037)												

별표 1. 위험물 목록

3-2-133

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Nitriles, flammable, toxic, n.o.s.*	3273	3	6.1	Liquid flammable & Toxic			I	E0	FORBIDDEN		361	30 L
									352	1 L	364	60 L
									Y341	1 L		
Nitriles, liquid, toxic, n.o.s.*	3276	6.1		Toxic		A3 A4 A137	I	E5	652	1 L	658	30 L
							II	E4	654	5 L	662	60 L
							III	E1	Y641	1 L		
									655	60 L	663	220 L
Nitriles, solid, toxic, n.o.s.*	3439	6.1		Toxic		A3 A5	I	E5	666	5 kg	673	50 kg
							II	E4	669	25 kg	676	100 kg
							III	E1	Y644	1 kg		
									670	100 kg	677	200 kg
Nitriles, toxic, flammable, n.o.s.*	3275	6.1	3	Toxic & Liquid flammable		A4 A137	I	E5	652	1 L	658	30 L
							II	E4	654	5 L	662	60 L
									Y641	1 L		
Nitrites, inorganic, n.o.s.*	2627	5.1		Oxidizer		A33	II	E2	558	5 kg	562	25 kg
Nitrites, inorganic, aqueous solution, n.o.s.*	3219	5.1		Oxidizer		A3 A33	II	E2	550	1 L	554	5 L
							III	E1	Y540	0.5 L		
									551	2.5 L	555	30 L
N-Nitroaniline	FORBIDDEN											
Nitroanilines (o-,m-,p-)	1661	6.1		Toxic		A113	II	E4	669	25 kg	676	100 kg
Nitroanisoles, liquid	2730	6.1		Toxic		A113	III	E1	Y644	1 kg		
									655	60 L	663	220 L
Nitroanisoles, solid	3458	6.1		Toxic		A113	III	E1	Y642	2 L		
									670	100 kg	677	200 kg
Nitrobenzene	1662	6.1		Toxic		A113	II	E4	Y645	10 kg		
									654	5 L	662	60 L
Nitrobenzene bromide, see Nitrobromobenzenes, etc.									Y641	1 L		
m-Nitrobenzene diazonium perchlorate	FORBIDDEN											
Nitrobenzenesulphonic acid	2305	8		Corrosive			II	E2	851	1 L	855	30 L
Nitrobenzol, see Nitrobenzene									Y840	0.5 L		
5-Nitrobenzotriazol	0385	1.1D							FORBIDDEN		FORBIDDEN	
Nitrobenzotrifluorides, liquid	2306	6.1		Toxic			II	E4	654	5 L	662	60 L
									Y641	1 L		
Nitrobenzotrifluorides, solid	3431	6.1		Toxic			II	E4	669	25 kg	676	100 kg
									Y644	1 kg		
Nitrobromobenzene, liquid	2732	6.1		Toxic			III	E1	655	60 L	663	220 L
									Y642	2 L		

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Nitrobromobenzene, solid	3459	6.1		Toxic			III	E1	670 Y645	100 kg 10 kg	677	200 kg
Nitrocellulose , dry or wetted with less than 25% water (or alcohol), by mass	0340	1.1D				A216			FORBIDDEN		FORBIDDEN	
Nitrocellulose , unmodified or plasticized with less than 18% plasticizing substance, by mass	0341	1.1D				A216			FORBIDDEN		FORBIDDEN	
≠ Nitrocellulose membrane filters with not more than 12.6% nitrogen, by dry mass	3270	4.1		Solid flammable		A73 A122 A230	II	E2	458 Y458	1 kg 1 kg	458	15 kg
Nitrocellulose , with not more than 12.6% nitrogen, by dry mass, mixture without plasticizer, without pigment	2557	4.1		Solid flammable	BE 3	A86 A217	II	E0	452	1 kg	453	15 kg
Nitrocellulose , with not more than 12.6% nitrogen, by dry mass, mixture without plasticizer, with pigment	2557	4.1		Solid flammable	BE 3	A86 A217	II	E0	452	1 kg	453	15 kg
Nitrocellulose , with not more than 12.6% nitrogen, by dry mass, mixture with plasticizer, without pigment	2557	4.1		Solid flammable	BE 3	A86 A217	II	E0	452	1 kg	453	15 kg
Nitrocellulose , with not more than 12.6% nitrogen, by dry mass, mixture with plasticizer, with pigment	2557	4.1		Solid flammable	BE 3	A86 A217	II	E0	452	1 kg	453	15 kg
Nitrocellulose , plasticized with not less than 18% plasticizing substance, by mass	0343	1.3C				A216			FORBIDDEN		FORBIDDEN	
≠ Nitrocellulose solution, flammable with not more than 12.6% nitrogen, by dry mass, and not more than 55% nitrocellulose	2059	3		Liquid flammable	BE 3	A3 A40 A91	I II III	E0 E0 E0	351 353 Y341 355 Y344	1 L 5 L 1 L 60 L 10 L	361 364 366	30 L 60 L 220 L
Nitrocellulose , wetted with not less than 25% alcohol, by mass	0342	1.3C				A216			FORBIDDEN		FORBIDDEN	
≠ Nitrocellulose with alcohol , not less than 25% alcohol, by mass, and not more than 12.6% nitrogen, by dry mass	2556	4.1		Solid flammable	BE 3	A40 A217	II	E0	452	1 kg	453	15 kg
≠ Nitrocellulose with water , not less than 25% water by mass	2555	4.1		Solid flammable	BE 3	A40 A217	II	E0	452	15 kg	453	50 kg
Nitrochlorobenzenes, see Chloronitrobenzenes												
3-Nitro-4-chlorobenzotrifluoride	2307	6.1		Toxic			II	E4	654 Y641	5 L 1 L	662	60 L
Nitroresols, liquid	3434	6.1		Toxic			III	E1	655 Y642	60 L 2 L	663	220 L
Nitroresols, solid	2446	6.1		Toxic			III	E1	670 Y645	100 kg 10 kg	677	200 kg

별표 1. 위험물 목록

3-2-135

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
6-Nitro-4-diazotoluene-3-sulphonic acid (dry)	FORBIDDEN											
Nitroethane	2842	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Nitroethylene polymer	FORBIDDEN											
Nitroethyl nitrate	FORBIDDEN											
Nitrogen, compressed	1066	2.2		Gas non-flammable		A69 A202		E1	200	75 kg	200	150 kg
Nitrogen dioxide	1067	2.3	5.1 8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Nitrogen dioxide contained in gas cartridges for use in sterilization devices, see Gas cartridges (toxic, oxidizing & corrosive) without a release device, non-refillable (UN No. 2037) or Receptacles, small, containing gas (toxic, oxidizing & corrosive) without a release device, non-refillable (UN No. 2037)												
Nitrogen, refrigerated liquid	1977	2.2		Gas non-flammable		A152		E1	202	50 kg	202	500 kg
Nitrogen trichloride	FORBIDDEN											
Nitrogen trifluoride	2451	2.2	5.1	Gas non-flammable & Oxidizer	US 18			E0	200	75 kg	200	150 kg
Nitrogen triiodide	FORBIDDEN											
Nitrogen triiodide monoamine	FORBIDDEN											
Nitrogen trioxide	2421	2.3	5.1 8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Nitroglycerin, desensitized with not less than 40% non-volatile water-insoluble phlegmatizer, by mass	0143	1.1D	6.1						FORBIDDEN		FORBIDDEN	
Nitroglycerin, liquid, not desensitized	FORBIDDEN											
≠ Nitroglycerin mixture, desensitized, liquid, n.o.s.* with not more than 30% nitroglycerin, by mass	3357	3			BE 3	A17 A40	II		FORBIDDEN		FORBIDDEN	
≠ Nitroglycerin mixture, desensitized, liquid flammable, n.o.s.* with not more than 30% nitroglycerin, by mass	3343	3			BE 3	A40			FORBIDDEN		FORBIDDEN	

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
≠ Nitroglycerin mixture, desensitized, solid, n.o.s.* with more than 2% but not more than 10% nitroglycerin, by mass	3319	4.1		Solid flammable	AU 1 BE 3 CA 7 IR 3 NL 1 US 3	A1 A40 A68	II	E0	FORBIDDEN		499	0.5 kg
Nitroglycerin solution in alcohol with more than 1% but not more than 10% nitroglycerin	0144	1.1D							FORBIDDEN		FORBIDDEN	
≠ Nitroglycerin solution in alcohol with more than 1% but not more than 5% nitroglycerin	3064	3		Liquid flammable	BE 3	A40 A188	II	E0	FORBIDDEN		371	5 L
≠ Nitroglycerin solution in alcohol with not more than 1% nitroglycerin	1204	3		Liquid flammable	BE 3	A40	II	E0	371 Y341	5 L 1 L	371	60 L
Nitroguanidine, dry or wetted with less than 20% water, by mass	0282	1.1D							FORBIDDEN		FORBIDDEN	
Nitroguanidine nitrate	FORBIDDEN											
Nitroguanidine, wetted with not less than 20% water, by mass	1336	4.1		Solid flammable	BE 3	A40	I	E0	451	1 kg	451	15 kg
1-Nitro hydantoin	FORBIDDEN											
Nitrohydrochloric acid	1798	8		Corrosive	AU 1 CA 7 IR 3 NL 1 US 3	A1	I	E0	FORBIDDEN		854	2.5 L
Nitro isobutane triol trinitrate	FORBIDDEN											
Nitromannite (dry)	FORBIDDEN											
Nitromannite, wetted with not less than 40% water, or mixture of alcohol and water, by mass	0133	1.1D							FORBIDDEN		FORBIDDEN	
Nitromethane	1261	3		Liquid flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1 A39	II	E0	FORBIDDEN		364	60 L
N-Nitro-N-methylglycolamide nitrate	FORBIDDEN											
2-Nitro-2-methylpropanol nitrate	FORBIDDEN											
Nitromuriatic acid, see Nitrohydrochloric acid												
Nitronaphthalene	2538	4.1		Solid flammable			III	E1	446 Y443	25 kg 10 kg	449	100 kg
Nitrophenols (o-,m-,p-)	1663	6.1		Toxic	US 4	A113	III	E1	670 Y645	100 kg 10 kg	677	200 kg
m-Nitrophenyldinitro methane	FORBIDDEN											

별표 1. 위험물 목록

3-2-137

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
4-Nitrophenylhydrazine with not less than 30% water, by mass	3376	4.1			AU 1 CA 7 IR 3 NL 1 US 3	A2	I		FORBIDDEN		FORBIDDEN	
Nitropropanes	2608	3		Liquid flammable	US 4		III	E1	355 Y344	60 L 10 L	366	220 L
p-Nitrosodimethylaniline	1369	4.2		Spontaneous combustion			II	E2	467	15 kg	470	50 kg
Nitrostarch, dry or wetted with less than 20% water, by mass	0146	1.1D							FORBIDDEN		FORBIDDEN	
Nitrostarch, wetted with not less than 20% water, by mass	1337	4.1		Solid flammable	BE 3	A40	I	E0	451	1 kg	451	15 kg
Nitrosugars (dry)	FORBIDDEN											
Nitrosyl chloride	1069	2.3	8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Nitrosylsulphuric acid, liquid	2308	8		Corrosive			II	E2	851 Y840	1 L 0.5 L	855	30 L
Nitrosylsulphuric acid, solid	3456	8		Corrosive			II	E2	859 Y844	15 kg 5 kg	863	50 kg
Nitrotoluenes, liquid	1664	6.1		Toxic			II	E4	654 Y641	5 L 1 L	662	60 L
Nitrotoluenes, solid	3446	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Nitrotoluidines (mono)	2660	6.1		Toxic	US 4		III	E1	670 Y645	100 kg 10 kg	677	200 kg
Nitrotriazolone	0490	1.1D							FORBIDDEN		FORBIDDEN	
Nitro urea	0147	1.1D							FORBIDDEN		FORBIDDEN	
Nitrous oxide	1070	2.2	5.1	Gas non-flammable & Oxidizer	US 18			E0	200	75 kg	200	150 kg
Nitrous oxide, refrigerated liquid	2201	2.2	5.1		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Nitroxylenes, liquid	1665	6.1		Toxic			II	E4	654 Y641	5 L 1 L	662	60 L
Nitroxylenes, solid	3447	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Non-activated carbon, see Carbon (UN No. 1361)												
Non-activated charcoal, see Carbon (UN No. 1361)												

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Nonanes	1920	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Non-flammable gas, n.o.s., see Compressed or Liquefied gas , etc.												
Non-liquefied gas, see Compressed gas , etc.												
Non-liquefied hydrocarbon gas, see Hydrocarbon gas, compressed, n.o.s.												
Nonyltrichlorosilane	1799	8		Corrosive	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		876	30 L
2,5-Norbornadiene, stabilized	2251	3		Liquid flammable		A209	II	E2	353 Y341	5 L 1 L	364	60 L
Normal propyl alcohol, see Propyl alcohol, normal												
NTO	0490	1.1D							FORBIDDEN		FORBIDDEN	
O												
Octadecyltrichlorosilane	1800	8		Corrosive	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		876	30 L
Octadiene	2309	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
1,7-Octadiene-3,5-diyne-1,8-dimethoxy-9-octadecynoic acid	FORBIDDEN											
Octafluorobut-2-ene	2422	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Octafluorocyclobutane	1976	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Octafluoropropane	2424	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Octanes	1262	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Octogen, desensitized	0484	1.1D							FORBIDDEN		FORBIDDEN	
Octogen (dry or unphlegmatized)	FORBIDDEN											
Octogen, wetted with not less than 15% water, by mass	0226	1.1D							FORBIDDEN		FORBIDDEN	
Octol , dry or wetted with less than 15% water, by mass	0266	1.1D							FORBIDDEN		FORBIDDEN	
Octolite , dry or wetted with less than 15% water, by mass	0266	1.1D							FORBIDDEN		FORBIDDEN	
Octonal	0496	1.1D							FORBIDDEN		FORBIDDEN	

별표 1. 위험물 목록

3-2-139

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Octyl aldehydes	1191	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
tert-Octyl mercaptan, see 2-Methyl-2-heptanethiol												
Octyltrichlorosilane	1801	8		Corrosive	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		876	30 L
Oenanthal, see n-Heptaldehyde												
Oil gas, compressed †	1071	2.3	2.1	Gas toxic & Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	25 kg
Oil well sampling device, charged, see Compressed or Liquefied gas, flammable, n.o.s.												
Oleum, see Sulphuric acid, fuming												
Organic peroxide type B, liquid	FORBIDDEN											
Organic peroxide type B, liquid, temperature controlled	FORBIDDEN											
Organic peroxide type B, solid	FORBIDDEN											
Organic peroxide type B, solid, temperature controlled	FORBIDDEN											
Organic peroxide type C, liquid*	3103	5.2		Organic peroxide		A20 A150		E0	570	5 L	570	10 L
Organic peroxide type C, liquid, temperature controlled*	3113	5.2							FORBIDDEN		FORBIDDEN	
Organic peroxide type C, solid*	3104	5.2		Organic peroxide		A20 A150		E0	570	5 kg	570	10 kg
Organic peroxide type C, solid, temperature controlled*	3114	5.2							FORBIDDEN		FORBIDDEN	
Organic peroxide type D, liquid*	3105	5.2		Organic peroxide		A20 A150		E0	570	5 L	570	10 L
Organic peroxide type D, liquid, temperature controlled*	3115	5.2			AU 1 CA 7 IR 3 NL 1 US 3	A2 A150			FORBIDDEN		FORBIDDEN	
Organic peroxide type D, solid*	3106	5.2		Organic peroxide		A20		E0	570	5 kg	570	10 kg
Organic peroxide type D, solid, temperature controlled*	3116	5.2			AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Organic peroxide type E, liquid*	3107	5.2		Organic peroxide		A20 A150		E0	570	10 L	570	25 L
Organic peroxide type E, liquid, temperature controlled*	3117	5.2			AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Organic peroxide type E, solid*	3108	5.2		Organic peroxide		A20		E0	570	10 kg	570	25 kg
Organic peroxide type E, solid, temperature controlled*	3118	5.2			AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Organic peroxide type F, liquid*	3109	5.2		Organic peroxide		A20 A150		E0	570	10 L	570	25 L
Organic peroxide type F, liquid, temperature controlled*	3119	5.2			AU 1 CA 7 IR 3 NL 1 US 3	A2 A150			FORBIDDEN		FORBIDDEN	
Organic peroxide type F, solid*	3110	5.2		Organic peroxide		A20		E0	570	10 kg	570	25 kg
Organic peroxide type F, solid, temperature controlled*	3120	5.2			AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Organic pigments, self-heating	3313	4.2		Spontaneous combustion		A3	II	E2	467	15 kg	470	50 kg
							III	E1	469	25 kg	471	100 kg
Organoarsenic compound, liquid, n.o.s.*	3280	6.1		Toxic		A3 A4 A137	I II	E5 E4	652 654 Y641	1 L 5 L 1 L	658 662	30 L 60 L
							III	E1	655 Y642	60 L 2 L	663	220 L
Organoarsenic compound, solid, n.o.s.*	3465	6.1		Toxic		A3 A5	I II	E5 E4	666 669 Y644	5 kg 25 kg 1 kg	673 676	50 kg 100 kg
							III	E1	670 Y645	100 kg 10 kg	677	200 kg
Organochlorine pesticide, liquid, flammable, toxic*, flash point less than 23°C	2762	3	6.1	Liquid flammable & Toxic		A4	I II	E0 E2	FORBIDDEN 352 Y341	1 L 1 L	361 364	30 L 60 L
Organochlorine pesticide, liquid, toxic*	2996	6.1		Toxic		A3 A4	I II	E5 E4	652 654 Y641	1 L 5 L 1 L	658 662	30 L 60 L
							III	E1	655 Y642	60 L 2 L	663	220 L

별표 1. 위험물 목록

3-2-141

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Organochlorine pesticide, liquid, toxic, flammable*, flash point not less than 23°C	2995	6.1	3	Toxic & Liquid flammable		A3	I	E5	652	1 L	658	30 L
						A4	II	E4	654	5 L	662	60 L
							III	E1	Y641	1 L		
									655	60 L	663	220 L
Organochlorine pesticide, solid, toxic*	2761	6.1		Toxic		A3	I	E5	666	5 kg	673	50 kg
						A5	II	E4	669	25 kg	676	100 kg
							III	E1	Y644	1 kg		
									670	100 kg	677	200 kg
Organometallic compound, liquid, toxic, n.o.s.*	3282	6.1		Toxic		A3	I	E5	652	1 L	658	30 L
						A4	II	E4	654	5 L	662	60 L
							III	E1	Y641	1 L		
									655	60 L	663	220 L
Organometallic compound, solid, toxic, n.o.s.*	3467	6.1		Toxic		A3	I	E5	666	5 kg	673	50 kg
						A5	II	E4	669	25 kg	676	100 kg
							III	E1	Y644	1 kg		
									670	100 kg	677	200 kg
Organometallic substance, liquid, pyrophoric*	3392	4.2					I		FORBIDDEN		FORBIDDEN	
Organometallic substance, liquid, pyrophoric, water reactive*	3394	4.2	4.3				I		FORBIDDEN		FORBIDDEN	
Organometallic substance, liquid, water reactive*	3398	4.3		Danger if wet		A3	I	E0	FORBIDDEN		480	1 L
							II	E2	478	1 L	481	5 L
							III	E1	479	5 L	482	60 L
Organometallic substance, liquid, water reactive, flammable*	3399	4.3	3	Danger if wet & Liquid flammable		A3	I	E0	FORBIDDEN		494	1 L
							II	E2	493	1 L	494	5 L
							III	E1	493	5 L	494	60 L
Organometallic substance, solid, pyrophoric*	3391	4.2					I		FORBIDDEN		FORBIDDEN	
Organometallic substance, solid, pyrophoric, water reactive*	3393	4.2	4.3				I		FORBIDDEN		FORBIDDEN	
Organometallic substance, solid, self-heating*	3400	4.2		Spontaneous combustion		A3	II	E2	467	15 kg	470	50 kg
							III	E1	469	25 kg	471	100 kg
Organometallic substance, solid, water reactive*	3395	4.3		Danger if wet		A3	I	E0	FORBIDDEN		487	15 kg
							II	E2	483	15 kg	489	50 kg
							III	E1	486	25 kg	491	100 kg
Organometallic substance, solid, water reactive, flammable*	3396	4.3	4.1	Danger if wet & Solid flammable		A3	I	E0	FORBIDDEN		488	15 kg
							II	E2	483	15 kg	489	50 kg
							III	E1	486	25 kg	491	100 kg
Organometallic substance, solid, water reactive, self-heating*	3397	4.3	4.2	Danger if wet & Spontaneous combustion		A3	I	E0	FORBIDDEN		488	15 kg
							II	E2	483	15 kg	489	50 kg
							III	E1	486	25 kg	491	100 kg

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Organophosphorus compound, liquid, toxic, n.o.s.*	3278	6.1		Toxic		A3	I	E5	652	1 L	658	30 L
						A4	II	E4	654	5 L	662	60 L
						A6			Y641	1 L		
						A137	III	E1	655	60 L	663	220 L
Organophosphorus compound, solid, toxic, n.o.s.*	3464	6.1		Toxic		A3	I	E5	666	5 kg	673	50 kg
						A5	II	E4	669	25 kg	676	100 kg
						A6			Y644	1 kg		
							III	E1	670	100 kg	677	200 kg
Organophosphorus compound, toxic, flammable, n.o.s.*	3279	6.1	3	Toxic & Liquid flammable		A4	I	E5	652	1 L	658	30 L
						A6	II	E4	654	5 L	662	60 L
						A137			Y641	1 L		
Organophosphorus pesticide, liquid, flammable, toxic*, flash point less than 23°C	2784	3	6.1	Liquid flammable & Toxic		A4	I	E0	FORBIDDEN		361	30 L
							II	E2	352	1 L	364	60 L
									Y341	1 L		
Organophosphorus pesticide, liquid, toxic*	3018	6.1		Toxic		A3	I	E5	652	1 L	658	30 L
						A4	II	E4	654	5 L	662	60 L
									Y641	1 L		
							III	E1	655	60 L	663	220 L
Organophosphorus pesticide, liquid, toxic, flammable*, flash point not less than 23°C	3017	6.1	3	Toxic & Liquid flammable		A3	I	E5	652	1 L	658	30 L
						A4	II	E4	654	5 L	662	60 L
									Y641	1 L		
							III	E1	655	60 L	663	220 L
Organophosphorus pesticide, solid, toxic*	2783	6.1		Toxic		A3	I	E5	666	5 kg	673	50 kg
						A5	II	E4	669	25 kg	676	100 kg
									Y644	1 kg		
							III	E1	670	100 kg	677	200 kg
Organotin compound, liquid, n.o.s.*	2788	6.1		Toxic		A3	I	E5	652	1 L	658	30 L
						A4	II	E4	654	5 L	661	60 L
						A6			Y641	1 L		
							III	E1	655	60 L	663	220 L
Organotin compound, solid, n.o.s.*	3146	6.1		Toxic		A3	I	E5	666	5 kg	673	50 kg
						A5	II	E4	669	25 kg	676	100 kg
						A6			Y644	1 kg		
							III	E1	670	100 kg	677	200 kg
Organotin pesticide, liquid, flammable, toxic*, flash point less than 23°C	2787	3	6.1	Liquid flammable & Toxic		A4	I	E0	FORBIDDEN		361	30 L
							II	E2	352	1 L	364	60 L
									Y341	1 L		
Organotin pesticide, liquid, toxic*	3020	6.1		Toxic		A3	I	E5	652	1 L	658	30 L
						A4	II	E4	654	5 L	662	60 L
									Y641	1 L		
							III	E1	655	60 L	663	220 L

별표 1. 위험물 목록

3-2-143

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Organotin pesticide, liquid, toxic, flammable* , flash point not less than 23°C	3019	6.1	3	Toxic & Liquid flammable		A3 A4	I II III	E5 E4 E1	652	1 L	658	30 L
									654	5 L	662	60 L
									Y641	1 L		
									655	60 L	663	220 L
Organotin pesticide, solid, toxic*	2786	6.1		Toxic		A3 A5	I II III	E5 E4 E1	666	5 kg	673	50 kg
									669	25 kg	676	100 kg
									Y644	1 kg		
									670	100 kg	677	200 kg
Orthophosphoric acid, see Phosphoric acid, solution (UN No. 1805) or Phosphoric acid, solid (UN No. 3453)									Y645	10 kg		
Osmium tetroxide	2471	6.1		Toxic			I	E5	666	5 kg	673	50 kg
Oxidizing liquid, n.o.s.*	3139	5.1		Oxidizer		A3	I II III	E0 E2 E1	FORBIDDEN		553	2.5 L
									550	1 L	554	5 L
									Y540	0.5 L		
									551	2.5 L	555	30 L
Oxidizing liquid, corrosive, n.o.s.*	3098	5.1	8	Oxidizer & Corrosive		A3	I II III		FORBIDDEN		FORBIDDEN	
									550	1 L	554	5 L
									Y540	0.5 L		
									551	2.5 L	555	30 L
Oxidizing liquid, toxic, n.o.s.*	3099	5.1	6.1	Oxidizer & Toxic		A3	I II III	E0 E2 E1	FORBIDDEN		553	2.5 L
									550	1 L	554	5 L
									Y540	0.5 L		
									551	2.5 L	555	30 L
Oxidizing solid, n.o.s.*	1479	5.1		Oxidizer		A3	I II III	E0 E2 E1	557	1 kg	561	15 kg
									558	5 kg	562	25 kg
									Y544	2.5 kg		
									559	25 kg	563	100 kg
Oxidizing solid, corrosive, n.o.s.*	3085	5.1	8	Oxidizer & Corrosive		A3	I II III	E0 E2 E1	557	1 kg	561	15 kg
									558	5 kg	562	25 kg
									Y544	2.5 kg		
									559	25 kg	563	100 kg
Oxidizing solid, flammable, n.o.s.*	3137	5.1	4.1				I		FORBIDDEN		FORBIDDEN	
Oxidizing solid, self-heating, n.o.s.*	3100	5.1	4.2				I II		FORBIDDEN		FORBIDDEN	
									FORBIDDEN		FORBIDDEN	
Oxidizing solid, toxic, n.o.s.*	3087	5.1	6.1	Oxidizer & Toxic		A3	I II III	E0 E2 E1	557	1 kg	561	15 kg
									558	5 kg	562	25 kg
									Y543	1 kg		
									559	25 kg	563	100 kg
									Y546	10 kg		

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Oxidizing solid, water-reactive, n.o.s.*	3121	5.1	4.3				I II		FORBIDDEN FORBIDDEN		FORBIDDEN FORBIDDEN	
Oxirane, see Ethylene oxide , etc.												
Oxygen, compressed	1072	2.2	5.1	Gas non-flammable & Oxidizer	US 18	A175		E0	200	75 kg	200	150 kg
Oxygen difluoride, compressed	2190	2.3	5.1 8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Oxygen generator, chemical † (including when contained in associated equipment, e.g. passenger service units (PSUs), protective breathing equipment (PBE), etc.)	3356	5.1		Oxidizer	AU 1 CA 7 FR 7 IR 3 NL 1 US 3 US 18	A1 A111 A116 A144		E0	FORBIDDEN		565	25 kg
Oxygen, refrigerated liquid	1073	2.2	5.1		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
1-Oxy-4-nitrobenzene, see Nitrophenols												
P												
Packagings, discarded, empty, uncleaned	3509	9				A200			FORBIDDEN		FORBIDDEN	
Paint (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base)	1263	3		Liquid flammable		A3 A72 A192	I II III	E3 E2 E1	351 353 Y341 355 Y344	1 L 5 L 1 L 60 L 10 L	361 364 366	30 L 60 L 220 L
Paint (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base)	3066	8		Corrosive		A3 A72 A192	II III	E2 E1	851 Y840 852 Y841	1 L 0.5 L 5 L 1 L	855 856	30 L 60 L
Paint, corrosive, flammable (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base)	3470	8	3	Corrosive & Liquid flammable		A72 A192	II	E2	851 Y840	1 L 0.5 L	855	30 L
Paint, flammable, corrosive (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base)	3469	3	8	Liquid flammable & Corrosive		A3 A72 A192	I II III	E0 E2 E1	350 352 Y340 354 Y342	0.5 L 1 L 0.5 L 5 L 1 L	360 363 365	2.5 L 5 L 60 L

별표 1. 위험물 목록

3-2-145

	Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
										Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
	1	2	3	4	5	6	7	8	9	10	11	12	13
	Paint related material (including paint thinning or reducing compound)	1263	3		Liquid flammable		A3	I	E3	351	1 L	361	30 L
							A72	II	E2	353	5 L	364	60 L
							A192			Y341	1 L		
								III	E1	355	60 L	366	220 L
										Y344	10 L		
	Paint related material (including paint thinning or reducing compound)	3066	8		Corrosive		A3	II	E2	851	1 L	855	30 L
							A72			Y840	0.5 L		
							A192	III	E1	852	5 L	856	60 L
										Y841	1 L		
	Paint related material corrosive, flammable (including paint thinning or reducing compound)	3470	8	3	Corrosive & Liquid flammable		A72	II	E2	851	1 L	855	30 L
							A192			Y840	0.5 L		
	Paint related material, flammable, corrosive (including paint thinning or reducing compound)	3469	3	8	Liquid flammable & Corrosive		A3	I	E0	350	0.5 L	360	2.5 L
							A72	II	E2	352	1 L	363	5 L
							A192			Y340	0.5 L		
								III	E1	354	5 L	365	60 L
										Y342	1 L		
	Paper, unsaturated oil treated, incompletely dried (including carbon paper)	1379	4.2			AU 1 CA 7 IR 3 NL 1 US 3	A2	III		FORBIDDEN		FORBIDDEN	
	Paraffin, see Kerosene												
	Paraformaldehyde	2213	4.1		Solid flammable		A3	III	E1	446 Y443	25 kg 10 kg	449	100 kg
	Paraldehyde	1264	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
	PCBs, see Polychlorinated biphenyls												
	Pentaborane	1380	4.2	6.1				I		FORBIDDEN		FORBIDDEN	
	Pentachloroethane	1669	6.1		Toxic	US 4		II	E4	654 Y641	5 L 1 L	662	60 L
	Pentachlorophenol	3155	6.1		Toxic		A6	II	E4	669 Y644	25 kg 1 kg	676	100 kg
	Pentaerythrite tetranitrate with not less than 7% wax, by mass	0411	1.1D							FORBIDDEN		FORBIDDEN	
	Pentaerythrite tetranitrate, desensitized with not less than 15% phlegmatizer by mass	0150	1.1D							FORBIDDEN		FORBIDDEN	
	Pentaerythrite tetranitrate (dry)	FORBIDDEN											
≠	Pentaerythrite tetranitrate mixture desensitized, solid, n.o.s.* with more than 10% but not more than 20% PETN, by mass	3344	4.1			BE 3	A40	II		FORBIDDEN		FORBIDDEN	
	Pentaerythrite tetranitrate, wetted with not less than 25% water, by mass	0150	1.1D							FORBIDDEN		FORBIDDEN	

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Pentaerythritol tetranitrate with not less than 7% wax, by mass	0411	1.1D							FORBIDDEN		FORBIDDEN	
Pentaerythritol tetranitrate, desensitized with not less than 15% phlegmatizer, by mass	0150	1.1D							FORBIDDEN		FORBIDDEN	
Pentaerythritol tetranitrate (dry)	FORBIDDEN											
≠ Pentaerythritol tetranitrate mixture desensitized, solid, n.o.s.* with more than 10% but not more than 20% PETN, by mass	3344	4.1			BE 3	A40	II		FORBIDDEN		FORBIDDEN	
Pentaerythritol tetranitrate, wetted with not less than 25% water, by mass	0150	1.1D							FORBIDDEN		FORBIDDEN	
Pentafluoroethane Pentafluoroethane, 1,1,1-trifluoroethane, and 1,1,1,2-tetrafluoroethane zeotropic mixture with approximately 44% pentafluoroethane and 52% 1,1,1-trifluoroethane, see Refrigerant gas R 404A	3220	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Pentamethylheptane	2286	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Pentanal, see Valeraldehyde												
n-Pentane, see Pentanes, liquid												
Pentane-2,4-dione	2310	3	6.1	Liquid flammable & Toxic			III	E1	355 Y343	60 L 2 L	366	220 L
Pentanes, liquid	1265	3		Liquid flammable			I II	E3 E2	351 353 Y341	1 L 5 L 1 L	361 364	30 L 60 L
Pentanitroaniline (dry)	FORBIDDEN											
3-Pentanol, see Pentanol s (UN No. 1105)												
Pentanol s	1105	3		Liquid flammable		A3	II III	E2 E1	353 Y341 355 Y344	5 L 1 L 60 L 10 L	364 366	60 L 220 L
1-Pentene	1108	3		Liquid flammable			I	E3	351	1 L	361	30 L
1-Pentol	2705	8		Corrosive			II	E2	851 Y840	1 L 0.5 L	855	30 L
Pentolite , dry or wetted with less than 15% water, by mass	0151	1.1D							FORBIDDEN		FORBIDDEN	
Pentyl nitrite, see Amyl nitrite												

별표 1. 위험물 목록

3-2-147

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Perchlorates, inorganic, n.o.s.	1481	5.1		Oxidizer		A3	II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
								E1	559 Y546	25 kg 10 kg	563	100 kg
Perchlorates, inorganic, aqueous solution, n.o.s.	3211	5.1		Oxidizer		A3	II	E2	550 Y540	1 L 0.5 L	554	5 L
								E1	551 Y541	2.5 L 1 L	555	30 L
Perchloric acid with more than 50% but not more than 72% acid, by mass	1873	5.1	8	Oxidizer & Corrosive			I	E0	FORBIDDEN		553	2.5 L
Perchloric acid with not more than 50% acid, by mass	1802	8	5.1	Corrosive & Oxidizer	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		855	30 L
Perchloric acid with more than 72% acid, by mass												
Perchlorobenzene, see Hexachlorobenzene												
Perchlorocyclopentadiene, see Hexachlorocyclopentadiene												
Perchloroethylene, see Tetrachloroethylene												
Perchloromethyl mercaptan	1670	6.1			US 4		I		FORBIDDEN		FORBIDDEN	
Perchloryl fluoride	3083	2.3	5.1		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Perfluoroacetylchloride, see Trifluoroacetyl chloride												
Perfluoro (ethyl vinyl ether)	3154	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Perfluoro (methyl vinyl ether)	3153	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Perfluoropropane, see Octafluoropropane												
Perfumery products with flammable solvents	1266	3		Liquid flammable		A3 A72	II	E2	353 Y341	5 L 1 L	364	60 L
								E1	355 Y344	60 L 10 L	366	220 L

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Permanganates, inorganic, n.o.s.*	1482	5.1		Oxidizer		A3 A37 A173	II III	E2 E1	558 Y544 559 Y546	5 kg 2.5 kg 25 kg 10 kg	562 563	25 kg 100 kg
Permanganates, inorganic, aqueous solution, n.o.s.*	3214	5.1		Oxidizer		A37 A173	II	E2	550 Y540	1 L 0.5 L	554	5 L
Permeation devices for calibrating air quality monitoring equipment, see Special Provision A41	—											
Peroxide, organic, see Organic peroxide , etc.												
Peroxides, inorganic, n.o.s.	1483	5.1		Oxidizer		A3	II III	E2 E1	558 Y544 559 Y546	5 kg 2.5 kg 25 kg 10 kg	562 563	25 kg 100 kg
Peroxyacetic acid, more than 43% and with more than 6% hydrogen peroxide	FORBIDDEN											
Persulphates, inorganic, n.o.s.	3215	5.1		Oxidizer			III	E1	559 Y546	25 kg 10 kg	563	100 kg
Persulphates, inorganic, aqueous solution, n.o.s.	3216	5.1		Oxidizer			III	E1	551 Y541	2.5 L 1 L	555	30 L
Pesticide, liquid, flammable, toxic, n.o.s.* , flash point less than 23°C	3021	3	6.1	Liquid flammable & Toxic		A4	I II	E0 E2	FORBIDDEN 352 Y341	1 L 1 L	361 364	30 L 60 L
Pesticide, liquid, toxic, n.o.s.*	2902	6.1		Toxic		A3 A4	I II III	E5 E4 E1	652 654 Y641 655 Y642	1 L 5 L 1 L 60 L 2 L	658 662 663	30 L 60 L 220 L
Pesticide, liquid, toxic, flammable, n.o.s.* , flash point not less than 23°C	2903	6.1	3	Toxic & Liquid flammable		A3 A4	I II III	E5 E4 E1	652 654 Y641 655 Y642	1 L 5 L 1 L 60 L 2 L	658 662 663	30 L 60 L 220 L
Pesticide, solid, toxic, n.o.s.*	2588	6.1		Toxic		A3 A5	I II III	E5 E4 E1	666 669 Y644 670 Y645	5 kg 25 kg 1 kg 100 kg 10 kg	673 676 677	50 kg 100 kg 200 kg
Pesticide, toxic, under compressed gas, n.o.s., see Aerosols												
PETN with not less than 7% wax, by mass	0411	1.1D							FORBIDDEN		FORBIDDEN	
PETN, desensitized with not less than 15% phlegmatizer, by mass	0150	1.1D							FORBIDDEN		FORBIDDEN	
PETN (dry)	FORBIDDEN											

별표 1. 위험물 목록

3-2-149

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
≠ PETN mixture desensitized, solid, n.o.s.* with more than 10% but not more than 20% PETN, by mass PETN/TNT, see Pentolite , etc.	3344	4.1			BE 3	A40	II		FORBIDDEN		FORBIDDEN	
PETN, wetted with not less than 25% water, by mass	0150	1.1D							FORBIDDEN		FORBIDDEN	
Petrol	1203	3		Liquid flammable		A100	II	E2	353 Y341	5 L 1 L	364	60 L
Petroleum crude oil	1267	3		Liquid flammable		A3 A177	I II	E3 E2	351 353 Y341	1 L 5 L 1 L	361 364	30 L 60 L
							III	E1	355 Y344	60 L 10 L	366	220 L
Petroleum distillates, n.o.s.	1268	3		Liquid flammable		A3	I II III	E3 E2 E1	351 353 Y341 355 Y344	1 L 5 L 1 L 60 L 10 L	361 364 366	30 L 60 L 220 L
Petroleum ether, see Petroleum distillates, n.o.s.												
Petroleum gases, liquefied	1075	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Petroleum naphtha, see Petroleum distillates, n.o.s.												
Petroleum oil, see Petroleum products, n.o.s.												
Petroleum products, n.o.s.	1268	3		Liquid flammable		A3	I II III	E3 E2 E1	351 353 Y341 355 Y344	1 L 5 L 1 L 60 L 10 L	361 364 366	30 L 60 L 220 L
Petroleum raffinate, see Petroleum distillates, n.o.s.												
Petroleum sour crude oil, flammable, toxic	3494	3	6.1	Liquid flammable & Toxic		A166	I II III	E0 E2 E1	FORBIDDEN 352 Y341 355 Y343	 1 L 1 L 60 L 2 L	361 364 366	30 L 60 L 220 L
Petroleum spirit, see Petroleum distillates, n.o.s.												
Phenacyl bromide	2645	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Phenetidines	2311	6.1		Toxic		A113	III	E1	655 Y642	60 L 2 L	663	220 L

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Phenolates, liquid	2904	8		Corrosive			III	E1	852 Y841	5 L 1 L	856	60 L
Phenolates, solid	2905	8		Corrosive			III	E1	860 Y845	25 kg 5 kg	864	100 kg
Phenol, molten	2312	6.1					II		FORBIDDEN		FORBIDDEN	
Phenol, solid	1671	6.1		Toxic		A113	II	E4	669 Y644	25 kg 1 kg	676	100 kg
Phenol solution	2821	6.1		Toxic		A3	II	E4	654 Y641	5 L 1 L	662	60 L
							III	E1	655 Y642	60 L 2 L	663	220 L
Phenolsulphonic acid, liquid	1803	8		Corrosive			II	E2	851 Y840	1 L 0.5 L	855	30 L
Phenoxyacetic acid derivative pesticide, liquid, flammable, toxic*, flash point less than 23°C	3346	3	6.1	Liquid flammable & Toxic		A4	I	E0	FORBIDDEN		361	30 L
							II	E2	352 Y341	1 L 1 L	364	60 L
Phenoxyacetic acid derivative pesticide, liquid, toxic*	3348	6.1		Toxic		A3 A4	I	E5	652	1 L	658	30 L
							II	E4	654 Y641	5 L 1 L	662	60 L
							III	E1	655 Y642	60 L 2 L	663	220 L
Phenoxyacetic acid derivative pesticide, liquid, toxic, flammable*, flash point not less than 23°C	3347	6.1	3	Toxic & Liquid flammable		A3 A4	I	E5	652	1 L	658	30 L
							II	E4	654 Y641	5 L 1 L	662	60 L
							III	E1	655 Y642	60 L 2 L	663	220 L
Phenoxyacetic acid derivative pesticide, solid, toxic*	3345	6.1		Toxic		A3 A5	I	E5	666	5 kg	673	50 kg
							II	E4	669 Y644	25 kg 1 kg	676	100 kg
							III	E1	670 Y645	100 kg 10 kg	677	200 kg
Phenylacetonitrile, liquid	2470	6.1		Toxic			III	E1	655 Y642	60 L 2 L	663	220 L
Phenylacetyl chloride	2577	8		Corrosive			II	E2	851 Y840	1 L 0.5 L	855	30 L
Phenylamine, see Aniline												
1-Phenylbutane, see Butylbenzenes												
2-Phenylbutane, see Butylbenzenes												
Phenylcarbylamine chloride	1672	6.1					I		FORBIDDEN		FORBIDDEN	
Phenyl chloroformate	2746	6.1	8	Toxic & Corrosive			II	E4	653 Y641	1 L 1 L	660	30 L
Phenyl cyanide, see Benzonitrile												
m-Phenylene diaminediperchlorate (dry)	FORBIDDEN											

별표 1. 위험물 목록

3-2-151

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Phenylenediamines (o-,m-,p-)	1673	6.1		Toxic		A113	III	E1	670 Y645	100 kg 10 kg	677	200 kg
Phenylethylene, see Styrene monomer, stabilized (UN No. 2055)												
Phenylhydrazine	2572	6.1		Toxic			II	E4	654 Y641	5 L 1 L	662	60 L
Phenyl isocyanate	2487	6.1	3				I		FORBIDDEN		FORBIDDEN	
Phenylisocyanodichloride, see Phenylcarbylamine chloride												
Phenyl mercaptan	2337	6.1	3		US 4		I		FORBIDDEN		FORBIDDEN	
Phenylmercuric acetate	1674	6.1		Toxic	US 4	A6	II	E4	669 Y644	25 kg 1 kg	676	100 kg
Phenylmercuric compound, n.o.s.*	2026	6.1		Toxic		A3	I	E5	666	5 kg	673	50 kg
						A5	II	E4	669	25 kg	676	100 kg
						A6			Y644	1 kg		
							III	E1	670 Y645	100 kg 10 kg	677	200 kg
Phenylmercuric hydroxide	1894	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Phenylmercuric nitrate	1895	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Phenylphosphorus dichloride	2798	8		Corrosive	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		855	30 L
Phenylphosphorus thiodichloride	2799	8		Corrosive	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		855	30 L
2-Phenylpropene, see Isopropenylbenzene												
Phenyltrichlorosilane	1804	8		Corrosive	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		876	30 L
Phosgene	1076	2.3	8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
9-Phosphabicyclononanes	2940	4.2		Spontaneous combustion			II	E2	467	15 kg	470	50 kg

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Phosphine	2199	2.3	2.1		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Phosphine, adsorbed	3525	2.3	2.1		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Phosphoretted hydrogen, see Phosphine												
Phosphoric acid, anhydrous, see Phosphorus pentoxide												
Phosphoric acid, solid	3453	8		Corrosive			III	E1	860 Y845	25 kg 5 kg	864	100 kg
Phosphoric acid, solution	1805	8		Corrosive		A3	III	E1	852 Y841	5 L 1 L	856	60 L
Phosphorous acid	2834	8		Corrosive			III	E1	860 Y845	25 kg 5 kg	864	100 kg
Phosphorous (V) sulphide, free from yellow and white phosphorous, see Phosphorous pentasulphide												
Phosphorus, amorphous	1338	4.1		Solid flammable			III	E1	446 Y443	25 kg 10 kg	449	100 kg
Phosphorus bromide, see Phosphorus tribromide												
Phosphorus chloride, see Phosphorus trichloride												
Phosphorus heptasulphide , free from yellow and white phosphorus	1339	4.1		Solid flammable			II	E2	445 Y441	15 kg 5 kg	448	50 kg
Phosphorus oxybromide	1939	8		Corrosive	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		863	50 kg
Phosphorus oxybromide, molten	2576	8					II		FORBIDDEN		FORBIDDEN	
Phosphorus oxychloride	1810	6.1	8		AU 1 CA 7 IR 3 NL 1 US 3	A2	I		FORBIDDEN		FORBIDDEN	
Phosphorus pentabromide	2691	8		Corrosive	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		863	50 kg

별표 1. 위험물 목록

3-2-153

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Phosphorus pentachloride	1806	8		Corrosive	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		863	50 kg
Phosphorus pentafluoride	2198	2.3	8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Phosphorus pentafluoride, adsorbed	3524	2.3	8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Phosphorus pentasulphide, free from yellow and white phosphorus	1340	4.3	4.1	Danger if wet & Solid flammable	US 4		II	E2	483 Y475	15 kg 5 kg	490	50 kg
Phosphorus pentoxide	1807	8		Corrosive			II	E2	859 Y844	15 kg 5 kg	863	50 kg
Phosphorus sesquisulphide, free from yellow and white phosphorus	1341	4.1		Solid flammable			II	E2	445 Y441	15 kg 5 kg	448	50 kg
Phosphorus sulphochloride, see Thiophosphoryl chloride												
Phosphorus tribromide	1808	8		Corrosive	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		855	30 L
Phosphorus trichloride	1809	6.1	8				I		FORBIDDEN		FORBIDDEN	
Phosphorus trioxide	2578	8		Corrosive			III	E1	860 Y845	25 kg 5 kg	864	100 kg
Phosphorus trisulphide, free from yellow and white phosphorus	1343	4.1		Solid flammable			II	E2	445 Y441	15 kg 5 kg	448	50 kg
Phosphorus, white, dry	1381	4.2	6.1				I		FORBIDDEN		FORBIDDEN	
Phosphorus, white, in solution	1381	4.2	6.1				I		FORBIDDEN		FORBIDDEN	
Phosphorus, white, molten	2447	4.2	6.1				I		FORBIDDEN		FORBIDDEN	
Phosphorus (white or red) and a chlorate, mixture of												
Phosphorus, white, under water	1381	4.2	6.1				I		FORBIDDEN		FORBIDDEN	
Phosphorus, yellow, dry	1381	4.2	6.1				I		FORBIDDEN		FORBIDDEN	
Phosphorus, yellow, in solution	1381	4.2	6.1				I		FORBIDDEN		FORBIDDEN	
Phosphorus, yellow, under water	1381	4.2	6.1				I		FORBIDDEN		FORBIDDEN	
Phosphoryl chloride, see Phosphorus oxychloride												

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Phthalic anhydride with more than 0.05% of maleic anhydride	2214	8		Corrosive		A74	III	E1	860 Y845	25 kg 5 kg	864	100 kg
Picolines	2313	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Picramide	0153	1.1D							FORBIDDEN		FORBIDDEN	
Picric acid , dry or wetted with less than 30% water, by mass	0154	1.1D							FORBIDDEN		FORBIDDEN	
Picric acid , wetted with not less than 30% water, by mass	1344	4.1		Solid flammable	BE 3	A40	I	E0	451	1 kg	451	15 kg
Picric acid , wetted with not less than 10% water, by mass	3364	4.1		Solid flammable	BE 3	A40	I	E0	451	0.5 kg	451	0.5 kg
Picrite , dry or wetted with less than 20% water, by mass	0282	1.1D							FORBIDDEN		FORBIDDEN	
Picrite , wetted with not less than 20% water by mass	1336	4.1		Solid flammable	BE 3	A40	I	E0	451	1 kg	451	15 kg
Picrotoxin, see Toxins, extracted from living sources, liquid, n.o.s. (UN No. 3172) or Toxins, extracted from living sources, solid, n.o.s. (UN No. 3462)												
Picryl chloride	0155	1.1D							FORBIDDEN		FORBIDDEN	
Picryl chloride , wetted with not less than 10% water, by mass	3365	4.1		Solid flammable	BE 3	A40	I	E0	451	0.5 kg	451	0.5 kg
alpha-Pinene	2368	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Pine oil	1272	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Piperazine	2579	8		Corrosive			III	E1	860 Y845	25 kg 5 kg	864	100 kg
Piperidine	2401	8	3	Corrosive & Liquid flammable			I	E0	850	0.5 L	854	2.5 L
Pivaloyl chloride, see Trimethylacetyl chloride												
Plastic explosives, see Explosive, blasting, type D												
Plastics moulding compound in dough, sheet or extruded rope form evolving flammable vapour	3314	9		Miscellaneous		A38	III	E1	957	100 kg	957	200 kg
Plastics, nitrocellulose-based, self-heating, n.o.s.*	2006	4.2			AU 1 CA 7 IR 3 NL 1 US 3	A2	III		FORBIDDEN		FORBIDDEN	
Plastic solvent, n.o.s.†, see Flammable liquid, n.o.s.												

별표 1. 위험물 목록

3-2-155

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Plutonium nitrate solution, see Part 2, Chapter 7	—											
Poisonous, see Toxic												
Polyamines, flammable, corrosive, n.o.s.*	2733	3	8	Liquid flammable & Corrosive		A3	I II	E0 E2	350 352 Y340	0.5 L 1 L 0.5 L	360 363	2.5 L 5 L
							III	E1	354 Y342	5 L 1 L	365	60 L
Polyamines, liquid, corrosive, n.o.s.*	2735	8		Corrosive		A3	I II	E0 E2	850 851 Y840	0.5 L 1 L 0.5 L	854 855	2.5 L 30 L
							III	E1	852 Y841	5 L 1 L	856	60 L
Polyamines, liquid, corrosive, flammable, n.o.s.*	2734	8	3	Corrosive & Liquid flammable			I II	E0 E2	850 851 Y840	0.5 L 1 L 0.5 L	854 855	2.5 L 30 L
Polyamines, solid, corrosive, n.o.s.*	3259	8		Corrosive		A3	I II	E0 E2	858 859 Y844	1 kg 15 kg 5 kg	862 863	25 kg 50 kg
							III	E1	860 Y845	25 kg 5 kg	864	100 kg
Polychlorinated biphenyls, liquid	2315	9		Miscellaneous	US 4	A11	II	E2	964	100 L	964	220 L
Polychlorinated biphenyls, solid	3432	9		Miscellaneous	US 4	A11	II	E2	956	100 kg	956	200 kg
Polyester resin kit, liquid base material †	3269	3		Liquid flammable		A66 A163	II	E0	370 Y370	5 kg 1 kg	370	5 kg
							III	E0	370 Y370	10 kg 5 kg	370	10 kg
Polyester resin kit, solid base material †	3527	4.1		Solid flammable		A66 A163	II		450 Y450	5 kg 1 kg	450	5 kg
							III		450 Y450	10 kg 5 kg	450	10 kg
Polyhalogenated biphenyls, liquid	3151	9		Miscellaneous		A11 A95	II	E2	964	100 L	964	220 L
Polyhalogenated biphenyls, solid	3152	9		Miscellaneous		A11 A95	II	E2	956	100 kg	956	200 kg
Polyhalogenated terphenyls, liquid	3151	9		Miscellaneous		A11 A95	II	E2	964	100 L	964	220 L
Polyhalogenated terphenyls, solid	3152	9		Miscellaneous		A11 A95	II	E2	956	100 kg	956	200 kg
Polymeric beads, expandable, evolving flammable vapour †	2211	9		Miscellaneous		A204	III	E1	957	100 kg	957	200 kg
Polymerizing substance, liquid, stabilized, n.o.s.*	3532	4.1		Solid flammable		A209	III	E0	459	10 L	459	25 L
Polymerizing substance, liquid, temperature controlled, n.o.s.*	3534	4.1				A209	III		FORBIDDEN		FORBIDDEN	

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Polymerizing substance, solid, stabilized, n.o.s.*	3531	4.1		Solid flammable		A209	III	E0	459	10 kg	459	25 kg
Polymerizing substance, solid, temperature controlled, n.o.s.*	3533	4.1				A209	III		FORBIDDEN		FORBIDDEN	
Polystyrene beads, expandable, etc., see Polymeric beads, expandable , evolving flammable vapour												
Potassium	2257	4.3		Danger if wet	AU 1 CA 7 IR 3 NL 1 US 3	A1	I	E0	FORBIDDEN		487	15 kg
Potassium arsenate	1677	6.1		Toxic	US 4		II	E4	669 Y644	25 kg 1 kg	676	100 kg
Potassium arsenite	1678	6.1		Toxic	US 4		II	E4	669 Y644	25 kg 1 kg	676	100 kg
Potassium bifluoride, see Potassium hydrogendifluoride, solid (UN No. 1811)												
Potassium bisulphate, see Potassium hydrogen sulphate												
Potassium bisulphite solution, see Bisulphites, aqueous solution, n.o.s.												
Potassium borohydride	1870	4.3		Danger if wet			I	E0	FORBIDDEN		487	15 kg
Potassium bromate	1484	5.1		Oxidizer			II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
Potassium carbonyl	FORBIDDEN											
Potassium chlorate	1485	5.1		Oxidizer			II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
Potassium chlorate, aqueous solution	2427	5.1		Oxidizer		A3	II III	E2 E1	550 Y540 551 Y541	1 L 0.5 L 2.5 L 1 L	554 555	5 L 30 L
Potassium chlorate mixed with mineral oil, see Explosive, blasting, type C												
Potassium cuprocyanide	1679	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Potassium cyanide, solid	1680	6.1		Toxic	US 4		I	E5	666	5 kg	673	50 kg
Potassium cyanide solution	3413	6.1		Toxic		A3	I II III	E5 E4 E1	652 654 Y641 655 Y642	1 L 5 L 1 L 60 L 2 L	658 662 663	30 L 60 L 220 L
Potassium dicyanocuprate, (I), see Potassium cuprocyanide												

별표 1. 위험물 목록

3-2-157

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Potassium dithionite	1929	4.2		Spontaneous combustion			II	E2	467	15 kg	470	50 kg
Potassium fluoride, solid	1812	6.1		Toxic			III	E1	670 Y645	100 kg 10 kg	677	200 kg
Potassium fluoride solution	3422	6.1		Toxic		A3	III	E1	655 Y642	60 L 2 L	663	220 L
Potassium fluoroacetate	2628	6.1		Toxic			I	E5	666	5 kg	673	50 kg
Potassium fluorosilicate	2655	6.1		Toxic			III	E1	670 Y645	100 kg 10 kg	677	200 kg
Potassium hexafluorosilicate, see Potassium fluorosilicate												
Potassium hydrate, see Potassium hydroxide, solid												
Potassium hydrogendifluoride, solid	1811	8	6.1	Corrosive & Toxic			II	E2	859 Y844	15 kg 5 kg	863	50 kg
Potassium hydrogendifluoride solution	3421	8	6.1	Corrosive & Toxic		A3	II III	E2 E1	851 Y840 852 Y841	1 L 0.5 L 5 L 1 L	855 856	30 L 60 L
Potassium hydrogen sulphate	2509	8		Corrosive			II	E2	859 Y844	15 kg 5 kg	863	50 kg
Potassium hydrosulphite	1929	4.2		Spontaneous combustion			II	E2	467	15 kg	470	50 kg
Potassium hydroxide, liquid, see Potassium hydroxide solution												
Potassium hydroxide, solid	1813	8		Corrosive			II	E2	859 Y844	15 kg 5 kg	863	50 kg
Potassium hydroxide solution	1814	8		Corrosive		A3	II III	E2 E1	851 Y840 852 Y841	1 L 0.5 L 5 L 1 L	855 856	30 L 60 L
Potassium metal alloys, liquid	1420	4.3		Danger if wet	AU 1 CA 7 IR 3 NL 1 US 3	A1	I	E0	FORBIDDEN		480	1 L
Potassium metal alloys, solid	3403	4.3		Danger if wet			I	E0	FORBIDDEN		487	15 kg
Potassium metavanadate	2864	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Potassium monoxide	2033	8		Corrosive			II	E2	859 Y844	15 kg 5 kg	863	50 kg
Potassium nitrate	1486	5.1		Oxidizer			III	E1	559 Y546	25 kg 10 kg	563	100 kg
Potassium nitrate and sodium nitrate mixture, see Sodium nitrate and potassium nitrate mixture												

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Potassium nitrate and sodium nitrite mixture	1487	5.1		Oxidizer			II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
Potassium nitrite	1488	5.1		Oxidizer			II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
Potassium perchlorate	1489	5.1		Oxidizer			II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
Potassium permanganate	1490	5.1		Oxidizer			II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
Potassium peroxide	1491	5.1		Oxidizer	AU 1 CA 7 IR 3 NL 1 US 3	A1	I	E0	FORBIDDEN		561	15 kg
Potassium persulphate	1492	5.1		Oxidizer			III	E1	559 Y546	25 kg 10 kg	563	100 kg
Potassium phosphide	2012	4.3	6.1	Danger if wet & Toxic			I	E0	FORBIDDEN		487	15 kg
Potassium selenate, see Selenates												
Potassium selenite, see Selenites												
Potassium silicofluoride, see Potassium fluorosilicate												
Potassium sodium alloys, liquid †	1422	4.3		Danger if wet	AU 1 CA 7 IR 3 NL 1 US 3	A1	I	E0	FORBIDDEN		480	1 L
Potassium sodium alloys, solid	3404	4.3		Danger if wet			I	E0	FORBIDDEN		487	15 kg
Potassium sulphide with less than 30% water of crystallization	1382	4.2		Spontaneous combustion			II	E2	467	15 kg	470	50 kg
Potassium sulphide, anhydrous †	1382	4.2		Spontaneous combustion			II	E2	467	15 kg	470	50 kg
Potassium sulphide, hydrated with not less than 30% water of crystallization	1847	8		Corrosive			II	E2	859 Y844	15 kg 5 kg	863	50 kg
Potassium superoxide	2466	5.1		Oxidizer	AU 1 CA 7 IR 3 NL 1 US 3	A1	I	E0	FORBIDDEN		561	15 kg
Potassium tetracyanomercurate, (II), see Mercuric potassium cyanide												
Powder cake, wetted with not less than 17% alcohol, by mass†	0433	1.1C							FORBIDDEN		FORBIDDEN	
Powder cake, wetted with not less than 25% water, by mass†	0159	1.3C							FORBIDDEN		FORBIDDEN	

별표 1. 위험물 목록

3-2-159

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Powder paste, wetted with not less than 17% alcohol, by mass†	0433	1.1C							FORBIDDEN		FORBIDDEN	
Powder paste, wetted with not less than 25% water, by mass †	0159	1.3C							FORBIDDEN		FORBIDDEN	
Powder, smokeless †	0160	1.1C							FORBIDDEN		FORBIDDEN	
Powder, smokeless †	0161	1.3C							FORBIDDEN		FORBIDDEN	
Powder, smokeless †	0509	1.4C		Explosive 1.4				E0	FORBIDDEN		114	75 kg
Power devices, explosive, see Cartridges, power device												
Pressurized products, see Aerosols etc.												
Primers, cap type †	0044	1.4S		Explosive 1.4				E0	133	25 kg	133	100 kg
Primers, cap type †	0377	1.1B							FORBIDDEN		FORBIDDEN	
Primers, cap type †	0378	1.4B		Explosive 1.4				E0	FORBIDDEN		133	75 kg
Primers, small arms, see Primers, cap type												
Primers, tubular †	0319	1.3G							FORBIDDEN		FORBIDDEN	
Primers, tubular †	0320	1.4G		Explosive 1.4				E0	FORBIDDEN		133	75 kg
Primers, tubular †	0376	1.4S		Explosive 1.4				E0	133	25 kg	133	100 kg
Printing ink, flammable	1210	3		Liquid flammable		A3	I	E3	351	1 L	361	30 L
						A72	II	E2	353	5 L	364	60 L
						A192			Y341	1 L		
							III	E1	355	60 L	366	220 L
Printing ink related material (including printing ink thinning or reducing compound), flammable	1210	3		Liquid flammable					Y344	10 L		
						A3	I	E3	351	1 L	361	30 L
						A72	II	E2	353	5 L	364	60 L
						A192			Y341	1 L		
							III	E1	355	60 L	366	220 L
									Y344	10 L		
Projectiles, inert with tracer †	0345	1.4S		Explosive 1.4				E0	130	25 kg	130	100 kg
Projectiles, inert with tracer †	0424	1.3G							FORBIDDEN		FORBIDDEN	
Projectiles, inert with tracer †	0425	1.4G		Explosive 1.4				E0	FORBIDDEN		130	75 kg
Projectiles with burster or expelling charge†	0346	1.2D							FORBIDDEN		FORBIDDEN	
Projectiles with burster or expelling charge†	0347	1.4D		Explosive 1.4				E0	FORBIDDEN		130	75 kg
Projectiles with burster or expelling charge†	0426	1.2F							FORBIDDEN		FORBIDDEN	
Projectiles with burster or expelling charge†	0427	1.4F							FORBIDDEN		FORBIDDEN	
Projectiles with burster or expelling charge†	0434	1.2G							FORBIDDEN		FORBIDDEN	

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Projectiles with burster or expelling charge†	0435	1.4G		Explosive 1.4				E0	FORBIDDEN		130	75 kg
Projectiles with bursting charge†	0167	1.1F							FORBIDDEN		FORBIDDEN	
Projectiles with bursting charge†	0168	1.1D							FORBIDDEN		FORBIDDEN	
Projectiles with bursting charge†	0169	1.2D							FORBIDDEN		FORBIDDEN	
Projectiles with bursting charge†	0324	1.2F							FORBIDDEN		FORBIDDEN	
Projectiles with bursting charge†	0344	1.4D		Explosive 1.4				E0	FORBIDDEN		130	75 kg
Projectiles, illuminating, see Ammunition, illuminating , etc.												
Propadiene and methyl acetylene mixture, stabilized, see Methyl acetylene and propadiene mixture, stabilized												
Propadiene, stabilized	2200	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1 A209		E0	FORBIDDEN		200	150 kg
Propane	1978	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Propanethiols	2402	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
n-Propanol	1274	3		Liquid flammable		A3	II	E2	353 Y341	5 L 1 L	364	60 L
							III	E1	355 Y344	60 L 10 L	366	220 L
Propellant, liquid †	0495	1.3C							FORBIDDEN		FORBIDDEN	
Propellant, liquid †	0497	1.1C							FORBIDDEN		FORBIDDEN	
Propellant, single, double or triple base, see Powder, smokeless												
Propellant, solid †	0498	1.1C							FORBIDDEN		FORBIDDEN	
Propellant, solid †	0499	1.3C							FORBIDDEN		FORBIDDEN	
Propellant, solid	0501	1.4C		Explosive 1.4				E0	FORBIDDEN		114	75 kg
Propene, see Propylene												
Propionaldehyde	1275	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Propionic acid with not less than 90% acid by mass	3463	8	3	Corrosive & Liquid flammable			II	E2	851 Y840	1 L 0.5 L	855	30 L
Propionic acid with not less than 10% and less than 90% acid by mass	1848	8		Corrosive			III	E1	852 Y841	5 L 1 L	856	60 L

별표 1. 위험물 목록

3-2-161

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Propionic anhydride	2496	8		Corrosive			III	E1	852 Y841	5 L 1 L	856	60 L
Propionitrile	2404	3	6.1	Liquid flammable & Toxic	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		364	60 L
Propionyl chloride	1815	3	8	Liquid flammable & Corrosive			II	E2	352 Y340	1 L 0.5 L	363	5 L
n-Propyl acetate	1276	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Propyl alcohol, normal	1274	3		Liquid flammable		A3	II	E2	353 Y341	5 L 1 L	364	60 L
							III	E1	355 Y344	60 L 10 L	366	220 L
Propylamine	1277	3	8	Liquid flammable & Corrosive			II	E2	352 Y340	1 L 0.5 L	363	5 L
n-Propylbenzene	2364	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Propyl chloride, see 1-Chloropropane												
n-Propyl chloroformate	2740	6.1	3 8				I		FORBIDDEN		FORBIDDEN	
Propylene	1077	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Propylene chlorohydrin	2611	6.1	3	Toxic & Liquid flammable			II	E4	654 Y641	5 L 1 L	662	60 L
1,2-Propylenediamine	2258	8	3	Corrosive & Liquid flammable			II	E2	851 Y840	1 L 0.5 L	855	30 L
Propylene dichloride, see 1,2-Dichloropropane												
Propyleneimine, stabilized	1921	3	6.1	Liquid flammable & Toxic	US 4	A209	I	E0	FORBIDDEN		361	30 L
Propylene or liquefied petroleum gas, see Petroleum gases, liquefied												
Propylene oxide	1280	3		Liquid flammable			I	E3	351	1 L	361	30 L
Propylene tetramer	2850	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Propylene trimer, see Tripropylene												
Propyl formates	1281	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
n-Propyl isocyanate	2482	6.1	3				I		FORBIDDEN		FORBIDDEN	

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Propyl mercaptan, see Propanethiols												
n-Propyl nitrate	1865	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Propyltrichlorosilane	1816	8	3	Corrosive & Liquid flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		876	30 L
Pyrazine hexahydride, see Piperazine												
Pyrethroid pesticide, liquid flammable, toxic* , flash point less than 23°C	3350	3	6.1	Liquid flammable & Toxic		A4	I II	E0 E2	FORBIDDEN 352 Y341	1 L 1 L	361 364	30 L 60 L
Pyrethroid pesticide, liquid, toxic*	3352	6.1		Toxic		A3 A4	I II	E5 E4	652 654 Y641	1 L 5 L 1 L	658 662	30 L 60 L
							III	E1	655 Y642	60 L 2 L	663	220 L
Pyrethroid pesticide, liquid, toxic, flammable* , flash point not less than 23°C	3351	6.1	3	Toxic & Liquid flammable		A3 A4	I II	E5 E4	652 654 Y641	1 L 5 L 1 L	658 662	30 L 60 L
							III	E1	655 Y642	60 L 2 L	663	220 L
Pyrethroid pesticide, solid, toxic*	3349	6.1		Toxic		A3 A5	I II	E5 E4	666 669 Y644	5 kg 25 kg 1 kg	673 676	50 kg 100 kg
							III	E1	670 Y645	100 kg 10 kg	677	200 kg
Pyridine	1282	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Pyridine perchlorate	FORBIDDEN											
Pyrophoric alloy, n.o.s.*	1383	4.2					I		FORBIDDEN		FORBIDDEN	
Pyrophoric liquid, inorganic, n.o.s.* †	3194	4.2					I		FORBIDDEN		FORBIDDEN	
Pyrophoric liquid, organic, n.o.s.* †	2845	4.2					I		FORBIDDEN		FORBIDDEN	
Pyrophoric metal, n.o.s.*	1383	4.2					I		FORBIDDEN		FORBIDDEN	
Pyrophoric solid, inorganic, n.o.s.* †	3200	4.2					I		FORBIDDEN		FORBIDDEN	
Pyrophoric solid, organic, n.o.s.* †	2846	4.2					I		FORBIDDEN		FORBIDDEN	
Pyrosulphuryl chloride	1817	8		Corrosive			II	E2	851 Y840	1 L 0.5 L	855	30 L
Pyroxylin solution†, see Nitrocellulose solution, flammable												
Pyrrolidine	1922	3	8	Liquid flammable & Corrosive			II	E2	352 Y340	1 L 0.5 L	363	5 L

별표 1. 위험물 목록

3-2-163

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Q												
Quebrachitol pentanitrate	FORBIDDEN											
Quinoline	2656	6.1		Toxic			III	E1	655 Y642	60 L 2 L	663	220 L
Quinone, see Benzoquinone												
R												
Radioactive material, excepted package — articles	2911	7		None		A130			See Part 1;6		See Part 1;6	
Radioactive material, excepted package — articles manufactured from depleted uranium	2909	7		None		A130			See Part 1;6		See Part 1;6	
Radioactive material, excepted package — articles manufactured from natural thorium	2909	7		None		A130			See Part 1;6		See Part 1;6	
Radioactive material, excepted package — articles manufactured from natural uranium	2909	7		None		A130			See Part 1;6		See Part 1;6	
Radioactive material, excepted package — empty packaging	2908	7		None		A130			See Part 1;6		See Part 1;6	
Radioactive material, excepted package — instruments	2911	7		None		A130			See Part 1;6		See Part 1;6	
Radioactive material, excepted package — limited quantity of material	2910	7		None		A130 A193			See Part 1;6		See Part 1;6	
Radioactive material, low specific activity (LSA-I), non-fissile or fissile excepted	2912	7		Radioactive	CA 1	A23 A78 A139			See Part 2;7 and Part 4;9		See Part 2;7 and Part 4;9	
Radioactive material, low specific activity (LSA-II), non-fissile or fissile excepted	3321	7		Radioactive	CA 1	A23 A78 A139 A159			See Part 2;7 and Part 4;9		See Part 2;7 and Part 4;9	
Radioactive material, low specific activity (LSA-II), fissile	3324	7		Radioactive	CA 1	A76 A78 A159			See Part 2;7 and Part 4;9		See Part 2;7 and Part 4;9	
Radioactive material, low specific activity (LSA-III), non-fissile or fissile excepted	3322	7		Radioactive	CA 1	A23 A78 A139 A159			See Part 2;7 and Part 4;9		See Part 2;7 and Part 4;9	
Radioactive material, low specific activity (LSA-III), fissile	3325	7		Radioactive	CA 1	A76 A78 A159			See Part 2;7 and Part 4;9		See Part 2;7 and Part 4;9	
Radioactive material, surface contaminated objects (SCO-I), fissile	3326	7		Radioactive	CA 1	A78 A159			See Part 2;7 and Part 4;9		See Part 2;7 and Part 4;9	

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Radioactive material, surface contaminated objects (SCO-II), fissile	3326	7		Radioactive	CA 1	A78 A159			See Part 2;7 and Part 4;9		See Part 2;7 and Part 4;9	
Radioactive material, surface contaminated objects (SCO-I, SCO-II or SCO-III), non-fissile or fissile excepted	2913	7		Radioactive	CA 1	A78 A139 A159			See Part 2;7 and Part 4;9		See Part 2;7 and Part 4;9	
Radioactive material, transported under special arrangement, non-fissile or fissile excepted	2919	7		Radioactive	CA 1	A23 A78 A139			See Part 2;7 and Part 4;9		See Part 2;7 and Part 4;9	
Radioactive material, transported under special arrangement, fissile	3331	7		Radioactive	CA 1	A76 A78			See Part 2;7 and Part 4;9		See Part 2;7 and Part 4;9	
Radioactive material, Type A package, non-special form, non-fissile or fissile excepted	2915	7		Radioactive	CA 1	A23 A78 A139			See Part 2;7 and Part 4;9		See Part 2;7 and Part 4;9	
Radioactive material, Type A package, fissile, non-special form	3327	7		Radioactive	CA 1	A76 A78			See Part 2;7 and Part 4;9		See Part 2;7 and Part 4;9	
Radioactive material, Type A package, special form, non-fissile or fissile excepted	3332	7		Radioactive	CA 1	A78 A139			See Part 2;7 and Part 4;9		See Part 2;7 and Part 4;9	
Radioactive material, Type A package, special form, fissile	3333	7		Radioactive	CA 1	A78			See Part 2;7 and Part 4;9		See Part 2;7 and Part 4;9	
Radioactive material, Type B(M) package, non-fissile or fissile excepted	2917	7		Radioactive	CA 1	A23 A78 A139 A160			See Part 2;7 and Part 4;9		See Part 2;7 and Part 4;9	
Radioactive material, Type B(M) package, fissile	3329	7		Radioactive	CA 1	A76 A78 A160			See Part 2;7 and Part 4;9		See Part 2;7 and Part 4;9	
Radioactive material, Type B(U) package, non-fissile or fissile excepted	2916	7		Radioactive	CA 1	A23 A78 A139 A160			See Part 2;7 and Part 4;9		See Part 2;7 and Part 4;9	
Radioactive material, Type B(U) package, fissile	3328	7		Radioactive	CA 1	A76 A78 A160			See Part 2;7 and Part 4;9		See Part 2;7 and Part 4;9	
Radioactive material, Type C package, non-fissile or fissile excepted	3323	7		Radioactive	CA 1	A23 A78 A139			See Part 2;7 and Part 4;9		See Part 2;7 and Part 4;9	
Radioactive material, Type C package, fissile	3330	7		Radioactive	CA 1	A76 A78			See Part 2;7 and Part 4;9		See Part 2;7 and Part 4;9	
Radioactive material, uranium hexafluoride, non-fissile or fissile excepted	2978	7	6.1 8	Radioactive & Toxic & Corrosive	CA 1	A139			See Part 2;7 and Part 4;9		See Part 2;7 and Part 4;9	
Radioactive material, uranium hexafluoride, fissile	2977	7	6.1 8	Radioactive & Toxic & Corrosive					See Part 2;7 and Part 4;9		See Part 2;7 and Part 4;9	

별표 1. 위험물 목록

3-2-165

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Rags, oily	1856	4.2			AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
RDX and cyclotetramethylene-tetranitramine mixture, desensitized with not less than 10% phlegmatizer, by mass	0391	1.1D							FORBIDDEN		FORBIDDEN	
RDX and cyclotetramethylene-tetranitramine mixture, wetted with not less than 15% water, by mass	0391	1.1D							FORBIDDEN		FORBIDDEN	
RDX, desensitized	0483	1.1D							FORBIDDEN		FORBIDDEN	
RDX, wetted with not less than 15% water, by mass	0072	1.1D							FORBIDDEN		FORBIDDEN	
Receptacles, small, containing gas (flammable) without a release device, non-refillable	2037	2.1		Gas flammable		A145 A167		E0	203 Y203	1 kg 1 kg	203	15 kg
Receptacles, small, containing gas (non-flammable) without a release device, non-refillable	2037	2.2		Gas non-flammable		A98 A145 A167		E0	203 Y203	1 kg 1 kg	203	15 kg
Receptacles, small, containing gas (oxidizing) without a release device, non-refillable	2037	2.2	5.1	Gas non-flammable & Oxidizer		A145 A167		E0	203	1 kg	203	15 kg
Receptacles, small, containing gas (toxic & corrosive) without a release device, non-refillable	2037	2.3	8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Receptacles, small, containing gas (toxic, flammable & corrosive) without a release device, non-refillable	2037	2.3	2.1 8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Receptacles, small, containing gas (toxic & flammable) without a release device, non-refillable	2037	2.3	2.1		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Receptacles, small, containing gas (toxic, oxidizing & corrosive) without a release device, non-refillable	2037	2.3	5.1 8		AU 1 CA 7 IR 3 NL 1 US 3	A2 A211			FORBIDDEN		FORBIDDEN	
Receptacles, small, containing gas (toxic & oxidizing) without a release device, non-refillable	2037	2.3	5.1		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Receptacles, small, containing gas (toxic) without a release device, non-refillable	2037	2.3			AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Red phosphorus, see Phosphorus, amorphous												
Refrigerant gas, n.o.s.*	1078	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Refrigerant gas R 12	1028	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Refrigerant gas R 12B1	1974	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Refrigerant gas R 13	1022	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Refrigerant gas R 13B1	1009	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Refrigerant gas R 14	1982	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Refrigerant gas R 21	1029	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Refrigerant gas R 22	1018	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Refrigerant gas R 23	1984	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Refrigerant gas R 32	3252	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Refrigerant gas R 40	1063	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	100 kg
Refrigerant gas R 41	2454	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Refrigerant gas R 114	1958	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Refrigerant gas R 115	1020	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Refrigerant gas R 116	2193	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Refrigerant gas R 124	1021	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Refrigerant gas R 125	3220	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Refrigerant gas R 133a	1983	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Refrigerant gas R 134a	3159	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Refrigerant gas R 142b	2517	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg

별표 1. 위험물 목록

3-2-167

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Refrigerant gas R 143a	2035	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Refrigerant gas R 152a	1030	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Refrigerant gas R 161	2453	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Refrigerant gas R 218	2424	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Refrigerant gas R 227	3296	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Refrigerant gas R 404A	3337	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Refrigerant gas R 407A	3338	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Refrigerant gas R 407B	3339	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Refrigerant gas R 407C	3340	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Refrigerant gas R 500	2602	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Refrigerant gas R 502	1973	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Refrigerant gas R 503	2599	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Refrigerant gas R 1113	1082	2.3	2.1		AU 1 CA 7 IR 3 NL 1 US 3	A2 A209			FORBIDDEN		FORBIDDEN	
Refrigerant gas R 1132a	1959	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Refrigerant gas R 1216	1858	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Refrigerant gas R 1318	2422	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Refrigerant gas R C318	1976	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Refrigerating machines containing flammable, non-toxic, liquefied gas	3358	2.1				A103			FORBIDDEN		FORBIDDEN	
Refrigerating machines containing non-flammable, non-toxic gases or ammonia solutions (UN 2672)	2857	2.2		Gas non-flammable		A26		E0	See 211		See 211	
Refrigerating machines containing toxic, liquefied gas or ammonia solution with more than 50% ammonia	FORBIDDEN											

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Regulated medical waste, n.o.s.	3291	6.2		Infectious		A117		E0	621	No limit	621	No limit
Release devices, explosive †	0173	1.4S		Explosive 1.4				E0	134	25 kg	134	100 kg
Resin solution, flammable	1866	3		Liquid flammable		A3	I	E3	351	1 L	361	30 L
							II	E2	353	5 L	364	60 L
							III	E1	Y341	1 L		
									355	60 L	366	220 L
									Y344	10 L		
Resorcin, see Resorcinol												
Resorcinol	2876	6.1		Toxic			III	E1	670	100 kg	677	200 kg
									Y645	10 kg		
Rivets, explosive	0174	1.4S		Explosive 1.4				E0	134	25 kg	134	100 kg
Rocket motors †	0186	1.3C		Explosive				E0	FORBIDDEN		130	220 kg
Rocket motors †	0280	1.1C							FORBIDDEN		FORBIDDEN	
Rocket motors †	0281	1.2C							FORBIDDEN		FORBIDDEN	
Rocket motors †	0510	1.4C		Explosive 1.4				E0	FORBIDDEN		130	75 kg
Rocket motors, liquid fuelled †	0395	1.2J							FORBIDDEN		FORBIDDEN	
Rocket motors, liquid fuelled †	0396	1.3J							FORBIDDEN		FORBIDDEN	
Rocket motors with hypergolic liquids with or without expelling charge†	0250	1.3L							FORBIDDEN		FORBIDDEN	
Rocket motors with hypergolic liquids with or without expelling charge†	0322	1.2L							FORBIDDEN		FORBIDDEN	
Rockets with bursting charge†	0180	1.1F							FORBIDDEN		FORBIDDEN	
Rockets with bursting charge†	0181	1.1E							FORBIDDEN		FORBIDDEN	
Rockets with bursting charge†	0182	1.2E							FORBIDDEN		FORBIDDEN	
Rockets with bursting charge†	0295	1.2F							FORBIDDEN		FORBIDDEN	
Rockets with expelling charge†	0436	1.2C							FORBIDDEN		FORBIDDEN	
Rockets with expelling charge†	0437	1.3C							FORBIDDEN		FORBIDDEN	
Rockets with expelling charge†	0438	1.4C		Explosive 1.4				E0	FORBIDDEN		130	75 kg
Rockets with inert head†	0183	1.3C							FORBIDDEN		FORBIDDEN	
Rockets with inert head†	0502	1.2C							FORBIDDEN		FORBIDDEN	
Rockets, line-throwing †	0238	1.2G							FORBIDDEN		FORBIDDEN	
Rockets, line-throwing †	0240	1.3G		Explosive				E0	FORBIDDEN		130	75 kg
Rockets, line-throwing †	0453	1.4G		Explosive 1.4				E0	FORBIDDEN		130	75 kg
Rockets, liquid fuelled with bursting charge†	0397	1.1J							FORBIDDEN		FORBIDDEN	
Rockets, liquid fuelled with bursting charge†	0398	1.2J							FORBIDDEN		FORBIDDEN	

별표 1. 위험물 목록

3-2-169

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Rosin oil	1286	3		Liquid flammable		A3	II	E2	353 Y341	5 L 1 L	364	60 L
							III	E1	355 Y344	60 L 10 L	366	220 L
Rubber scrap , powdered or granulated, not exceeding 840 microns and rubber content exceeding 45%	1345	4.1		Solid flammable		A3	II	E2	445 Y441	15 kg 5 kg	448	50 kg
Rubber shoddy , powdered or granulated, not exceeding 840 microns and rubber content exceeding 45%	1345	4.1		Solid flammable		A3	II	E2	445 Y441	15 kg 5 kg	448	50 kg
Rubber solution	1287	3		Liquid flammable		A3	II	E2	353 Y341	5 L 1 L	364	60 L
							III	E1	355 Y344	60 L 10 L	366	220 L
Rubidium	1423	4.3		Danger if wet			I	E0	FORBIDDEN		487	15 kg
Rubidium hydroxide	2678	8		Corrosive			II	E2	859 Y844	15 kg 5 kg	863	50 kg
Rubidium hydroxide solution	2677	8		Corrosive		A3	II	E2	851 Y840	1 L 0.5 L	855	30 L
							III	E1	852 Y841	5 L 1 L	856	60 L
S												
Safety devices , electrically initiated †	3268	9		Miscellaneous	BE 3 US 16	A32 A115 A119		E0	961	25 kg	961	100 kg
Safety devices , pyrotechnic †	0503	1.4G		Explosive 1.4		A32 A56		E0	FORBIDDEN		135	75 kg
Saltpetre, see Potassium nitrate												
Samples, explosive* , other than initiating explosives	0190	1							FORBIDDEN		FORBIDDEN	
Sand acid, see Fluorosilicic acid												
Seat-belt pretensioners, see Safety devices (UN No. 3268) or Safety devices, pyrotechnic (UN No. 0503)												
Security type equipment †	FORBIDDEN											
Seed cake with more than 1.5% oil and not more than 11% moisture	1386	4.2			AU 1 CA 7 IR 3 NL 1 US 3	A2	III		FORBIDDEN		FORBIDDEN	

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Seed cake with not more than 1.5% oil and not more than 11% moisture	2217	4.2			AU 1 CA 7 IR 3 NL 1 US 3	A2 A55	III		FORBIDDEN		FORBIDDEN	
Seed expellers, see Seed cake , etc.												
Selenates*	2630	6.1		Toxic	US 4		I	E5	666	5 kg	673	50 kg
Selenic acid	1905	8		Corrosive	AU 1 CA 7 IR 3 NL 1 US 3	A1	I	E0	FORBIDDEN		862	25 kg
Selenites*	2630	6.1		Toxic	US 4		I	E5	666	5 kg	673	50 kg
Selenium compound, liquid, n.o.s.*	3440	6.1		Toxic		A3 A4	I	E5	652	1 L	658	30 L
							II	E4	654	5 L	662	60 L
							III	E1	655	60 L	663	220 L
									Y641	1 L		
Selenium compound, solid, n.o.s.*	3283	6.1		Toxic		A3 A5	I	E5	666	5 kg	673	50 kg
							II	E4	669	25 kg	676	100 kg
							III	E1	Y644	1 kg		
									670	100 kg	677	200 kg
Selenium disulphide	2657	6.1		Toxic	US 4		II	E4	669	25 kg	676	100 kg
Selenium hexafluoride	2194	2.3	8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Selenium nitride	FORBIDDEN											
Selenium oxychloride	2879	8	6.1	Corrosive & Toxic			I	E0	850	0.5 L	854	2.5 L
Self-heating liquid, corrosive, inorganic, n.o.s.*	3188	4.2	8	Spontaneous combustion & Corrosive		A3	II	E2	462	1 L	464	5 L
							III	E1	463	5 L	465	60 L
Self-heating liquid, corrosive, organic, n.o.s.*	3185	4.2	8	Spontaneous combustion & Corrosive		A3	II	E2	462	1 L	464	5 L
							III	E1	463	5 L	465	60 L
Self-heating liquid, inorganic, n.o.s.*	3186	4.2		Spontaneous combustion		A3	II	E2	462	1 L	464	5 L
							III	E1	463	5 L	465	60 L
Self-heating liquid, organic, n.o.s.*	3183	4.2		Spontaneous combustion		A3	II	E2	462	1 L	464	5 L
							III	E1	463	5 L	465	60 L
Self-heating liquid, toxic, inorganic, n.o.s.*	3187	4.2	6.1	Spontaneous combustion & Toxic		A3	II	E2	462	1 L	464	5 L
							III	E1	463	5 L	465	60 L

별표 1. 위험물 목록

3-2-171

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Self-heating liquid, toxic, organic, n.o.s.*	3184	4.2	6.1	Spontaneous combustion & Toxic		A3	II III	E2 E1	462	1 L	464	5 L
									463	5 L	465	60 L
Self-heating solid, corrosive, inorganic, n.o.s.*	3192	4.2	8	Spontaneous combustion & Corrosive		A3	II III	E2 E1	466	15 kg	470	50 kg
									468	25 kg	471	100 kg
Self-heating solid, corrosive, organic, n.o.s.*	3126	4.2	8	Spontaneous combustion & Corrosive		A3	II III	E2 E1	466	15 kg	470	50 kg
									468	25 kg	471	100 kg
Self-heating solid, inorganic, n.o.s.*	3190	4.2		Spontaneous combustion		A3	II III	E2 E1	467	15 kg	470	50 kg
									469	25 kg	471	100 kg
Self-heating solid, organic, n.o.s.*	3088	4.2		Spontaneous combustion		A3	II III	E2 E1	467	15 kg	470	50 kg
									469	25 kg	471	100 kg
Self-heating solid, oxidizing, n.o.s.*	3127	4.2	5.1		AU 1 CA 7 IR 3 NL 1 US 3	A2 A3	II III		FORBIDDEN		FORBIDDEN	
									FORBIDDEN		FORBIDDEN	
Self-heating solid, toxic, inorganic, n.o.s.*	3191	4.2	6.1	Spontaneous combustion & Toxic		A3	II III	E2 E1	466	15 kg	470	50 kg
									468	25 kg	471	100 kg
Self-heating solid, toxic, organic, n.o.s.*	3128	4.2	6.1	Spontaneous combustion & Toxic		A3	II III	E2 E1	466	15 kg	470	50 kg
									468	25 kg	471	100 kg
Self-propelled vehicle, see Battery-powered equipment or Battery-powered vehicle or Vehicle, (flammable gas powered) or Vehicle, (flammable liquid powered)												
Self-reactive liquid type B*									FORBIDDEN			
Self-reactive liquid type B, temperature controlled*									FORBIDDEN			
Self-reactive liquid type C*	3223	4.1		Solid flammable		A20		E0	459	5 L	459	10 L
Self-reactive liquid type C, temperature controlled*	3233	4.1							FORBIDDEN		FORBIDDEN	
Self-reactive liquid type D*	3225	4.1		Solid flammable		A20		E0	459	5 L	459	10 L
Self-reactive liquid type D, temperature controlled*	3235	4.1							FORBIDDEN		FORBIDDEN	
Self-reactive liquid type E*	3227	4.1		Solid flammable		A20		E0	459	10 L	459	25 L
Self-reactive liquid type E, temperature controlled*	3237	4.1							FORBIDDEN		FORBIDDEN	
Self-reactive liquid type F*	3229	4.1		Solid flammable		A20		E0	459	10 L	459	25 L
Self-reactive liquid type F, temperature controlled*	3239	4.1							FORBIDDEN		FORBIDDEN	
Self-reactive solid type B									FORBIDDEN			

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Self-reactive solid type B, temperature controlled	FORBIDDEN											
Self-reactive solid type C*	3224	4.1		Solid flammable		A20		E0	459	5 kg	459	10 kg
Self-reactive solid type C, temperature controlled*	3234	4.1							FORBIDDEN		FORBIDDEN	
Self-reactive solid type D*	3226	4.1		Solid flammable		A20		E0	459	5 kg	459	10 kg
Self-reactive solid type D, temperature controlled*	3236	4.1							FORBIDDEN		FORBIDDEN	
Self-reactive solid type E*	3228	4.1		Solid flammable		A20		E0	459	10 kg	459	25 kg
Self-reactive solid type E, temperature controlled*	3238	4.1							FORBIDDEN		FORBIDDEN	
Self-reactive solid type F*	3230	4.1		Solid flammable		A20		E0	459	10 kg	459	25 kg
Self-reactive solid type F, temperature controlled*	3240	4.1							FORBIDDEN		FORBIDDEN	
Shale oil	1288	3		Liquid flammable		A3	II	E2	353 Y341	5 L 1 L	364	60 L
							III	E1	355 Y344	60 L 10 L	366	220 L
Shaped charges, see Charges, shaped (UN Nos. 0059, 0439, 0440, 0441)												
Signal devices, hand †	0191	1.4G		Explosive 1.4				E0	FORBIDDEN		135	75 kg
Signal devices, hand †	0373	1.4S		Explosive 1.4				E0	135	25 kg	135	100 kg
Signals, distress, ship†	0194	1.1G							FORBIDDEN		FORBIDDEN	
Signals, distress, ship†	0195	1.3G		Explosive				E0	FORBIDDEN		135	75 kg
Signals, distress, ship †	0505	1.4G		Explosive 1.4				E0	FORBIDDEN		135	75 kg
Signals, distress, ship	0506	1.4S		Explosive 1.4				E0	135	25 kg	135	100 kg
Signals, distress, ship, water-activated, see Contrivances, water-activated , etc.												
Signals, railway track, explosive †	0192	1.1G							FORBIDDEN		FORBIDDEN	
Signals, railway track, explosive †	0193	1.4S		Explosive 1.4				E0	135	25 kg	135	100 kg
Signals, railway track, explosive †	0492	1.3G							FORBIDDEN		FORBIDDEN	
Signals, railway track, explosive †	0493	1.4G		Explosive 1.4				E0	FORBIDDEN		135	75 kg
Signals, smoke †	0196	1.1G							FORBIDDEN		FORBIDDEN	
Signals, smoke †	0197	1.4G		Explosive 1.4				E0	FORBIDDEN		135	75 kg
Signals, smoke †	0313	1.2G							FORBIDDEN		FORBIDDEN	
Signals, smoke †	0487	1.3G							FORBIDDEN		FORBIDDEN	
Signals, smoke †	0507	1.4S		Explosive 1.4				E0	135	25 kg	135	100 kg

별표 1. 위험물 목록

3-2-173

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Silane	2203	2.1			AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Silicofluoric acid, see Fluorosilicic acid												
Silicofluorides, n.o.s., see Fluorosilicates, n.o.s.												
Silicon chloride, see Silicon tetrachloride												
Silicon powder, amorphous	1346	4.1		Solid flammable		A54	III	E1	446 Y443	25 kg 10 kg	449	100 kg
Silicon tetrachloride	1818	8		Corrosive	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		876	30 L
Silicon tetrafluoride	1859	2.3	8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Silicon tetrafluoride, adsorbed	3521	2.3	8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Silver acetylide (dry)	FORBIDDEN											
Silver arsenite	1683	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Silver azide (dry)	FORBIDDEN											
Silver chlorite (dry)	FORBIDDEN											
Silver cyanide	1684	6.1		Toxic	US 4		II	E4	669 Y644	25 kg 1 kg	676	100 kg
Silver fulminate (dry)	FORBIDDEN											
Silver nitrate	1493	5.1		Oxidizer	US 4		II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
Silver oxalate (dry)	FORBIDDEN											
Silver picrate (dry)	FORBIDDEN											
Silver picrate, wetted with not less than 30% water, by mass	1347	4.1			BE 3	A40	I		FORBIDDEN		FORBIDDEN	

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Sludge acid †	1906	8		Corrosive	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		855	30 L
Soda lime with more than 4% sodium hydroxide†	1907	8		Corrosive		A16	III	E1	860 Y845	25 kg 5 kg	864	100 kg
Sodium	1428	4.3		Danger if wet	AU 1 CA 7 IR 3 NL 1 US 3 US 4	A1	I	E0	FORBIDDEN		487	15 kg
Sodium aluminate, solid	2812	8		Corrosive			III	E1	860 Y845	25 kg 5 kg	864	100 kg
Sodium aluminate solution	1819	8		Corrosive		A3	II	E2	851 Y840	1 L 0.5 L	855	30 L
							III	E1	852 Y841	5 L 1 L	856	60 L
Sodium aluminium hydride	2835	4.3		Danger if wet	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		489	50 kg
Sodium ammonium vanadate	2863	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Sodium arsanilate	2473	6.1		Toxic			III	E1	670 Y645	100 kg 10 kg	677	200 kg
Sodium arsenate	1685	6.1		Toxic	US 4		II	E4	669 Y644	25 kg 1 kg	676	100 kg
Sodium arsenite, aqueous solution	1686	6.1		Toxic	US 4	A3 A6	II	E4	654 Y641	5 L 1 L	662	60 L
							III	E1	655 Y642	60 L 2 L	663	220 L
Sodium arsenite, solid	2027	6.1		Toxic	US 4	A6	II	E4	669 Y644	25 kg 1 kg	676	100 kg
Sodium azide	1687	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Sodium bifluoride, see Sodium hydrogendifluoride												
Sodium binoxide, see Sodium peroxide												
Sodium bisulphite solution, see Bisulphites, aqueous solution, n.o.s.												
Sodium borohydride	1426	4.3		Danger if wet			I	E0	FORBIDDEN		487	15 kg

별표 1. 위험물 목록

3-2-175

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Sodium borohydride and sodium hydroxide solution , with not more than 12% sodium borohydride and not more than 40% sodium hydroxide, by mass	3320	8		Corrosive		A3	II	E2	851 Y840	1 L 0.5 L	855	30 L
								E1	852 Y841	5 L 1 L		60 L
Sodium bromate	1494	5.1		Oxidizer			II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
Sodium cacodylate	1688	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Sodium carbonate peroxyhydrate	3378	5.1		Oxidizer			II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
								E1	559 Y546	25 kg 10 kg		100 kg
Sodium chlorate	1495	5.1		Oxidizer			II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
Sodium chlorate, aqueous solution	2428	5.1		Oxidizer		A3	II	E2	550 Y540	1 L 0.5 L	554	5 L
								E1	551 Y541	2.5 L 1 L		30 L
Sodium chlorate mixed with dinitrotoluene, see Explosive, blasting, type C												
Sodium chlorite	1496	5.1		Oxidizer			II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
Sodium chloroacetate	2659	6.1		Toxic			III	E1	670 Y645	100 kg 10 kg	677	200 kg
Sodium cuprocyanide, solid	2316	6.1		Toxic			I	E5	666	5 kg	673	50 kg
Sodium cuprocyanide solution	2317	6.1		Toxic			I	E5	652	1 L	658	30 L
Sodium cyanide, solid	1689	6.1		Toxic	US 4		I	E5	666	5 kg	673	50 kg
Sodium cyanide solution	3414	6.1		Toxic		A3	I	E5	652	1 L	658	30 L
								E4	654 Y641	5 L 1 L		60 L
								E1	655 Y642	60 L 2 L		220 L
Sodium dicyanocuprate, (I), solid, see Sodium cuprocyanide, solid												
Sodium dicyanocuprate, (I), solution, see Sodium cuprocyanide solution												
Sodium dimethylarsenate, see Sodium cacodylate												
Sodium dinitro-o-cresolate , dry or wetted with less than 15% water, by mass	0234	1.3C							FORBIDDEN		FORBIDDEN	
Sodium dinitro-o-cresolate, wetted with not less than 15% water, by mass	1348	4.1	6.1	Solid flammable & Toxic	BE 3	A40	I	E0	451	1 kg	451	15 kg

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Sodium dinitro-o-cresolate, wetted with not less than 10% water, by mass	3369	4.1		Solid flammable	BE 3	A40	I	E0	451	0.5 kg	451	0.5 kg
Sodium dioxide, see Sodium peroxide												
Sodium dithionite	1384	4.2		Spontaneous combustion			II	E2	467	15 kg	470	50 kg
Sodium fluoride, solid	1690	6.1		Toxic			III	E1	670 Y645	100 kg 10 kg	677	200 kg
Sodium fluoride solution	3415	6.1		Toxic		A3	III	E1	655 Y642	60 L 2 L	663	220 L
Sodium fluoroacetate	2629	6.1		Toxic	US 4		I	E5	666	5 kg	673	50 kg
Sodium fluorosilicate	2674	6.1		Toxic			III	E1	670 Y645	100 kg 10 kg	677	200 kg
Sodium hexafluorosilicate, see Sodium fluorosilicate												
Sodium hydrate, see Sodium hydroxide solution												
Sodium hydride	1427	4.3		Danger if wet			I	E0	FORBIDDEN		487	15 kg
Sodium hydrogen 4-amino-phenylarsenate, see Sodium arsanilate												
Sodium hydrogendifluoride	2439	8		Corrosive	US 4		II	E2	859 Y844	15 kg 5 kg	863	50 kg
Sodium hydrosulphide with less than 25% water of crystallization	2318	4.2		Spontaneous combustion			II	E2	467	15 kg	470	50 kg
Sodium hydrosulphide, hydrated with not less than 25% water of crystallization	2949	8		Corrosive			II	E2	859 Y844	15 kg 5 kg	863	50 kg
Sodium hydrosulphite	1384	4.2		Spontaneous combustion			II	E2	467	15 kg	470	50 kg
Sodium hydroxide, solid	1823	8		Corrosive			II	E2	859 Y844	15 kg 5 kg	863	50 kg
Sodium hydroxide solution	1824	8		Corrosive		A3	II	E2	851 Y840	1 L 0.5 L	855	30 L
							III	E1	852 Y841	5 L 1 L	856	60 L
+ Sodium ion batteries with organic electrolyte	3551	9		Miscellaneous — Lithium or sodium ion batteries		A88 A99 A154 A183 A201 A228		E0	FORBIDDEN		See 976	

별표 1. 위험물 목록

3-2-177

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
+ Sodium ion batteries contained in equipment with organic electrolyte	3552	9		Miscellaneous — Lithium or sodium ion batteries		A48 A88 A99 A154 A185 A228		E0	978	5 kg	978	35 kg
+ Sodium ion batteries packed with equipment with organic electrolyte	3552	9		Miscellaneous — Lithium or sodium ion batteries		A48 A88 A99 A154 A185 A228		E0	977	5 kg	977	35 kg
Sodium metasilicate pentahydrate, see Disodium trioxosilicate												
Sodium methylate	1431	4.2	8	Spontaneous combustion & Corrosive			II	E2	466	15 kg	470	50 kg
Sodium methylate solution in alcohol	1289	3	8	Liquid flammable & Corrosive		A3	II III	E2 E1	352 Y340 354 Y342	1 L 0.5 L 5 L 1 L	363 365	5 L 60 L
Sodium monoxide	1825	8		Corrosive			II	E2	859 Y844	15 kg 5 kg	863	50 kg
Sodium nitrate	1498	5.1		Oxidizer			III	E1	559 Y546	25 kg 10 kg	563	100 kg
Sodium nitrate and potassium nitrate mixture	1499	5.1		Oxidizer			III	E1	559 Y546	25 kg 10 kg	563	100 kg
Sodium nitrite	1500	5.1	6.1	Oxidizer & Toxic	US 4		III	E1	559 Y546	25 kg 10 kg	563	100 kg
Sodium nitrite and potassium nitrate mixture, see Potassium nitrate and sodium nitrite mixture												
Sodium pentachlorophenate	2567	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Sodium perborate monohydrate	3377	5.1		Oxidizer			III	E1	559 Y546	25 kg 10 kg	563	100 kg
Sodium perchlorate	1502	5.1		Oxidizer			II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
Sodium permanganate	1503	5.1		Oxidizer			II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
Sodium peroxide	1504	5.1		Oxidizer	AU 1 CA 7 IR 3 NL 1 US 3	A1	I	E0	FORBIDDEN		561	15 kg
Sodium peroxoborate, anhydrous	3247	5.1		Oxidizer			II	E2	558 Y544	5 kg 2.5 kg	562	25 kg

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Sodium persulphate	1505	5.1		Oxidizer			III	E1	559 Y546	25 kg 10 kg	563	100 kg
Sodium phosphide	1432	4.3	6.1	Danger if wet & Toxic			I	E0	FORBIDDEN		487	15 kg
Sodium picramate , dry or wetted with less than 20% water, by mass	0235	1.3C							FORBIDDEN		FORBIDDEN	
Sodium picramate , wetted with not less than 20% water, by mass	1349	4.1		Solid flammable	AU 1 BE 3 CA 7 IR 3 NL 1 US 3	A1 A40	I	E0	FORBIDDEN		451	15 kg
Sodium picryl peroxide			FORBIDDEN									
Sodium potassium alloys, see Potassium sodium alloys, liquid (UN No. 1422) or Potassium sodium alloys, solid (UN No. 3404)												
Sodium selenate, see Selenates												
Sodium selenite, see Selenites												
Sodium silicofluoride, see Sodium fluorosilicate												
Sodium sulphide with less than 30% water of crystallization	1385	4.2		Spontaneous combustion			II	E2	467	15 kg	470	50 kg
Sodium sulphide, anhydrous †	1385	4.2		Spontaneous combustion			II	E2	467	15 kg	470	50 kg
Sodium sulphide, hydrated with not less than 30% water	1849	8		Corrosive			II	E2	859 Y844	15 kg 5 kg	863	50 kg
Sodium superoxide	2547	5.1		Oxidizer	AU 1 CA 7 IR 3 NL 1 US 3	A1	I	E0	FORBIDDEN		561	15 kg
Sodium tetranitride			FORBIDDEN									
Solids containing corrosive liquid, n.o.s.*	3244	8		Corrosive		A77	II	E2	859 Y844	15 kg 5 kg	863	50 kg
Solids containing flammable liquid, n.o.s.*	3175	4.1		Solid flammable		A46	II	E2	445 Y441	15 kg 5 kg	448	50 kg
Solids containing toxic liquid, n.o.s.*	3243	6.1		Toxic		A50	II	E4	669 Y644	25 kg 1 kg	676	100 kg
Solvents, flammable†, n.o.s., see Flammable liquid, n.o.s.												
Solvents, flammable, toxic†, n.o.s., see Flammable liquid, toxic, n.o.s.												
Sounding devices, explosive †	0204	1.2F							FORBIDDEN		FORBIDDEN	
Sounding devices, explosive †	0296	1.1F							FORBIDDEN		FORBIDDEN	

별표 1. 위험물 목록

3-2-179

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Sounding devices, explosive †	0374	1.1D							FORBIDDEN		FORBIDDEN	
Sounding devices, explosive †	0375	1.2D							FORBIDDEN		FORBIDDEN	
Squibs, see Igniters (UN Nos. 0325, 0454)												
Stannic chloride, anhydrous	1827	8		Corrosive			II	E2	851 Y840	1 L 0.5 L	855	30 L
Stannic chloride pentahydrate	2440	8		Corrosive			III	E1	860 Y845	25 kg 5 kg	864	100 kg
Stannic phosphides	1433	4.3	6.1	Danger if wet & Toxic			I	E0	FORBIDDEN		487	15 kg
Steel swarf, see Ferrous metal, borings, shavings, turnings or cuttings , etc.												
Stibine	2676	2.3	2.1		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Storage batteries, wet, see Batteries, wet , etc.												
Straw	1327	4.1			AU 1 CA 7 IR 3 NL 1 US 3	A2 A198			FORBIDDEN		FORBIDDEN	
Strontium alloys, pyrophoric, see Pyrophoric metal, n.o.s. , etc.												
Strontium arsenite	1691	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Strontium chlorate	1506	5.1		Oxidizer			II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
Strontium dioxide, see Strontium peroxide												
Strontium nitrate	1507	5.1		Oxidizer			III	E1	559 Y546	25 kg 10 kg	563	100 kg
Strontium perchlorate	1508	5.1		Oxidizer			II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
Strontium peroxide	1509	5.1		Oxidizer			II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
Strontium phosphide	2013	4.3	6.1	Danger if wet & Toxic			I	E0	FORBIDDEN		487	15 kg
Strychnine	1692	6.1		Toxic	US 4	A5	I	E5	666	5 kg	673	50 kg
Strychnine salts	1692	6.1		Toxic	US 4	A5	I	E5	666	5 kg	673	50 kg

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Styphnic acid , dry or wetted with less than 20% water, or mixture of alcohol and water, by mass	0219	1.1D							FORBIDDEN		FORBIDDEN	
Styphnic acid , wetted with not less than 20% water, or mixture of alcohol and water, by mass	0394	1.1D							FORBIDDEN		FORBIDDEN	
Styrene monomer, stabilized	2055	3		Liquid flammable		A209	III	E1	355 Y344	60 L 10 L	366	220 L
Substances, EVI, n.o.s.* †	0482	1.5D							FORBIDDEN		FORBIDDEN	
Substances, explosive, n.o.s.*	0357	1.1L							FORBIDDEN		FORBIDDEN	
Substances, explosive, n.o.s.*	0358	1.2L							FORBIDDEN		FORBIDDEN	
Substances, explosive, n.o.s.*	0359	1.3L							FORBIDDEN		FORBIDDEN	
Substances, explosive, n.o.s.*	0473	1.1A							FORBIDDEN		FORBIDDEN	
Substances, explosive, n.o.s.*	0474	1.1C							FORBIDDEN		FORBIDDEN	
Substances, explosive, n.o.s.*	0475	1.1D							FORBIDDEN		FORBIDDEN	
Substances, explosive, n.o.s.*	0476	1.1G							FORBIDDEN		FORBIDDEN	
Substances, explosive, n.o.s.*	0477	1.3C							FORBIDDEN		FORBIDDEN	
Substances, explosive, n.o.s.*	0478	1.3G							FORBIDDEN		FORBIDDEN	
Substances, explosive, n.o.s.*	0479	1.4C		Explosive 1.4		A62		E0	FORBIDDEN		101	75 kg
Substances, explosive, n.o.s.*	0480	1.4D		Explosive 1.4		A62		E0	FORBIDDEN		101	75 kg
Substances, explosive, n.o.s.*	0481	1.4S		Explosive 1.4		A62 A165		E0	101	25 kg	101	100 kg
Substances, explosive, n.o.s.*	0485	1.4G		Explosive 1.4		A62		E0	FORBIDDEN		101	75 kg
Substances, explosive, very insensitive, n.o.s.* †	0482	1.5D							FORBIDDEN		FORBIDDEN	
Substances liable to spontaneous combustion, n.o.s., see Pyrophoric liquid/solid, inorganic/organic, n.o.s. or Self-heating liquid/solid, inorganic/organic, n.o.s.												
Substituted nitrophenol pesticide, liquid, flammable, toxic* , flash point less than 23°C	2780	3	6.1	Liquid flammable & Toxic		A4	I II	E0 E2	FORBIDDEN 352 Y341	1 L 1 L	361 364	30 L 60 L
Substituted nitrophenol pesticide, liquid, toxic*	3014	6.1		Toxic		A3 A4	I II	E5 E4	652 654 Y641	1 L 5 L 1 L	658 662	30 L 60 L
							III	E1	655 Y642	60 L 2 L	663	220 L
Substituted nitrophenol pesticide, liquid, toxic, flammable* , flash point not less than 23°C	3013	6.1	3	Toxic & Liquid flammable		A3 A4	I II	E5 E4	652 654 Y641	1 L 5 L 1 L	658 662	30 L 60 L
							III	E1	655 Y642	60 L 2 L	663	220 L

별표 1. 위험물 목록

3-2-181

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Substituted nitrophenol pesticide, solid, toxic*	2779	6.1		Toxic		A3	I	E5	666	5 kg	673	50 kg
						A5	II	E4	669	25 kg	676	100 kg
							III	E1	Y644	1 kg		
									670	100 kg	677	200 kg
Sucrose octanitrate (dry)									Y645	10 kg		
Sulphamic acid	2967	8		Corrosive			III	E1	860	25 kg	864	100 kg
									Y845	5 kg		
Sulphur	1350	4.1		Solid flammable		A105	III	E1	446	25 kg	449	100 kg
									Y443	10 kg		
Sulphur chlorides	1828	8		Corrosive	AU 1 CA 7 IR 3 NL 1 US 3	A1	I	E0	FORBIDDEN		854	2.5 L
Sulphur dichloride, see Sulphur chlorides												
Sulphur dioxide	1079	2.3	8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Sulphuretted hydrogen, see Hydrogen sulphide (UN No. 1053)												
Sulphur hexafluoride	1080	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Sulphuric acid with more than 51% acid	1830	8		Corrosive			II	E2	851	1 L	855	30 L
									Y840	0.5 L		
Sulphuric acid with not more than 51% acid	2796	8		Corrosive			II	E2	851	1 L	855	30 L
									Y840	0.5 L		
Sulphuric acid, fuming †	1831	8	6.1		AU 1 CA 7 IR 3 NL 1 US 3	A2	I		FORBIDDEN		FORBIDDEN	
Sulphuric acid, spent †	1832	8		Corrosive	AU 1 CA 7 IR 3 NL 1 US 3	A1 A34	II	E0	FORBIDDEN		855	30 L
Sulphuric and hydrofluoric acid mixture, see Hydrofluoric acid and sulphuric acid mixture												
Sulphur, molten	2448	4.1					III		FORBIDDEN		FORBIDDEN	
Sulphur monochloride, see Sulphur chlorides												
Sulphurous acid	1833	8		Corrosive			II	E2	851	1 L	855	30 L
									Y840	0.5 L		

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Sulphur tetrafluoride	2418	2.3	8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Sulphur trioxide, stabilized	1829	8			AU 1 CA 7 IR 3 NL 1 US 3	A2 A209	I		FORBIDDEN		FORBIDDEN	
Sulphuryl chloride	1834	6.1	8				I		FORBIDDEN		FORBIDDEN	
Sulphuryl fluoride	2191	2.3			AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
T												
Talcum with tremolite and/or actinolite, see Asbestos, amphibole (UN No. 2212)												
Tars, liquid , including road oils, and cutback bitumens	1999	3		Liquid flammable		A3	II III	E2 E1	353 Y341 355 Y344	5 L 1 L 60 L 10 L	364 366	60 L 220 L
Tartar emetic, see Antimony potassium tartrate												
Tear gas candles	1700	6.1	4.1	Toxic & Solid flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		679	50 kg
Tear gas cartridges, see Ammunition, tear-producing , etc.												
Tear gas devices, containing tear gas substances, see Aerosols etc.												
Tear gas grenades, see Tear gas candles												
Tear gas substance, liquid, n.o.s.*	1693	6.1		Toxic	AU 1 CA 7 IR 3 NL 1 US 3	A2	I II	E0	FORBIDDEN FORBIDDEN		FORBIDDEN 659	5 L
Tear gas substance, solid, n.o.s.*	3448	6.1		Toxic	AU 1 CA 7 IR 3 NL 1 US 3	A1 A36	I II	E0 E0	FORBIDDEN FORBIDDEN		672 674	15 kg 25 kg

별표 1. 위험물 목록

3-2-183

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Tellurium compound, n.o.s.*	3284	6.1		Toxic		A3	I	E5	666	5 kg	673	50 kg
						A5	II	E4	669	25 kg	676	100 kg
									Y644	1 kg		
							III	E1	670	100 kg	677	200 kg
Tellurium hexafluoride	2195	2.3	8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Terpene hydrocarbons, n.o.s.	2319	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Terpinolene	2541	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Tetraazido benzene quinone	FORBIDDEN											
Tetrabromoethane	2504	6.1		Toxic			III	E1	655 Y642	60 L 2 L	663	220 L
1,1,2,2-Tetrachloroethane	1702	6.1		Toxic	US 4		II	E4	654 Y641	5 L 1 L	661	60 L
Tetrachloroethylene	1897	6.1		Toxic	US 4		III	E1	655 Y642	60 L 2 L	663	220 L
Tetraethylammonium perchlorate (dry)	FORBIDDEN											
Tetraethyl dithiopyrophosphate	1704	6.1		Toxic	US 4	A6	II	E4	654 Y641	5 L 1 L	662	60 L
Tetraethylenepentamine	2320	8		Corrosive			III	E1	852 Y841	5 L 1 L	856	60 L
Tetraethyl lead, see Motor fuel anti-knock mixture												
Tetraethyloxysilane, see Tetraethyl silicate												
Tetraethyl silicate	1292	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Tetrafluorodichloroethane, see 1,2-Dichloro-1,1,2,2- tetrafluoroethane or Refrigerant gas R 114 (UN No. 1958)												
1,1,1,2-Tetrafluoroethane	3159	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Tetrafluoroethylene, stabilized	1081	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1 A209		E0	FORBIDDEN		200	150 kg
Tetrafluoromethane	1982	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
1,2,3,6-Tetrahydrobenzaldehyde	2498	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Tetrahydrofuran	2056	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Tetrahydrofurfurylamine	2943	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Tetrahydro-1,4-oxazine, see Morpholine												
Tetrahydrophthalic anhydrides with more than 0.05% of maleic anhydride	2698	8		Corrosive		A74	III	E1	860 Y845	25 kg 5 kg	864	100 kg
1,2,3,6-Tetrahydropyridine	2410	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Tetrahydrothiophene	2412	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Tetramethoxysilane, see Methyl orthosilicate												
≠ Tetramethylammonium hydroxide aqueous solution with more than 2.5% but less than 25% tetramethylammonium hydroxide	1835	8	6.1	Corrosive & Toxic		A113 A233 A234	II	E2	851 Y840	1 L 0.5 L	855	30 L
+ Tetramethylammonium hydroxide aqueous solution with not less than 25% tetramethylammonium hydroxide	3560	6.1	8	Toxic & Corrosive		A113 A233 A234	I	E5	651	0.5 L	657	2.5 L
+ Tetramethylammonium hydroxide aqueous solution with not more than 2.5% tetramethylammonium hydroxide	1835	8		Corrosive		A3 A233 A234	III	E1	852 Y841	5 L 1 L	856	60 L
≠ Tetramethylammonium hydroxide, solid	3423	6.1	8	Toxic & Corrosive		A113 A234	I	E5	665	1 kg	672	15 kg
Tetramethylene, see Cyclobutane												
Tetramethylene cyanide, see Adiponitrile												
Tetramethylene diperoxide dicarbamide	FORBIDDEN											
Tetramethyl lead, see Motor fuel anti-knock mixture												
Tetramethylsilane	2749	3		Liquid flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1	I	E0	FORBIDDEN		361	30 L
Tetranitroaniline	0207	1.1D							FORBIDDEN		FORBIDDEN	
Tetranitro diglycerin	FORBIDDEN											
Tetranitromethane	1510	6.1	5.1				I		FORBIDDEN		FORBIDDEN	
2,3,4,6-Tetranitrophenol	FORBIDDEN											
2,3,4,6-Tetranitrophenyl methyl nitramine	FORBIDDEN											

별표 1. 위험물 목록

3-2-185

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
2,3,4,6-Tetranitrophenylnitramine	FORBIDDEN											
Tetranitroresorcinol (dry)	FORBIDDEN											
2,3,5,6-Tetranitroso- 1,4-dinitrobenzene	FORBIDDEN											
2,3,5,6-Tetranitroso nitrobenzene (dry)	FORBIDDEN											
Tetrapropyl orthotitanate	2413	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Tetrazene (dry)	FORBIDDEN											
Tetrazene, wetted with not less than 30% water, or mixture of alcohol and water, by mass	0114	1.1A							FORBIDDEN		FORBIDDEN	
Tetrazine	FORBIDDEN											
Tetrazol-1-acetic acid	0407	1.4C		Explosive 1.4				E0	FORBIDDEN		114 b)	75 kg
1H-Tetrazole	0504	1.1D							FORBIDDEN		FORBIDDEN	
Tetrazolyl azide (dry)	FORBIDDEN											
Tetryl	0208	1.1D							FORBIDDEN		FORBIDDEN	
Textile waste, wet	1857	4.2			AU 1 CA 7 IR 3 NL 1 US 3	A2	III		FORBIDDEN		FORBIDDEN	
Thallium (I) chlorate, see Thallium chlorate												
Thallium chlorate	2573	5.1	6.1	Oxidizer & Toxic			II	E2	558 Y543	5 kg 1 kg	562	25 kg
Thallium compound, n.o.s.*	1707	6.1		Toxic	US 4	A6	II	E4	669 Y644	25 kg 1 kg	676	100 kg
Thallium (I) nitrate, see Thallium nitrate												
Thallium nitrate	2727	6.1	5.1	Toxic & Oxidizer			II	E4	667 Y644	5 kg 1 kg	674	25 kg
Thallous chlorate, see Thallium chlorate												
Thia-4-pentanal, see 4-Thiapentanal												
4-Thiapentanal	2785	6.1		Toxic			III	E1	655 Y642	60 L 2 L	663	220 L
Thioacetic acid	2436	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Thiocarbamate pesticide, liquid, flammable, toxic* , flash point less than 23°C	2772	3	6.1	Liquid flammable & Toxic		A4	I II	E0 E2	FORBIDDEN 352 Y341	1 L 1 L	361 364	30 L 60 L

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Thiocarbamate pesticide, liquid, toxic*	3006	6.1		Toxic		A3	I	E5	652	1 L	658	30 L
						A4	II	E4	654	5 L	662	60 L
									Y641	1 L		
							III	E1	655	60 L	663	220 L
Thiocarbamate pesticide, liquid, toxic, flammable*, flash point not less than 23°C	3005	6.1	3	Toxic & Liquid flammable		A3	I	E5	652	1 L	658	30 L
						A4	II	E4	654	5 L	662	60 L
									Y641	1 L		
							III	E1	655	60 L	663	220 L
Thiocarbamate pesticide, solid, toxic*	2771	6.1		Toxic		A3	I	E5	666	5 kg	673	50 kg
						A5	II	E4	669	25 kg	676	100 kg
									Y644	1 kg		
							III	E1	670	100 kg	677	200 kg
Thioglycol	2966	6.1		Toxic			II	E4	654	5 L	662	60 L
									Y641	1 L		
Thioglycolic acid	1940	8		Corrosive			II	E2	851	1 L	855	30 L
									Y840	0.5 L		
Thiolactic acid	2936	6.1		Toxic			II	E4	654	5 L	662	60 L
									Y641	1 L		
Thionyl chloride	1836	8			AU 1 CA 7 IR 3 NL 1 US 3	A2	I		FORBIDDEN		FORBIDDEN	
Thiophene	2414	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Thiophenol, see Phenyl mercaptan												
Thiophosgene	2474	6.1			AU 1 CA 7 IR 3 NL 1 US 3	A2	I		FORBIDDEN		FORBIDDEN	
Thiophosphoryl chloride	1837	8		Corrosive	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		855	30 L
Thiourea dioxide	3341	4.2		Spontaneous combustion		A3	II III	E2 E1	467 469	15 kg 25 kg	470 471	50 kg 100 kg
Tin chloride anhydrous, see Stannic chloride, anhydrous												
Tin (IV) chloride, anhydrous, see Stannic chloride, anhydrous												
Tin chloride pentahydrate, see Stannic chloride pentahydrate												

별표 1. 위험물 목록

3-2-187

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Tin (IV) chloride pentahydrate, see Stannic chloride pentahydrate												
Tinctures, medicinal	1293	3		Liquid flammable		A3	II III	E2 E1	353 Y341 355 Y344	5 L 1 L 60 L 10 L	364 366	60 L 220 L
Tin tetrachloride, see Stannic chloride, anhydrous												
Tire assemblies inflated, unserviceable, damaged or above maximum rated pressure	—	2.2				A59			FORBIDDEN		FORBIDDEN	
Titanium disulphide	3174	4.2		Spontaneous combustion			III	E1	469	25 kg	471	100 kg
Titanium hydride	1871	4.1		Solid flammable			II	E2	445 Y441	15 kg 5 kg	448	50 kg
Titanium powder, dry	2546	4.2		Spontaneous combustion		A3	I II III	E2 E1	FORBIDDEN 467 469	15 kg 25 kg	470 471	50 kg 100 kg
Titanium powder, wetted with not less than 25% water (a visible excess of water must be present) (a) mechanically produced, particle size less than 53 microns; (b) chemically produced, particle size less than 840 microns	1352	4.1		Solid flammable		A35	II	E2	445 Y441	15 kg 5 kg	448	50 kg
Titanium sponge granules	2878	4.1		Solid flammable		A3	III	E1	446 Y443	25 kg 10 kg	449	100 kg
Titanium sponge powders	2878	4.1		Solid flammable		A3	III	E1	446 Y443	25 kg 10 kg	449	100 kg
Titanium sulphate solution with not more than 45% sulphuric acid, see Corrosive liquid, acidic, inorganic, n.o.s.												
Titanium tetrachloride	1838	6.1	8		AU 1 CA 7 IR 3 NL 1 US 3	A2	I		FORBIDDEN		FORBIDDEN	
Titanium trichloride mixture	2869	8		Corrosive		A3	II III	E2 E1	859 Y844 860 Y845	15 kg 5 kg 25 kg 5 kg	863 864	50 kg 100 kg
Titanium trichloride mixture, pyrophoric	2441	4.2	8				I		FORBIDDEN		FORBIDDEN	
Titanium trichloride, pyrophoric	2441	4.2	8				I		FORBIDDEN		FORBIDDEN	
TNT , dry or wetted with less than 30% water, by mass	0209	1.1D							FORBIDDEN		FORBIDDEN	
TNT and hexanitrostilbene mixture	0388	1.1D							FORBIDDEN		FORBIDDEN	

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
TNT and trinitrobenzene mixture	0388	1.1D							FORBIDDEN		FORBIDDEN	
TNT mixed with aluminium, see Tritonal												
TNT mixture containing trinitrobenzene and hexanitrostilbene	0389	1.1D							FORBIDDEN		FORBIDDEN	
TNT, wetted with not less than 30% water, by mass	1356	4.1		Solid flammable	BE 3	A40	I	E0	451	0.5 kg	451	0.5 kg
TNT, wetted with not less than 10% water, by mass	3366	4.1		Solid flammable	BE 3	A40	I	E0	451	0.5 kg	451	0.5 kg
Toe puffs, nitrocellulose base, see Fibres impregnated with weakly nitrated nitrocellulose, n.o.s. or Fabrics impregnated with weakly nitrated nitrocellulose, n.o.s.												
Toluene	1294	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Toluene diisocyanate	2078	6.1		Toxic	US 4	A113	II	E4	654 Y641	5 L 1 L	662	60 L
Toluidines, liquid	1708	6.1		Toxic	US 4	A113	II	E4	654 Y641	5 L 1 L	662	60 L
Toluidines, solid	3451	6.1		Toxic	US 4	A113	II	E4	669 Y644	25 kg 1 kg	676	100 kg
Toluol, see Toluene												
2,4-Toluylenediamine, solid	1709	6.1		Toxic			III	E1	670 Y645	100 kg 10 kg	677	200 kg
2,4-Toluylenediamine solution	3418	6.1		Toxic		A3	III	E1	655 Y642	60 L 2 L	663	220 L
Toluylene diisocyanate, see Toluene diisocyanate												
Tolyethylene, inhibited, see Vinyltoluenes, stabilized												
Torpedoes with bursting charge†	0329	1.1E							FORBIDDEN		FORBIDDEN	
Torpedoes with bursting charge†	0330	1.1F							FORBIDDEN		FORBIDDEN	
Torpedoes with bursting charge†	0451	1.1D							FORBIDDEN		FORBIDDEN	
Torpedoes, liquid fuelled with inert head†	0450	1.3J							FORBIDDEN		FORBIDDEN	
Torpedoes, liquid fuelled with or without bursting charge†	0449	1.1J							FORBIDDEN		FORBIDDEN	
Toxic by inhalation liquid, n.o.s.* with an LC ₅₀ lower than or equal to 200 mL/m ³ and saturated vapour concentration greater than or equal to 500 LC ₅₀	3381	6.1					I		FORBIDDEN		FORBIDDEN	

별표 1. 위험물 목록

3-2-189

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Toxic by inhalation liquid, n.o.s.* with an LC ₅₀ lower than or equal to 1 000 mL/m ³ and saturated vapour concentration greater than or equal to 10 LC ₅₀	3382	6.1					I		FORBIDDEN		FORBIDDEN	
Toxic by inhalation liquid, corrosive, n.o.s.* with an LC ₅₀ lower than or equal to 200 mL/m ³ and saturated vapour concentration greater than or equal to 500 LC ₅₀	3389	6.1	8				I		FORBIDDEN		FORBIDDEN	
Toxic by inhalation liquid, corrosive, n.o.s.* with an LC ₅₀ lower than or equal to 1 000 mL/m ³ and saturated vapour concentration greater than or equal to 10 LC ₅₀	3390	6.1	8				I		FORBIDDEN		FORBIDDEN	
Toxic by inhalation liquid, flammable, n.o.s.* with an LC ₅₀ lower than or equal to 200 mL/m ³ and saturated vapour concentration greater than or equal to 500 LC ₅₀	3383	6.1	3				I		FORBIDDEN		FORBIDDEN	
Toxic by inhalation liquid, flammable, n.o.s.* with an LC ₅₀ lower than or equal to 1 000 mL/m ³ and saturated vapour concentration greater than or equal to 10 LC ₅₀	3384	6.1	3				I		FORBIDDEN		FORBIDDEN	
Toxic by inhalation liquid, flammable, corrosive, n.o.s.* with an LC ₅₀ lower than or equal to 200 mL/m ³ and saturated vapour concentration greater than or equal to 500 LC ₅₀	3488	6.1	3 8				I		FORBIDDEN		FORBIDDEN	
Toxic by inhalation liquid, flammable, corrosive, n.o.s.* with an LC ₅₀ lower than or equal to 1 000 mL/m ³ and saturated vapour concentration greater than or equal to 10 LC ₅₀	3489	6.1	3 8				I		FORBIDDEN		FORBIDDEN	
Toxic by inhalation liquid, oxidizing, n.o.s.* with an LC ₅₀ lower than or equal to 200 mL/m ³ and saturated vapour concentration greater than or equal to 500 LC ₅₀	3387	6.1	5.1				I		FORBIDDEN		FORBIDDEN	
Toxic by inhalation liquid, oxidizing, n.o.s.* with an LC ₅₀ lower than or equal to 1 000 mL/m ³ and saturated vapour concentration greater than or equal to 10 LC ₅₀	3388	6.1	5.1				I		FORBIDDEN		FORBIDDEN	

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Toxic by inhalation liquid, water-reactive, n.o.s.* with an LC ₅₀ lower than or equal to 200 mL/m ³ and saturated vapour concentration greater than or equal to 500 LC ₅₀	3385	6.1	4.3				I		FORBIDDEN		FORBIDDEN	
Toxic by inhalation liquid, water-reactive, n.o.s.* with an LC ₅₀ lower than or equal to 1 000 mL/m ³ and saturated vapour concentration greater than or equal to 10 LC ₅₀	3386	6.1	4.3				I		FORBIDDEN		FORBIDDEN	
Toxic by inhalation liquid, water-reactive, flammable, n.o.s.* with an LC ₅₀ lower than or equal to 200 mL/m ³ and saturated vapour concentration greater than or equal to 500 LC ₅₀	3490	6.1	3 4.3				I		FORBIDDEN		FORBIDDEN	
Toxic by inhalation liquid, water-reactive, flammable, n.o.s.* with an LC ₅₀ lower than or equal to 1 000 mL/m ³ and saturated vapour concentration greater than or equal to 10 LC ₅₀	3491	6.1	3 4.3				I		FORBIDDEN		FORBIDDEN	
Toxic gas, n.o.s., see Compressed or Liquefied gas, toxic , etc.												
Toxic liquid, corrosive, inorganic, n.o.s.*	3289	6.1	8	Toxic & Corrosive		A4 A137	I II	E5 E4	651 653 Y640	0.5 L 1 L 0.5 L	657 660	2.5 L 30 L
Toxic liquid, corrosive, organic, n.o.s.*	2927	6.1	8	Toxic & Corrosive		A4 A137	I II	E5 E4	651 653 Y640	0.5 L 1 L 0.5 L	657 660	2.5 L 30 L
Toxic liquid, flammable, organic, n.o.s.*	2929	6.1	3	Toxic & Liquid flammable		A4 A137	I II	E5 E4	652 654 Y641	1 L 5 L 1 L	658 662	30 L 60 L
Toxic liquid, inorganic, n.o.s.*	3287	6.1		Toxic		A3 A4 A137	I II III	E5 E4 E1	652 654 Y641 655 Y642	1 L 5 L 1 L 60 L 2 L	658 662 663	30 L 60 L 220 L
Toxic liquid, organic, n.o.s.*	2810	6.1		Toxic		A3 A4 A137	I II III	E5 E4 E1	652 654 Y641 655 Y642	1 L 5 L 1 L 60 L 2 L	658 662 663	30 L 60 L 220 L
Toxic liquid, oxidizing, n.o.s.*	3122	6.1	5.1	Toxic & Oxidizer		A4 A137	I II	E0 E4	FORBIDDEN 653 Y641	1 L 1 L 1 L	657 659	2.5 L 5 L
Toxic liquid, water-reactive, n.o.s.*	3123	6.1	4.3	Toxic & Danger if wet		A4 A137	I II	E0 E4	FORBIDDEN 653	1 L 1 L	699 659	1 L 5 L

별표 1. 위험물 목록

3-2-191

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Toxic solid, corrosive, inorganic, n.o.s.*	3290	6.1	8	Toxic & Corrosive		A5	I II	E5 E4	665	1 kg	672	15 kg
									668	15 kg	675	50 kg
									Y644	1 kg		
Toxic solid, corrosive, organic, n.o.s.*	2928	6.1	8	Toxic & Corrosive		A5	I II	E5 E4	665	1 kg	672	15 kg
									668	15 kg	675	50 kg
									Y644	1 kg		
Toxic solid, flammable, inorganic, n.o.s.*	3535	6.1	4.1	Toxic & Solid flammable		A5	I II	E5	665	1 kg	672	15 kg
									668	15 kg	675	50 kg
									Y644	1 kg		
Toxic solid, flammable, organic, n.o.s.*	2930	6.1	4.1	Toxic & Solid flammable		A5	I II	E5 E4	665	1 kg	672	15 kg
									668	15 kg	675	50 kg
									Y644	1 kg		
Toxic solid, inorganic, n.o.s.*	3288	6.1		Toxic		A3 A5	I II	E5 E4	666	5 kg	673	50 kg
									669	25 kg	676	100 kg
									Y644	1 kg		
									670	100 kg	677	200 kg
Toxic solid, organic, n.o.s.*	2811	6.1		Toxic		A3 A5	I II	E5 E4	666	5 kg	673	50 kg
									669	25 kg	676	100 kg
									Y644	1 kg		
									670	100 kg	677	200 kg
Toxic solid, oxidizing, n.o.s.*	3086	6.1	5.1	Toxic & Oxidizer		A5	I II	E5 E4	665	1 kg	672	15 kg
									667	5 kg	674	25 kg
									Y644	1 kg		
Toxic solid, self-heating, n.o.s.*	3124	6.1	4.2	Toxic & Spontaneous combustion		A5	I II	E5 E4	665	1 kg	672	15 kg
									668	15 kg	675	50 kg
Toxic solid, water-reactive, n.o.s.*	3125	6.1	4.3	Toxic & Danger if wet		A5	I II	E5 E4	699	5 kg	699	15 kg
									668	15 kg	675	50 kg
									Y644	1 kg		
Toxins, extracted from living sources, liquid, n.o.s.*	3172	6.1		Toxic		A3 A43	I II	E5 E4	652	1 L	658	30 L
									654	5 L	662	60 L
									Y641	1 L		
									655	60 L	663	220 L
Toxins, extracted from living sources, solid, n.o.s.*	3462	6.1		Toxic		A3 A43	I II	E5 E4	666	5 kg	673	50 kg
									669	25 kg	676	100 kg
									Y644	1 kg		
									670	100 kg	677	200 kg
Tracers for ammunition †	0212	1.3G							FORBIDDEN		FORBIDDEN	
Tracers for ammunition †	0306	1.4G		Explosive 1.4				E0	FORBIDDEN		133	75 kg
Tractors, see Vehicle (flammable gas powered) or Vehicle (flammable liquid powered)												
Tremolite, see Asbestos, amphibole (UN No. 2212)												

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Triallylamine	2610	3	8	Liquid flammable & Corrosive			III	E1	354 Y342	5 L 1 L	365	60 L
Triallyl borate	2609	6.1		Toxic			III	E1	655 Y642	60 L 2 L	663	220 L
Triazine pesticide, liquid, flammable, toxic*, flash point less than 23°C	2764	3	6.1	Liquid flammable & Toxic		A4	I II	E0 E2	FORBIDDEN 352 Y341	1 L 1 L	361 364	30 L 60 L
Triazine pesticide, liquid, toxic*	2998	6.1		Toxic		A3 A4	I II	E5 E4	652 654 Y641	1 L 5 L 1 L	658 662	30 L 60 L
							III	E1	655 Y642	60 L 2 L	663	220 L
Triazine pesticide, liquid, toxic, flammable*, flash point not less than 23°C	2997	6.1	3	Toxic & Liquid flammable		A3 A4	I II	E5 E4	652 654 Y641	1 L 5 L 1 L	658 662	30 L 60 L
							III	E1	655 Y642	60 L 2 L	663	220 L
Triazine pesticide, solid, toxic*	2763	6.1		Toxic		A3 A5	I II	E5 E4	666 669 Y644	5 kg 25 kg 1 kg	673 676	50 kg 100 kg
							III	E1	670 Y645	100 kg 10 kg	677	200 kg
Tribromoborane, see Boron tribromide												
Tributylamine	2542	6.1		Toxic			II	E4	654 Y641	5 L 1 L	662	60 L
Tributylphosphane	3254	4.2					I		FORBIDDEN		FORBIDDEN	
Trichloroacetaldehyde, see Chloral, anhydrous, stabilized (UN No. 2075)												
Trichloroacetic acid	1839	8		Corrosive			II	E2	859 Y844	15 kg 5 kg	863	50 kg
Trichloroacetic acid solution	2564	8		Corrosive		A3	II III	E2 E1	851 Y840 852 Y841	1 L 0.5 L 5 L 1 L	855 856	30 L 60 L
Trichloroacetyl chloride	2442	8			AU 1 CA 7 IR 3 NL 1 US 3	A2	II		FORBIDDEN		FORBIDDEN	
Trichlorobenzenes, liquid	2321	6.1		Toxic	US 4		III	E1	655 Y642	60 L 2 L	663	220 L
Trichlorobutene	2322	6.1		Toxic			II	E4	654 Y641	5 L 1 L	662	60 L
1,1,1-Trichloroethane	2831	6.1		Toxic			III	E1	655 Y642	60 L 2 L	663	220 L

별표 1. 위험물 목록

3-2-193

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Trichloroethylene	1710	6.1		Toxic	US 4		III	E1	655 Y642	60 L 2 L	663	220 L
Trichloroisocyanuric acid, dry	2468	5.1		Oxidizer			II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
Trichloromethyl perchlorate	FORBIDDEN											
Trichloronitromethane, see Chloropicrin												
Trichloroacetaldehyde, see Chloral, anhydrous, stabilized (UN No. 2075)												
Trichlorosilane	1295	4.3	3 8				I		FORBIDDEN		FORBIDDEN	
1,3,5-Trichloro-s-triazine-2,4,6-trione, see Trichloroisocyanuric acid, dry												
2,4,6-Trichloro-1,3,5-triazine, see Cyanuric chloride												
Tricresyl phosphate with more than 3% ortho isomer	2574	6.1		Toxic			II	E4	654 Y641	5 L 1 L	661	60 L
Triethylamine	1296	3	8	Liquid flammable & Corrosive			II	E2	352 Y340	1 L 0.5 L	363	5 L
Triethyl borate, see Ethyl borate												
Triethylenetetramine	2259	8		Corrosive			II	E2	851 Y840	1 L 0.5 L	855	30 L
Triethyl orthoformate, see Ethyl orthoformate												
Triethyl phosphite	2323	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Trifluoroacetic acid	2699	8		Corrosive			I	E0	850	0.5 L	854	2.5 L
Trifluoroacetyl chloride	3057	2.3	8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Trifluorobromomethane, see Bromotrifluoromethane												
Trifluorochloroethane, see 1-Chloro-2,2,2-trifluoroethane												
Trifluorochloroethylene, stabilized	1082	2.3	2.1		AU 1 CA 7 IR 3 NL 1 US 3	A2 A209			FORBIDDEN		FORBIDDEN	
Trifluorochloromethane, see Chlorotrifluoromethane												

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
1,1,1-Trifluoroethane	2035	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1		E0	FORBIDDEN		200	150 kg
Trifluoromethane	1984	2.2		Gas non-flammable				E1	200	75 kg	200	150 kg
Trifluoromethane, refrigerated liquid	3136	2.2		Gas non-flammable				E1	202	50 kg	202	500 kg
2-Trifluoromethylaniline	2942	6.1		Toxic			III	E1	655 Y642	60 L 2 L	663	220 L
3-Trifluoromethylaniline	2948	6.1		Toxic			II	E4	654 Y641	5 L 1 L	662	60 L
+ Trifluoromethyltetrazole sodium salt in acetone with not less than 68% acetone, by mass	3555	3				A40	II	E0	FORBIDDEN		FORBIDDEN	
Triformoxime trinitrate	FORBIDDEN											
Triisobutylene	2324	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Triisopropyl borate	2616	3		Liquid flammable		A3	II III	E2 E1	353 Y341 355 Y344	5 L 1 L 60 L 10 L	364 366	60 L 220 L
Trimethylacetyl chloride	2438	6.1	3 8				I		FORBIDDEN		FORBIDDEN	
Trimethylamine, anhydrous	1083	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3 US 4	A1		E0	FORBIDDEN		200	150 kg
Trimethylamine, aqueous solution , not more than 50% trimethylamine, by mass	1297	3	8	Liquid flammable & Corrosive		A3	I II III	E0 E2 E1	350 352 Y340 354 Y342	0.5 L 1 L 0.5 L 5 L 1 L	360 363 365	2.5 L 5 L 60 L
1,3,5-Trimethylbenzene	2325	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Trimethyl borate	2416	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Trimethylchlorosilane	1298	3	8	Liquid flammable & Corrosive			II	E0	FORBIDDEN		377	5 L
Trimethylcyclohexylamine	2326	8		Corrosive			III	E1	852 Y841	5 L 1 L	856	60 L
Trimethylene chlorobromide, see 1-Bromo-3-chloropropane												
Trimethylene glycol diperchlorate	FORBIDDEN											

별표 1. 위험물 목록

3-2-195

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Trimethylhexamethylenediamines	2327	8		Corrosive			III	E1	852 Y841	5 L 1 L	856	60 L
Trimethylhexamethylene diisocyanate	2328	6.1		Toxic			III	E1	655 Y642	60 L 2 L	663	220 L
Trimethylol nitromethane trinitrate	FORBIDDEN											
2,4,4-Trimethylpentene-1, see Diisobutylene, isomeric compounds (UN No. 2050)												
2,4,4-Trimethylpentene-2, see Diisobutylene, isomeric compounds (UN No. 2050)												
Trimethyl phosphite	2329	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
1,3,5-Trimethyl-2,4,6-trinitrobenzene	FORBIDDEN											
Trinitroacetic acid	FORBIDDEN											
Trinitroacetonitrile	FORBIDDEN											
Trinitroamine cobalt	FORBIDDEN											
Trinitroaniline	0153	1.1D							FORBIDDEN		FORBIDDEN	
Trinitroanisole	0213	1.1D							FORBIDDEN		FORBIDDEN	
Trinitrobenzene , dry or wetted with less than 30% water, by mass	0214	1.1D							FORBIDDEN		FORBIDDEN	
Trinitrobenzenesulphonic acid	0386	1.1D							FORBIDDEN		FORBIDDEN	
Trinitrobenzene , wetted with not less than 30% water, by mass	1354	4.1		Solid flammable	BE 3	A40	I	E0	451	0.5 kg	451	0.5 kg
Trinitrobenzene , wetted with not less than 10% water, by mass	3367	4.1		Solid flammable	BE 3	A40	I	E0	451	0.5 kg	451	0.5 kg
Trinitrobenzoic acid , dry or wetted with less than 30% water, by mass	0215	1.1D							FORBIDDEN		FORBIDDEN	
Trinitrobenzoic acid , wetted with not less than 30% water, by mass	1355	4.1		Solid flammable	BE 3	A40	I	E0	451	0.5 kg	451	0.5 kg
Trinitrobenzoic acid , wetted with not less than 10% water, by mass	3368	4.1		Solid flammable	BE 3	A40	I	E0	451	0.5 kg	451	0.5 kg
Trinitrochlorobenzene	0155	1.1D							FORBIDDEN		FORBIDDEN	
Trinitrochlorobenzene , wetted with not less than 10% water, by mass	3365	4.1		Solid flammable	BE 3	A40	I	E0	451	0.5 kg	451	0.5 kg
Trinitro-m-cresol	0216	1.1D							FORBIDDEN		FORBIDDEN	
2,4,6-Trinitro-1,3-diazobenzene	FORBIDDEN											
Trinitroethanol	FORBIDDEN											
Trinitroethylnitrate	FORBIDDEN											
Trinitrofluorenone	0387	1.1D							FORBIDDEN		FORBIDDEN	
Trinitromethane	FORBIDDEN											

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Trinitronaphthalene	0217	1.1D							FORBIDDEN		FORBIDDEN	
Trinitrophenetole	0218	1.1D							FORBIDDEN		FORBIDDEN	
Trinitrophenol , dry or wetted with less than 30% water, by mass	0154	1.1D							FORBIDDEN		FORBIDDEN	
Trinitrophenol , wetted with not less than 30% water, by mass	1344	4.1		Solid flammable	BE 3	A40	I	E0	451	1 kg	451	15 kg
Trinitrophenol , wetted with not less than 10% water, by mass	3364	4.1		Solid flammable	BE 3	A40	I	E0	451	0.5 kg	451	0.5 kg
2,4,6-Trinitrophenyl guanidine (dry)	FORBIDDEN											
Trinitrophenylmethylnitramine	0208	1.1D							FORBIDDEN		FORBIDDEN	
2,4,6-Trinitrophenyl nitramine	FORBIDDEN											
2,4,6-Trinitrophenyl trimethylol methyl nitramine trinitrate (dry)	FORBIDDEN											
Trinitroresorcinol , dry or wetted with less than 20% water, or mixture of alcohol and water, by mass	0219	1.1D							FORBIDDEN		FORBIDDEN	
Trinitroresorcinol , wetted with not less than 20% water, or mixture of alcohol and water, by mass	0394	1.1D							FORBIDDEN		FORBIDDEN	
2,4,6-Trinitroso-3-methyl nitraminoanisole	FORBIDDEN											
Trinitrotetramine cobalt nitrate	FORBIDDEN											
Trinitrotoluene , dry or wetted with less than 30% water, by mass	0209	1.1D							FORBIDDEN		FORBIDDEN	
Trinitrotoluene and hexanitrostilbene mixture	0388	1.1D							FORBIDDEN		FORBIDDEN	
Trinitrotoluene and trinitrobenzene mixture	0388	1.1D							FORBIDDEN		FORBIDDEN	
Trinitrotoluene mixture containing trinitrobenzene and hexanitrostilbene	0389	1.1D							FORBIDDEN		FORBIDDEN	
Trinitrotoluene , wetted with not less than 30% water, by mass	1356	4.1		Solid flammable	BE 3	A40	I	E0	451	0.5 kg	451	0.5 kg
Trinitrotoluene , wetted with not less than 10% water, by mass	3366	4.1		Solid flammable	BE 3	A40	I	E0	451	0.5 kg	451	0.5 kg
2,4,6-Trinitro-1,3,5-triazido benzene (dry)	FORBIDDEN											
Tri-(b-nitroxyethyl) ammonium nitrate	FORBIDDEN											
Tripropylamine	2260	3	8	Liquid flammable & Corrosive			III	E1	354 Y342	5 L 1 L	365	60 L
Tripropylene	2057	3		Liquid flammable		A3	II III	E2 E1	353 Y341 355 Y344	5 L 1 L 60 L 10 L	364 366	60 L 220 L

별표 1. 위험물 목록

3-2-197

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Tris-(1-aziridiny) phosphine oxide solution	2501	6.1		Toxic		A3	II	E4	654 Y641	5 L 1 L	662	60 L
							III	E1	655 Y642	60 L 2 L	663	220 L
Tris, bis-bifluoroamino diethoxy propane (TVOPA)	FORBIDDEN											
Tritonal	0390	1.1D							FORBIDDEN		FORBIDDEN	
Tropilidene, see Cycloheptatriene												
Tungsten hexafluoride	2196	2.3	8		AU 1 CA 7 IR 3 NL 1 US 3	A2			FORBIDDEN		FORBIDDEN	
Turpentine	1299	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Turpentine substitute †	1300	3		Liquid flammable		A3	II	E2	353 Y341	5 L 1 L	364	60 L
							III	E1	355 Y344	60 L 10 L	366	220 L
Tyre assemblies inflated, unserviceable, damaged or above maximum rated pressure	—	2.2				A59			FORBIDDEN		FORBIDDEN	
U												
Undecane	2330	3		Liquid flammable			III	E1	355 Y344	60 L 10 L	366	220 L
Uranium hexafluoride, radioactive material, excepted package , less than 0.1 kg per package, non-fissile or fissile-excepted	3507	6.1	7 8	Toxic & Corrosive		A139 A194	I	E0	See 603		See 603	
Urea hydrogen peroxide	1511	5.1	8	Oxidizer & Corrosive			III	E1	559 Y545	25 kg 5 kg	563	100 kg
Urea nitrate , dry or wetted with less than 20% water, by mass	0220	1.1D							FORBIDDEN		FORBIDDEN	
Urea nitrate, wetted with not less than 20% water, by mass	1357	4.1		Solid flammable	BE 3	A40 A101	I	E0	451	1 kg	451	15 kg
Urea nitrate, wetted with not less than 10% water, by mass	3370	4.1		Solid flammable	BE 3	A40	I	E0	451	0.5 kg	451	0.5 kg
V												
Valeral, see Valeraldehyde												
n-Valeraldehyde, see Valeraldehyde												
Valeraldehyde	2058	3		Liquid flammable			II	E2	353 Y341	5 L 1 L	364	60 L
Valeric aldehyde, see Valeraldehyde												

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Valeryl chloride	2502	8	3	Corrosive & Liquid flammable			II	E2	851 Y840	1 L 0.5 L	855	30 L
Vanadium compound, n.o.s.*	3285	6.1		Toxic		A3 A5	I II	E5 E4	666 669 Y644	5 kg 25 kg 1 kg	673 676	50 kg 100 kg
Vanadium (IV) oxide sulphate, see Vanadyl sulphate							III	E1	670 Y645	100 kg 10 kg	677	200 kg
Vanadium oxysulphate, see Vanadyl sulphate												
Vanadium oxytrichloride	2443	8		Corrosive	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		855	30 L
Vanadium pentoxide, non-fused form	2862	6.1		Toxic			III	E1	670 Y645	100 kg 10 kg	677	200 kg
Vanadium tetrachloride	2444	8		Corrosive	AU 1 CA 7 IR 3 NL 1 US 3	A1	I	E0	FORBIDDEN		854	2.5 L
Vanadium trichloride	2475	8		Corrosive			III	E1	860 Y845	25 kg 5 kg	864	100 kg
Vanadyl sulphate	2931	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Vehicle, flammable gas powered	3166	9		Miscellaneous		A70 A87 A118 A120 A154 A214		E0	FORBIDDEN		951	No limit
Vehicle, flammable liquid powered	3166	9		Miscellaneous		A70 A87 A118 A120 A154 A214		E0	950	No limit	950	No limit
Vehicle, fuel cell, flammable gas powered †	3166	9		Miscellaneous		A70 A87 A118 A120 A154 A176 A214		E0	FORBIDDEN		951	No limit

별표 1. 위험물 목록

3-2-199

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Vehicle, fuel cell, flammable liquid powered †	3166	9		Miscellaneous		A70 A87 A118 A120 A154 A176 A214		E0	950	No limit	950	No limit
+ Vehicle, lithium ion battery powered	3556	9		Miscellaneous — Lithium or sodium ion batteries		A87 A118 A120 A154 A214		E0	952	No limit	952	No limit
+ Vehicle, lithium metal battery powered	3557	9		Miscellaneous — Lithium or sodium ion batteries		A87 A118 A120 A154 A214		E0	952	No limit	952	No limit
+ Vehicle, sodium ion battery powered	3558	9		Miscellaneous — Lithium or sodium ion batteries		A87 A118 A120 A154 A214 A231		E0	952	No limit	952	No limit
Vehicles, self-propelled, see Battery-powered equipment or Battery-powered vehicle or Vehicle (flammable gas powered) or Vehicle (flammable liquid powered)												
Villiumite, see Sodium fluoride, solid (UN No. 1690)												
Vinyl acetate, stabilized	1301	3		Liquid flammable		A209	II	E2	353 Y341	5 L 1 L	364	60 L
Vinylbenzene, see Styrene monomer, stabilized												
Vinyl bromide, stabilized	1085	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1 A209		E0	FORBIDDEN		200	150 kg
Vinyl butyrate, stabilized	2838	3		Liquid flammable		A209	II	E2	353 Y341	5 L 1 L	364	60 L
Vinyl chloride, stabilized	1086	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3 US 4	A1 A209		E0	FORBIDDEN		200	150 kg
Vinyl chloroacetate	2589	6.1	3	Toxic & Liquid flammable			II	E4	654 Y641	5 L 1 L	662	60 L

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Sub-sidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Vinyl ethyl ether, stabilized	1302	3		Liquid flammable		A209	I	E3	351	1 L	361	30 L
Vinyl fluoride, stabilized	1860	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1 A209		E0	FORBIDDEN		200	150 kg
Vinylidene chloride, stabilized	1303	3		Liquid flammable		A209	I	E3	351	1 L	361	30 L
Vinyl isobutyl ether, stabilized	1304	3		Liquid flammable		A209	II	E2	353 Y341	5 L 1 L	364	60 L
Vinyl methyl ether, stabilized	1087	2.1		Gas flammable	AU 1 CA 7 IR 3 NL 1 US 3	A1 A209		E0	FORBIDDEN		200	150 kg
Vinyl nitrate polymer	FORBIDDEN											
Vinylpyridines, stabilized	3073	6.1	3 8	Toxic & Liquid flammable & Corrosive		A209	II	E4	653 Y640	1 L 0.5 L	660	30 L
Vinyltoluenes, stabilized	2618	3		Liquid flammable		A209	III	E1	355 Y344	60 L 10 L	366	220 L
Vinyltrichlorosilane	1305	3	8	Liquid flammable & Corrosive	AU 1 CA 7 IR 3 NL 1 US 3		II	E0	FORBIDDEN		377	5 L
W												
Warheads for guided missiles, see Warheads, rocket												
Warheads, rocket with burster or expelling charge†	0370	1.4D		Explosive 1.4				E0	FORBIDDEN		130	75 kg
Warheads, rocket with burster or expelling charge†	0371	1.4F							FORBIDDEN		FORBIDDEN	
Warheads, rocket with bursting charge†	0286	1.1D							FORBIDDEN		FORBIDDEN	
Warheads, rocket with bursting charge†	0287	1.2D							FORBIDDEN		FORBIDDEN	
Warheads, rocket with bursting charge†	0369	1.1F							FORBIDDEN		FORBIDDEN	
Warheads, torpedo with bursting charge†	0221	1.1D							FORBIDDEN		FORBIDDEN	
Water-reactive liquid, n.o.s.*	3148	4.3		Danger if wet		A3	I II III	E0 E2 E1	FORBIDDEN 478 479	 1 L 5 L	480 481 482	1 L 5 L 60 L

별표 1. 위험물 목록

3-2-201

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Water-reactive liquid, corrosive, n.o.s.*	3129	4.3	8	Danger if wet & Corrosive		A3	I	E0	FORBIDDEN		480	1 L
							II	E0	FORBIDDEN		481	5 L
							III	E1	479	5 L	482	60 L
Water-reactive liquid, toxic, n.o.s.*	3130	4.3	6.1	Danger if wet & Toxic		A3	I	E0	FORBIDDEN		480	1 L
							II	E0	FORBIDDEN		481	5 L
							III	E1	479	5 L	482	60 L
Water-reactive solid, n.o.s.*	2813	4.3		Danger if wet		A3	I	E0	FORBIDDEN		488	15 kg
							II	E2	484	15 kg	490	50 kg
									Y475	5 kg		
							III	E1	486	25 kg	491	100 kg
				Y477	10 kg							
Water-reactive solid, corrosive, n.o.s.*	3131	4.3	8	Danger if wet & Corrosive		A3	I	E0	FORBIDDEN		488	15 kg
							II	E2	483	15 kg	490	50 kg
									Y475	5 kg		
							III	E1	486	25 kg	491	100 kg
				Y476	5 kg							
Water-reactive solid, flammable, n.o.s.*	3132	4.3	4.1	Danger if wet & Solid flammable		A3	I	E0	FORBIDDEN		488	15 kg
							II	E2	483	15 kg	490	50 kg
									Y475	5 kg		
							III	E1	486	25 kg	491	100 kg
				Y476	5 kg							
Water-reactive solid, oxidizing, n.o.s.*	3133	4.3	5.1		AU 1 CA 7 IR 3 NL 1 US 3	A2	II		FORBIDDEN		FORBIDDEN	
						A3	III		FORBIDDEN		FORBIDDEN	
Water-reactive solid, self-heating, n.o.s.*	3135	4.3	4.2	Danger if wet & Spontaneous combustion		A3	I	E0	FORBIDDEN		488	15 kg
							II	E2	483	15 kg	490	50 kg
							III	E1	486	25 kg	491	100 kg
Water-reactive solid, toxic, n.o.s.*	3134	4.3	6.1	Danger if wet & Toxic		A3	I	E0	FORBIDDEN		488	15 kg
							II	E2	483	15 kg	490	50 kg
									Y474	1 kg		
							III	E1	486	25 kg	491	100 kg
				Y477	10 kg							
Wheelchair, electric with batteries, see Battery-powered equipment or Battery-powered vehicle												
White arsenic, see Arsenic trioxide												
White spirit, see Turpentine substitute												
Wood preservatives, liquid	1306	3		Liquid flammable		A3	II	E2	353	5 L	364	60 L
									Y341	1 L		
							III	E1	355	60 L	366	220 L
									Y344	10 L		
Wool waste, wet	1387	4.2			AU 1 CA 7 IR 3 NL 1 US 3	A2	III		FORBIDDEN		FORBIDDEN	

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
X												
Xanthates	3342	4.2		Spontaneous combustion		A3	II III	E2 E1	467 469	15 kg 25 kg	470 471	50 kg 100 kg
Xenon	2036	2.2		Gas non-flammable		A69 A202		E1	200	75 kg	200	150 kg
Xenon, refrigerated liquid	2591	2.2		Gas non-flammable				E1	202	50 kg	202	500 kg
Xylenes	1307	3		Liquid flammable		A3	II III	E2 E1	353 355 Y341 Y344	5 L 60 L 1 L 10 L	364 366	60 L 220 L
Xylenols, liquid	3430	6.1		Toxic			II	E4	654 Y641	5 L 1 L	662	60 L
Xylenols, solid	2261	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Xylidines, liquid	1711	6.1		Toxic			II	E4	654 Y641	5 L 1 L	662	60 L
Xylidines, solid	3452	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Xylols, see Xylenes												
Xylyl bromide, liquid	1701	6.1		Toxic	AU 1 CA 7 IR 3 NL 1 US 3	A1	II	E0	FORBIDDEN		661	60 L
Xylyl bromide, solid	3417	6.1		Toxic			II	E4	669	25 kg	676	100 kg
p-Xylyl diazide	FORBIDDEN											
Z												
Zinc ammonium nitrite	1512	5.1		Oxidizer			II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
Zinc arsenate	1712	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Zinc arsenate and zinc arsenite mixture	1712	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Zinc arsenite	1712	6.1		Toxic			II	E4	669 Y644	25 kg 1 kg	676	100 kg
Zinc ashes	1435	4.3		Danger if wet		A3	III	E1	486 Y477	25 kg 10 kg	491	100 kg
Zinc bisulphite solution, see Bisulphites, aqueous solution, n.o.s.												
Zinc bromate	2469	5.1		Oxidizer			III	E1	559 Y546	25 kg 10 kg	563	100 kg

별표 1. 위험물 목록

3-2-203

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Zinc chlorate	1513	5.1		Oxidizer			II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
Zinc chloride, anhydrous	2331	8		Corrosive			III	E1	860 Y845	25 kg 5 kg	864	100 kg
Zinc chloride solution	1840	8		Corrosive		A3	III	E1	852 Y841	5 L 1 L	856	60 L
Zinc cyanide	1713	6.1		Toxic	US 4		I	E5	666	5 kg	673	50 kg
Zinc dithionite	1931	9		Miscellaneous			III	E1	956	100 kg	956	200 kg
Zinc dust	1436	4.3	4.2	Danger if wet & Spontaneous combustion		A3	I II III	E0 E2 E1	FORBIDDEN 483 486	15 kg 25 kg	488 490 491	15 kg 50 kg 100 kg
Zinc fluorosilicate	2855	6.1		Toxic			III	E1	670 Y645	100 kg 10 kg	677	200 kg
Zinc hexafluorosilicate, see Zinc fluorosilicate												
Zinc hydrosulphite	1931	9		Miscellaneous			III	E1	956	100 kg	956	200 kg
Zinc nitrate	1514	5.1		Oxidizer			II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
Zinc permanganate	1515	5.1		Oxidizer			II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
Zinc peroxide	1516	5.1		Oxidizer			II	E2	558 Y544	5 kg 2.5 kg	562	25 kg
Zinc phosphide	1714	4.3	6.1	Danger if wet & Toxic			I	E0	FORBIDDEN		487	15 kg
Zinc powder	1436	4.3	4.2	Danger if wet & Spontaneous combustion		A3	I II III	E0 E2 E1	FORBIDDEN 483 486	15 kg 25 kg	488 490 491	15 kg 50 kg 100 kg
Zinc resinate	2714	4.1		Solid flammable			III	E1	446 Y443	25 kg 10 kg	449	100 kg
Zinc selenate, see Selenates												
Zinc selenite, see Selenites												
Zinc silicofluoride, see Zinc fluorosilicate												
Zirconium, dry , coiled wire, finished metal sheets, strip (thinner than 254 microns but not thinner than 18 microns)	2858	4.1		Solid flammable			III	E1	446 Y443	25 kg 10 kg	449	100 kg
Zirconium, dry , finished sheets, strip or coiled wire (thinner than 18 microns)	2009	4.2		Spontaneous combustion		A3	III	E1	469	25 kg	471	100 kg
Zirconium hydride	1437	4.1		Solid flammable			II	E2	445 Y441	15 kg 5 kg	448	50 kg
Zirconium nitrate	2728	5.1		Oxidizer			III	E1	559 Y546	25 kg 10 kg	563	100 kg

별표 1. 위험물 목록

Part 3

Name	UN No.	Class or division	Subsidiary hazard	Labels	State variations	Special provisions	UN packing group	Excepted quantity	Passenger and cargo aircraft		Cargo aircraft only	
									Packing instruction	Max. net quantity per package	Packing instruction	Max. net quantity per package
1	2	3	4	5	6	7	8	9	10	11	12	13
Zirconium picramate , dry or wetted with less than 20% water, by mass	0236	1.3C							FORBIDDEN		FORBIDDEN	
Zirconium picramate , wetted with not less than 20% water, by mass	1517	4.1		Solid flammable	BE 3	A40	I	E0	451	1 kg	451	15 kg
Zirconium powder , dry	2008	4.2		Spontaneous combustion		A3	I		FORBIDDEN		FORBIDDEN	
							II	E2	467	15 kg	470	50 kg
							III	E1	469	25 kg	471	100 kg
Zirconium powder , wetted with not less than 25% water (a visible excess of water must be present) (a) mechanically produced, particle size less than 53 microns; (b) chemically produced, particle size less than 840 microns	1358	4.1		Solid flammable		A35	II	E2	445 Y441	15 kg 5 kg	448	50 kg
Zirconium scrap	1932	4.2			AU 1 CA 7 IR 3 NL 1 US 3	A2 A3	III		FORBIDDEN		FORBIDDEN	
Zirconium suspended in a flammable liquid †	1308	3		Liquid flammable	AU 1 CA 7 IR 3 NL 1 US 2	A1 A3 A108	I II III	E0 E2 E1	FORBIDDEN 353 Y341 355 Y344	5 L 1 L 60 L 10 L	361 364 366	30 L 60 L 220 L
Zirconium tetrachloride	2503	8		Corrosive			III	E1	860 Y845	25 kg 5 kg	864	100 kg